

| Company name | Trade date | Trade time | Venue | Quantity | Price (DKK) | Total value (DKK) |
|--------------|------------|------------|-------|----------|-------------|-------------------|
| DSV A/S | 20230403 | 9:00:07 | XCSE | 36.0 | 1,287.0 | 46,332.0 |
| DSV A/S | 20230403 | 9:00:08 | XCSE | 34.0 | 1,285.5 | 43,707.0 |
| DSV A/S | 20230403 | 9:00:10 | XCSE | 35.0 | 1,285.5 | 44,992.5 |
| DSV A/S | 20230403 | 9:00:21 | XCSE | 35.0 | 1,293.0 | 45,255.0 |
| DSV A/S | 20230403 | 9:00:26 | XCSE | 34.0 | 1,293.0 | 43,962.0 |
| DSV A/S | 20230403 | 9:00:31 | XCSE | 34.0 | 1,296.0 | 44,064.0 |
| DSV A/S | 20230403 | 9:00:36 | XCSE | 36.0 | 1,294.5 | 46,602.0 |
| DSV A/S | 20230403 | 9:00:52 | XCSE | 34.0 | 1,302.5 | 44,285.0 |
| DSV A/S | 20230403 | 9:00:52 | XCSE | 35.0 | 1,301.5 | 45,552.5 |
| DSV A/S | 20230403 | 9:00:58 | XCSE | 36.0 | 1,305.0 | 46,980.0 |
| DSV A/S | 20230403 | 9:01:04 | XCSE | 16.0 | 1,305.5 | 20,888.0 |
| DSV A/S | 20230403 | 9:01:04 | XCSE | 21.0 | 1,305.5 | 27,415.5 |
| DSV A/S | 20230403 | 9:01:12 | XCSE | 34.0 | 1,300.0 | 44,200.0 |
| DSV A/S | 20230403 | 9:01:12 | XCSE | 35.0 | 1,299.0 | 45,465.0 |
| DSV A/S | 20230403 | 9:01:20 | XCSE | 36.0 | 1,294.5 | 46,602.0 |
| DSV A/S | 20230403 | 9:01:31 | XCSE | 15.0 | 1,291.5 | 19,372.5 |
| DSV A/S | 20230403 | 9:01:41 | XCSE | 37.0 | 1,295.0 | 47,915.0 |
| DSV A/S | 20230403 | 9:01:49 | XCSE | 21.0 | 1,293.5 | 27,163.5 |
| DSV A/S | 20230403 | 9:01:49 | XCSE | 14.0 | 1,293.5 | 18,109.0 |
| DSV A/S | 20230403 | 9:01:50 | XCSE | 7.0 | 1,293.5 | 9,054.5 |
| DSV A/S | 20230403 | 9:01:50 | XCSE | 27.0 | 1,293.5 | 34,924.5 |
| DSV A/S | 20230403 | 9:01:56 | XCSE | 34.0 | 1,293.0 | 43,962.0 |
| DSV A/S | 20230403 | 9:01:58 | XCSE | 35.0 | 1,292.0 | 45,220.0 |
| DSV A/S | 20230403 | 9:02:07 | XCSE | 35.0 | 1,292.0 | 45,220.0 |
| DSV A/S | 20230403 | 9:02:11 | XCSE | 34.0 | 1,293.5 | 43,979.0 |
| DSV A/S | 20230403 | 9:02:14 | XCSE | 37.0 | 1,293.0 | 47,841.0 |
| DSV A/S | 20230403 | 9:02:20 | XCSE | 35.0 | 1,293.0 | 45,255.0 |
| DSV A/S | 20230403 | 9:02:39 | XCSE | 35.0 | 1,289.5 | 45,132.5 |
| DSV A/S | 20230403 | 9:03:04 | XCSE | 37.0 | 1,295.5 | 47,933.5 |
| DSV A/S | 20230403 | 9:03:08 | XCSE | 34.0 | 1,294.5 | 44,013.0 |
| DSV A/S | 20230403 | 9:03:08 | XCSE | 36.0 | 1,293.5 | 46,566.0 |
| DSV A/S | 20230403 | 9:03:10 | XCSE | 36.0 | 1,292.5 | 46,530.0 |
| DSV A/S | 20230403 | 9:03:14 | XCSE | 11.0 | 1,292.0 | 14,212.0 |
| DSV A/S | 20230403 | 9:03:14 | XCSE | 25.0 | 1,292.0 | 32,300.0 |
| DSV A/S | 20230403 | 9:03:26 | XCSE | 36.0 | 1,296.0 | 46,656.0 |
| DSV A/S | 20230403 | 9:03:35 | XCSE | 34.0 | 1,294.5 | 44,013.0 |
| DSV A/S | 20230403 | 9:03:41 | XCSE | 34.0 | 1,295.5 | 44,047.0 |
| DSV A/S | 20230403 | 9:03:50 | XCSE | 7.0 | 1,295.0 | 9,065.0 |
| DSV A/S | 20230403 | 9:03:50 | XCSE | 29.0 | 1,295.0 | 37,555.0 |
| DSV A/S | 20230403 | 9:03:58 | XCSE | 34.0 | 1,294.5 | 44,013.0 |
| DSV A/S | 20230403 | 9:04:09 | XCSE | 36.0 | 1,296.0 | 46,656.0 |
| DSV A/S | 20230403 | 9:04:16 | XCSE | 37.0 | 1,298.5 | 48,044.5 |
| DSV A/S | 20230403 | 9:04:23 | XCSE | 35.0 | 1,297.5 | 45,412.5 |
| DSV A/S | 20230403 | 9:04:33 | XCSE | 34.0 | 1,296.0 | 44,064.0 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 35.0 | 1,294.5 | 45,307.5 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 17.0 | 1,294.5 | 22,006.5 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 8.0 | 1,295.0 | 10,360.0 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 33.0 | 1,295.0 | 42,735.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|---------|---------|-------------|
| DSV A/S | 20230403 | 9:04:41 | XCSE | 227.0 | 1,295.0 | 293,965.0 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 400.0 | 1,295.0 | 518,000.0 |
| DSV A/S | 20230403 | 9:04:41 | XCSE | 315.0 | 1,295.0 | 407,925.0 |
| DSV A/S | 20230403 | 9:04:47 | XCSE | 6.0 | 1,293.0 | 7,758.0 |
| DSV A/S | 20230403 | 9:04:47 | XCSE | 28.0 | 1,293.0 | 36,204.0 |
| DSV A/S | 20230403 | 9:04:55 | XCSE | 12.0 | 1,289.5 | 15,474.0 |
| DSV A/S | 20230403 | 9:04:55 | XCSE | 22.0 | 1,289.5 | 28,369.0 |
| DSV A/S | 20230403 | 9:04:55 | XCSE | 1,000.0 | 1,290.0 | 1,290,000.0 |
| DSV A/S | 20230403 | 9:05:04 | XCSE | 34.0 | 1,288.5 | 43,809.0 |
| DSV A/S | 20230403 | 9:05:19 | XCSE | 34.0 | 1,288.5 | 43,809.0 |
| DSV A/S | 20230403 | 9:05:22 | XCSE | 34.0 | 1,287.5 | 43,775.0 |
| DSV A/S | 20230403 | 9:05:43 | XCSE | 36.0 | 1,287.5 | 46,350.0 |
| DSV A/S | 20230403 | 9:06:02 | XCSE | 37.0 | 1,289.0 | 47,693.0 |
| DSV A/S | 20230403 | 9:06:03 | XCSE | 37.0 | 1,289.0 | 47,693.0 |
| DSV A/S | 20230403 | 9:06:15 | XCSE | 34.0 | 1,287.0 | 43,758.0 |
| DSV A/S | 20230403 | 9:06:19 | XCSE | 36.0 | 1,285.5 | 46,278.0 |
| DSV A/S | 20230403 | 9:06:28 | XCSE | 34.0 | 1,285.0 | 43,690.0 |
| DSV A/S | 20230403 | 9:06:34 | XCSE | 36.0 | 1,284.5 | 46,242.0 |
| DSV A/S | 20230403 | 9:06:43 | XCSE | 35.0 | 1,283.5 | 44,922.5 |
| DSV A/S | 20230403 | 9:07:02 | XCSE | 34.0 | 1,282.0 | 43,588.0 |
| DSV A/S | 20230403 | 9:07:04 | XCSE | 37.0 | 1,281.5 | 47,415.5 |
| DSV A/S | 20230403 | 9:07:08 | XCSE | 34.0 | 1,280.0 | 43,520.0 |
| DSV A/S | 20230403 | 9:07:08 | XCSE | 1,000.0 | 1,280.0 | 1,280,000.0 |
| DSV A/S | 20230403 | 9:07:13 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230403 | 9:07:28 | XCSE | 1.0 | 1,277.0 | 1,277.0 |
| DSV A/S | 20230403 | 9:07:32 | XCSE | 34.0 | 1,278.5 | 43,469.0 |
| DSV A/S | 20230403 | 9:07:35 | XCSE | 36.0 | 1,275.5 | 45,918.0 |
| DSV A/S | 20230403 | 9:08:04 | XCSE | 56.0 | 1,271.0 | 71,176.0 |
| DSV A/S | 20230403 | 9:08:04 | XCSE | 15.0 | 1,271.0 | 19,065.0 |
| DSV A/S | 20230403 | 9:08:05 | XCSE | 36.0 | 1,270.5 | 45,738.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 26.0 | 1,270.0 | 33,020.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 209.0 | 1,270.0 | 265,430.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 400.0 | 1,270.0 | 508,000.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 288.0 | 1,270.0 | 365,760.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 62.0 | 1,270.0 | 78,740.0 |
| DSV A/S | 20230403 | 9:08:07 | XCSE | 15.0 | 1,270.0 | 19,050.0 |
| DSV A/S | 20230403 | 9:08:50 | XCSE | 68.0 | 1,277.5 | 86,870.0 |
| DSV A/S | 20230403 | 9:09:06 | XCSE | 37.0 | 1,279.0 | 47,323.0 |
| DSV A/S | 20230403 | 9:09:08 | XCSE | 11.0 | 1,279.0 | 14,069.0 |
| DSV A/S | 20230403 | 9:09:32 | XCSE | 68.0 | 1,280.0 | 87,040.0 |
| DSV A/S | 20230403 | 9:09:35 | XCSE | 36.0 | 1,280.0 | 46,080.0 |
| DSV A/S | 20230403 | 9:09:42 | XCSE | 35.0 | 1,279.0 | 44,765.0 |
| DSV A/S | 20230403 | 9:10:03 | XCSE | 34.0 | 1,277.0 | 43,418.0 |
| DSV A/S | 20230403 | 9:10:10 | XCSE | 34.0 | 1,279.5 | 43,503.0 |
| DSV A/S | 20230403 | 9:10:20 | XCSE | 70.0 | 1,279.5 | 89,565.0 |
| DSV A/S | 20230403 | 9:10:23 | XCSE | 36.0 | 1,279.0 | 46,044.0 |
| DSV A/S | 20230403 | 9:10:53 | XCSE | 37.0 | 1,277.0 | 47,249.0 |
| DSV A/S | 20230403 | 9:10:53 | XCSE | 34.0 | 1,276.0 | 43,384.0 |
| DSV A/S | 20230403 | 9:10:55 | XCSE | 34.0 | 1,275.0 | 43,350.0 |

| | | | | | | |
|---------|----------|---------|------|---------|---------|-------------|
| DSV A/S | 20230403 | 9:11:13 | XCSE | 36.0 | 1,271.5 | 45,774.0 |
| DSV A/S | 20230403 | 9:11:13 | XCSE | 34.0 | 1,271.5 | 43,231.0 |
| DSV A/S | 20230403 | 9:11:47 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 9:11:47 | XCSE | 2.0 | 1,275.0 | 2,550.0 |
| DSV A/S | 20230403 | 9:11:52 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230403 | 9:11:52 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230403 | 9:12:30 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230403 | 9:12:30 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230403 | 9:12:31 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230403 | 9:12:39 | XCSE | 21.0 | 1,271.0 | 26,691.0 |
| DSV A/S | 20230403 | 9:12:39 | XCSE | 15.0 | 1,271.0 | 19,065.0 |
| DSV A/S | 20230403 | 9:12:50 | XCSE | 13.0 | 1,271.0 | 16,523.0 |
| DSV A/S | 20230403 | 9:12:51 | XCSE | 23.0 | 1,270.5 | 29,221.5 |
| DSV A/S | 20230403 | 9:12:51 | XCSE | 13.0 | 1,270.5 | 16,516.5 |
| DSV A/S | 20230403 | 9:13:10 | XCSE | 10.0 | 1,266.5 | 12,665.0 |
| DSV A/S | 20230403 | 9:13:25 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:13:35 | XCSE | 500.0 | 1,269.0 | 634,500.0 |
| DSV A/S | 20230403 | 9:13:35 | XCSE | 1,500.0 | 1,269.0 | 1,903,500.0 |
| DSV A/S | 20230403 | 9:13:35 | XCSE | 34.0 | 1,268.5 | 43,129.0 |
| DSV A/S | 20230403 | 9:13:37 | XCSE | 36.0 | 1,268.5 | 45,666.0 |
| DSV A/S | 20230403 | 9:14:53 | XCSE | 35.0 | 1,275.5 | 44,642.5 |
| DSV A/S | 20230403 | 9:14:57 | XCSE | 34.0 | 1,278.0 | 43,452.0 |
| DSV A/S | 20230403 | 9:15:04 | XCSE | 34.0 | 1,277.5 | 43,435.0 |
| DSV A/S | 20230403 | 9:15:16 | XCSE | 34.0 | 1,278.0 | 43,452.0 |
| DSV A/S | 20230403 | 9:15:24 | XCSE | 35.0 | 1,277.0 | 44,695.0 |
| DSV A/S | 20230403 | 9:15:39 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230403 | 9:16:08 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230403 | 9:16:19 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230403 | 9:16:21 | XCSE | 35.0 | 1,270.5 | 44,467.5 |
| DSV A/S | 20230403 | 9:16:21 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:16:21 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:16:21 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:16:28 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:18:32 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230403 | 9:18:39 | XCSE | 37.0 | 1,270.5 | 47,008.5 |
| DSV A/S | 20230403 | 9:18:44 | XCSE | 36.0 | 1,270.5 | 45,738.0 |
| DSV A/S | 20230403 | 9:19:04 | XCSE | 19.0 | 1,270.5 | 24,139.5 |
| DSV A/S | 20230403 | 9:19:04 | XCSE | 17.0 | 1,270.5 | 21,598.5 |
| DSV A/S | 20230403 | 9:20:31 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230403 | 9:20:33 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230403 | 9:20:36 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230403 | 9:21:01 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230403 | 9:21:04 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230403 | 9:21:24 | XCSE | 6.0 | 1,275.5 | 7,653.0 |
| DSV A/S | 20230403 | 9:21:29 | XCSE | 68.0 | 1,275.5 | 86,734.0 |
| DSV A/S | 20230403 | 9:21:31 | XCSE | 73.0 | 1,275.0 | 93,075.0 |
| DSV A/S | 20230403 | 9:21:47 | XCSE | 71.0 | 1,274.5 | 90,489.5 |
| DSV A/S | 20230403 | 9:22:04 | XCSE | 70.0 | 1,274.5 | 89,215.0 |
| DSV A/S | 20230403 | 9:22:17 | XCSE | 68.0 | 1,274.0 | 86,632.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|------|---------|----------|
| DSV A/S | 20230403 | 9:22:23 | XCSE | 69.0 | 1,274.0 | 87,906.0 |
| DSV A/S | 20230403 | 9:23:00 | XCSE | 70.0 | 1,275.0 | 89,250.0 |
| DSV A/S | 20230403 | 9:23:21 | XCSE | 34.0 | 1,275.5 | 43,367.0 |
| DSV A/S | 20230403 | 9:23:21 | XCSE | 2.0 | 1,275.5 | 2,551.0 |
| DSV A/S | 20230403 | 9:23:24 | XCSE | 37.0 | 1,275.0 | 47,175.0 |
| DSV A/S | 20230403 | 9:23:59 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230403 | 9:24:21 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230403 | 9:24:57 | XCSE | 36.0 | 1,275.5 | 45,918.0 |
| DSV A/S | 20230403 | 9:25:03 | XCSE | 34.0 | 1,276.0 | 43,384.0 |
| DSV A/S | 20230403 | 9:25:27 | XCSE | 36.0 | 1,275.5 | 45,918.0 |
| DSV A/S | 20230403 | 9:25:48 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 9:25:58 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230403 | 9:27:02 | XCSE | 30.0 | 1,272.0 | 38,160.0 |
| DSV A/S | 20230403 | 9:27:02 | XCSE | 6.0 | 1,272.0 | 7,632.0 |
| DSV A/S | 20230403 | 9:27:06 | XCSE | 30.0 | 1,272.0 | 38,160.0 |
| DSV A/S | 20230403 | 9:27:06 | XCSE | 72.0 | 1,272.0 | 91,584.0 |
| DSV A/S | 20230403 | 9:27:53 | XCSE | 73.0 | 1,272.0 | 92,856.0 |
| DSV A/S | 20230403 | 9:27:59 | XCSE | 10.0 | 1,271.5 | 12,715.0 |
| DSV A/S | 20230403 | 9:28:49 | XCSE | 71.0 | 1,271.5 | 90,276.5 |
| DSV A/S | 20230403 | 9:29:03 | XCSE | 37.0 | 1,271.0 | 47,027.0 |
| DSV A/S | 20230403 | 9:29:03 | XCSE | 30.0 | 1,271.0 | 38,130.0 |
| DSV A/S | 20230403 | 9:29:14 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:29:14 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 9:29:43 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 9:29:43 | XCSE | 33.0 | 1,269.0 | 41,877.0 |
| DSV A/S | 20230403 | 9:29:43 | XCSE | 2.0 | 1,269.0 | 2,538.0 |
| DSV A/S | 20230403 | 9:29:43 | XCSE | 4.0 | 1,268.0 | 5,072.0 |
| DSV A/S | 20230403 | 9:30:24 | XCSE | 12.0 | 1,270.0 | 15,240.0 |
| DSV A/S | 20230403 | 9:30:24 | XCSE | 58.0 | 1,270.0 | 73,660.0 |
| DSV A/S | 20230403 | 9:31:20 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230403 | 9:31:22 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230403 | 9:31:22 | XCSE | 37.0 | 1,271.5 | 47,045.5 |
| DSV A/S | 20230403 | 9:31:54 | XCSE | 70.0 | 1,272.0 | 89,040.0 |
| DSV A/S | 20230403 | 9:32:34 | XCSE | 67.0 | 1,271.5 | 85,190.5 |
| DSV A/S | 20230403 | 9:32:51 | XCSE | 42.0 | 1,270.5 | 53,361.0 |
| DSV A/S | 20230403 | 9:32:51 | XCSE | 28.0 | 1,270.5 | 35,574.0 |
| DSV A/S | 20230403 | 9:32:51 | XCSE | 45.0 | 1,269.5 | 57,127.5 |
| DSV A/S | 20230403 | 9:34:23 | XCSE | 72.0 | 1,269.5 | 91,404.0 |
| DSV A/S | 20230403 | 9:34:27 | XCSE | 72.0 | 1,268.5 | 91,332.0 |
| DSV A/S | 20230403 | 9:34:33 | XCSE | 35.0 | 1,268.0 | 44,380.0 |
| DSV A/S | 20230403 | 9:34:53 | XCSE | 68.0 | 1,267.0 | 86,156.0 |
| DSV A/S | 20230403 | 9:34:58 | XCSE | 68.0 | 1,267.0 | 86,156.0 |
| DSV A/S | 20230403 | 9:35:39 | XCSE | 28.0 | 1,269.0 | 35,532.0 |
| DSV A/S | 20230403 | 9:35:48 | XCSE | 30.0 | 1,269.0 | 38,070.0 |
| DSV A/S | 20230403 | 9:35:48 | XCSE | 37.0 | 1,269.0 | 46,953.0 |
| DSV A/S | 20230403 | 9:35:59 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 9:35:59 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 9:36:17 | XCSE | 37.0 | 1,269.0 | 46,953.0 |
| DSV A/S | 20230403 | 9:36:39 | XCSE | 36.0 | 1,269.5 | 45,702.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|-------|---------|-------------|
| DSV A/S | 20230403 | 9:39:32 | XCSE | 69.0 | 1,274.0 | 87,906.0 |
| DSV A/S | 20230403 | 9:40:15 | XCSE | 68.0 | 1,270.5 | 86,394.0 |
| DSV A/S | 20230403 | 9:42:57 | XCSE | 68.0 | 1,272.5 | 86,530.0 |
| DSV A/S | 20230403 | 9:44:08 | XCSE | 67.0 | 1,272.0 | 85,224.0 |
| DSV A/S | 20230403 | 9:44:42 | XCSE | 68.0 | 1,272.0 | 86,496.0 |
| DSV A/S | 20230403 | 9:46:16 | XCSE | 42.0 | 1,272.0 | 53,424.0 |
| DSV A/S | 20230403 | 9:46:16 | XCSE | 6.0 | 1,272.0 | 7,632.0 |
| DSV A/S | 20230403 | 9:46:16 | XCSE | 20.0 | 1,272.0 | 25,440.0 |
| DSV A/S | 20230403 | 9:46:16 | XCSE | 72.0 | 1,271.5 | 91,548.0 |
| DSV A/S | 20230403 | 9:46:25 | XCSE | 33.0 | 1,272.0 | 41,976.0 |
| DSV A/S | 20230403 | 9:46:25 | XCSE | 75.0 | 1,272.0 | 95,400.0 |
| DSV A/S | 20230403 | 9:46:33 | XCSE | 100.0 | 1,273.0 | 127,300.0 |
| DSV A/S | 20230403 | 9:48:17 | XCSE | 73.0 | 1,274.0 | 93,002.0 |
| DSV A/S | 20230403 | 9:48:17 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230403 | 9:48:17 | XCSE | 73.0 | 1,274.0 | 93,002.0 |
| DSV A/S | 20230403 | 9:48:18 | XCSE | 56.0 | 1,273.5 | 71,316.0 |
| DSV A/S | 20230403 | 9:48:18 | XCSE | 44.0 | 1,273.5 | 56,034.0 |
| DSV A/S | 20230403 | 9:49:13 | XCSE | 47.0 | 1,273.5 | 59,854.5 |
| DSV A/S | 20230403 | 9:49:13 | XCSE | 56.0 | 1,273.5 | 71,316.0 |
| DSV A/S | 20230403 | 9:49:15 | XCSE | 108.0 | 1,273.5 | 137,538.0 |
| DSV A/S | 20230403 | 9:49:17 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230403 | 9:51:14 | XCSE | 67.0 | 1,274.5 | 85,391.5 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 23.0 | 1,276.0 | 29,348.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 30.0 | 1,276.0 | 38,280.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 26.0 | 1,276.0 | 33,176.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 19.0 | 1,276.0 | 24,244.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 67.0 | 1,276.0 | 85,492.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 6.0 | 1,276.0 | 7,656.0 |
| DSV A/S | 20230403 | 9:53:42 | XCSE | 896.0 | 1,276.0 | 1,143,296.0 |
| DSV A/S | 20230403 | 9:53:43 | XCSE | 2.0 | 1,275.5 | 2,551.0 |
| DSV A/S | 20230403 | 9:54:30 | XCSE | 13.0 | 1,275.0 | 16,575.0 |
| DSV A/S | 20230403 | 9:54:30 | XCSE | 56.0 | 1,275.0 | 71,400.0 |
| DSV A/S | 20230403 | 9:54:32 | XCSE | 67.0 | 1,273.5 | 85,324.5 |
| DSV A/S | 20230403 | 9:54:32 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230403 | 9:55:52 | XCSE | 72.0 | 1,277.5 | 91,980.0 |
| DSV A/S | 20230403 | 9:55:54 | XCSE | 20.0 | 1,277.0 | 25,540.0 |
| DSV A/S | 20230403 | 9:55:56 | XCSE | 20.0 | 1,276.5 | 25,530.0 |
| DSV A/S | 20230403 | 9:55:56 | XCSE | 3.0 | 1,276.5 | 3,829.5 |
| DSV A/S | 20230403 | 9:55:58 | XCSE | 6.0 | 1,276.5 | 7,659.0 |
| DSV A/S | 20230403 | 9:55:58 | XCSE | 50.0 | 1,276.5 | 63,825.0 |
| DSV A/S | 20230403 | 9:56:06 | XCSE | 4.0 | 1,276.5 | 5,106.0 |
| DSV A/S | 20230403 | 9:56:06 | XCSE | 16.0 | 1,276.5 | 20,424.0 |
| DSV A/S | 20230403 | 9:56:24 | XCSE | 15.0 | 1,276.5 | 19,147.5 |
| DSV A/S | 20230403 | 9:57:19 | XCSE | 35.0 | 1,277.5 | 44,712.5 |
| DSV A/S | 20230403 | 9:57:20 | XCSE | 67.0 | 1,277.0 | 85,559.0 |
| DSV A/S | 20230403 | 9:57:46 | XCSE | 69.0 | 1,275.5 | 88,009.5 |
| DSV A/S | 20230403 | 9:57:51 | XCSE | 36.0 | 1,275.0 | 45,900.0 |
| DSV A/S | 20230403 | 9:58:53 | XCSE | 16.0 | 1,274.5 | 20,392.0 |
| DSV A/S | 20230403 | 9:59:05 | XCSE | 29.0 | 1,274.5 | 36,960.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-------------|
| DSV A/S | 20230403 | 9:59:21 | XCSE | 8.0 | 1,275.5 | 10,204.0 |
| DSV A/S | 20230403 | 9:59:58 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 10:01:38 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230403 | 10:02:02 | XCSE | 67.0 | 1,277.5 | 85,592.5 |
| DSV A/S | 20230403 | 10:02:26 | XCSE | 68.0 | 1,277.5 | 86,870.0 |
| DSV A/S | 20230403 | 10:03:01 | XCSE | 72.0 | 1,277.5 | 91,980.0 |
| DSV A/S | 20230403 | 10:03:09 | XCSE | 70.0 | 1,277.0 | 89,390.0 |
| DSV A/S | 20230403 | 10:03:25 | XCSE | 35.0 | 1,277.0 | 44,695.0 |
| DSV A/S | 20230403 | 10:03:35 | XCSE | 34.0 | 1,277.0 | 43,418.0 |
| DSV A/S | 20230403 | 10:03:40 | XCSE | 36.0 | 1,277.0 | 45,972.0 |
| DSV A/S | 20230403 | 10:04:27 | XCSE | 20.0 | 1,275.0 | 25,500.0 |
| DSV A/S | 20230403 | 10:04:27 | XCSE | 14.0 | 1,275.0 | 17,850.0 |
| DSV A/S | 20230403 | 10:04:28 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230403 | 10:04:39 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 10:05:44 | XCSE | 35.0 | 1,277.0 | 44,695.0 |
| DSV A/S | 20230403 | 10:05:44 | XCSE | 388.0 | 1,277.0 | 495,476.0 |
| DSV A/S | 20230403 | 10:05:44 | XCSE | 612.0 | 1,277.0 | 781,524.0 |
| DSV A/S | 20230403 | 10:05:47 | XCSE | 35.0 | 1,276.5 | 44,677.5 |
| DSV A/S | 20230403 | 10:06:00 | XCSE | 35.0 | 1,277.0 | 44,695.0 |
| DSV A/S | 20230403 | 10:06:35 | XCSE | 36.0 | 1,277.0 | 45,972.0 |
| DSV A/S | 20230403 | 10:07:06 | XCSE | 36.0 | 1,276.0 | 45,936.0 |
| DSV A/S | 20230403 | 10:07:18 | XCSE | 34.0 | 1,276.0 | 43,384.0 |
| DSV A/S | 20230403 | 10:07:56 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230403 | 10:08:14 | XCSE | 20.0 | 1,276.0 | 25,520.0 |
| DSV A/S | 20230403 | 10:08:21 | XCSE | 24.0 | 1,276.5 | 30,636.0 |
| DSV A/S | 20230403 | 10:08:21 | XCSE | 11.0 | 1,276.5 | 14,041.5 |
| DSV A/S | 20230403 | 10:09:09 | XCSE | 36.0 | 1,277.5 | 45,990.0 |
| DSV A/S | 20230403 | 10:11:41 | XCSE | 70.0 | 1,281.0 | 89,670.0 |
| DSV A/S | 20230403 | 10:11:46 | XCSE | 35.0 | 1,280.0 | 44,800.0 |
| DSV A/S | 20230403 | 10:11:57 | XCSE | 70.0 | 1,280.0 | 89,600.0 |
| DSV A/S | 20230403 | 10:12:03 | XCSE | 36.0 | 1,279.5 | 46,062.0 |
| DSV A/S | 20230403 | 10:12:27 | XCSE | 25.0 | 1,280.0 | 32,000.0 |
| DSV A/S | 20230403 | 10:12:29 | XCSE | 34.0 | 1,280.0 | 43,520.0 |
| DSV A/S | 20230403 | 10:14:56 | XCSE | 46.0 | 1,285.5 | 59,133.0 |
| DSV A/S | 20230403 | 10:15:24 | XCSE | 16.0 | 1,289.0 | 20,624.0 |
| DSV A/S | 20230403 | 10:15:48 | XCSE | 88.0 | 1,290.0 | 113,520.0 |
| DSV A/S | 20230403 | 10:15:48 | XCSE | 16.0 | 1,290.0 | 20,640.0 |
| DSV A/S | 20230403 | 10:16:00 | XCSE | 48.0 | 1,290.0 | 61,920.0 |
| DSV A/S | 20230403 | 10:16:00 | XCSE | 45.0 | 1,290.0 | 58,050.0 |
| DSV A/S | 20230403 | 10:16:00 | XCSE | 99.0 | 1,290.0 | 127,710.0 |
| DSV A/S | 20230403 | 10:16:00 | XCSE | 808.0 | 1,290.0 | 1,042,320.0 |
| DSV A/S | 20230403 | 10:16:00 | XCSE | 40.0 | 1,289.5 | 51,580.0 |
| DSV A/S | 20230403 | 10:16:34 | XCSE | 73.0 | 1,289.0 | 94,097.0 |
| DSV A/S | 20230403 | 10:17:48 | XCSE | 72.0 | 1,290.0 | 92,880.0 |
| DSV A/S | 20230403 | 10:17:48 | XCSE | 37.0 | 1,290.0 | 47,730.0 |
| DSV A/S | 20230403 | 10:18:40 | XCSE | 37.0 | 1,290.5 | 47,748.5 |
| DSV A/S | 20230403 | 10:19:37 | XCSE | 37.0 | 1,290.5 | 47,748.5 |
| DSV A/S | 20230403 | 10:19:37 | XCSE | 36.0 | 1,290.0 | 46,440.0 |
| DSV A/S | 20230403 | 10:20:03 | XCSE | 36.0 | 1,289.0 | 46,404.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 10:21:13 | XCSE | 34.0 | 1,289.5 | 43,843.0 |
| DSV A/S | 20230403 | 10:21:40 | XCSE | 35.0 | 1,288.5 | 45,097.5 |
| DSV A/S | 20230403 | 10:22:10 | XCSE | 2.0 | 1,288.5 | 2,577.0 |
| DSV A/S | 20230403 | 10:22:10 | XCSE | 32.0 | 1,288.5 | 41,232.0 |
| DSV A/S | 20230403 | 10:22:22 | XCSE | 36.0 | 1,288.5 | 46,386.0 |
| DSV A/S | 20230403 | 10:23:02 | XCSE | 34.0 | 1,287.5 | 43,775.0 |
| DSV A/S | 20230403 | 10:23:19 | XCSE | 36.0 | 1,285.5 | 46,278.0 |
| DSV A/S | 20230403 | 10:25:16 | XCSE | 14.0 | 1,283.5 | 17,969.0 |
| DSV A/S | 20230403 | 10:25:16 | XCSE | 53.0 | 1,283.5 | 68,025.5 |
| DSV A/S | 20230403 | 10:25:19 | XCSE | 42.0 | 1,283.5 | 53,907.0 |
| DSV A/S | 20230403 | 10:25:19 | XCSE | 31.0 | 1,283.5 | 39,788.5 |
| DSV A/S | 20230403 | 10:25:42 | XCSE | 67.0 | 1,284.0 | 86,028.0 |
| DSV A/S | 20230403 | 10:27:07 | XCSE | 28.0 | 1,285.0 | 35,980.0 |
| DSV A/S | 20230403 | 10:27:07 | XCSE | 43.0 | 1,285.0 | 55,255.0 |
| DSV A/S | 20230403 | 10:27:11 | XCSE | 33.0 | 1,284.0 | 42,372.0 |
| DSV A/S | 20230403 | 10:27:11 | XCSE | 3.0 | 1,284.0 | 3,852.0 |
| DSV A/S | 20230403 | 10:28:51 | XCSE | 37.0 | 1,283.0 | 47,471.0 |
| DSV A/S | 20230403 | 10:28:56 | XCSE | 1.0 | 1,282.0 | 1,282.0 |
| DSV A/S | 20230403 | 10:28:56 | XCSE | 33.0 | 1,282.0 | 42,306.0 |
| DSV A/S | 20230403 | 10:29:30 | XCSE | 68.0 | 1,282.0 | 87,176.0 |
| DSV A/S | 20230403 | 10:31:28 | XCSE | 34.0 | 1,281.0 | 43,554.0 |
| DSV A/S | 20230403 | 10:32:07 | XCSE | 34.0 | 1,280.5 | 43,537.0 |
| DSV A/S | 20230403 | 10:32:28 | XCSE | 68.0 | 1,281.5 | 87,142.0 |
| DSV A/S | 20230403 | 10:32:38 | XCSE | 34.0 | 1,280.5 | 43,537.0 |
| DSV A/S | 20230403 | 10:32:38 | XCSE | 33.0 | 1,280.5 | 42,256.5 |
| DSV A/S | 20230403 | 10:32:38 | XCSE | 340.0 | 1,280.0 | 435,200.0 |
| DSV A/S | 20230403 | 10:32:38 | XCSE | 660.0 | 1,280.0 | 844,800.0 |
| DSV A/S | 20230403 | 10:32:58 | XCSE | 11.0 | 1,280.0 | 14,080.0 |
| DSV A/S | 20230403 | 10:32:58 | XCSE | 97.0 | 1,280.0 | 124,160.0 |
| DSV A/S | 20230403 | 10:33:01 | XCSE | 3.0 | 1,279.5 | 3,838.5 |
| DSV A/S | 20230403 | 10:33:01 | XCSE | 70.0 | 1,279.5 | 89,565.0 |
| DSV A/S | 20230403 | 10:33:48 | XCSE | 8.0 | 1,279.0 | 10,232.0 |
| DSV A/S | 20230403 | 10:33:48 | XCSE | 34.0 | 1,279.0 | 43,486.0 |
| DSV A/S | 20230403 | 10:33:48 | XCSE | 11.0 | 1,279.0 | 14,069.0 |
| DSV A/S | 20230403 | 10:33:48 | XCSE | 25.0 | 1,279.0 | 31,975.0 |
| DSV A/S | 20230403 | 10:34:17 | XCSE | 8.0 | 1,280.5 | 10,244.0 |
| DSV A/S | 20230403 | 10:34:50 | XCSE | 36.0 | 1,280.0 | 46,080.0 |
| DSV A/S | 20230403 | 10:34:50 | XCSE | 36.0 | 1,280.0 | 46,080.0 |
| DSV A/S | 20230403 | 10:35:07 | XCSE | 36.0 | 1,278.5 | 46,026.0 |
| DSV A/S | 20230403 | 10:37:27 | XCSE | 55.0 | 1,281.5 | 70,482.5 |
| DSV A/S | 20230403 | 10:37:27 | XCSE | 45.0 | 1,281.5 | 57,667.5 |
| DSV A/S | 20230403 | 10:38:44 | XCSE | 52.0 | 1,281.0 | 66,612.0 |
| DSV A/S | 20230403 | 10:38:44 | XCSE | 17.0 | 1,281.0 | 21,777.0 |
| DSV A/S | 20230403 | 10:39:08 | XCSE | 102.0 | 1,282.5 | 130,815.0 |
| DSV A/S | 20230403 | 10:40:23 | XCSE | 71.0 | 1,281.5 | 90,986.5 |
| DSV A/S | 20230403 | 10:40:23 | XCSE | 67.0 | 1,280.5 | 85,793.5 |
| DSV A/S | 20230403 | 10:40:37 | XCSE | 34.0 | 1,280.0 | 43,520.0 |
| DSV A/S | 20230403 | 10:40:46 | XCSE | 35.0 | 1,279.5 | 44,782.5 |
| DSV A/S | 20230403 | 10:41:25 | XCSE | 34.0 | 1,280.0 | 43,520.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 10:41:28 | XCSE | 34.0 | 1,279.5 | 43,503.0 |
| DSV A/S | 20230403 | 10:42:25 | XCSE | 55.0 | 1,280.5 | 70,427.5 |
| DSV A/S | 20230403 | 10:42:25 | XCSE | 14.0 | 1,280.5 | 17,927.0 |
| DSV A/S | 20230403 | 10:44:05 | XCSE | 103.0 | 1,281.0 | 131,943.0 |
| DSV A/S | 20230403 | 10:45:14 | XCSE | 35.0 | 1,280.0 | 44,800.0 |
| DSV A/S | 20230403 | 10:45:50 | XCSE | 67.0 | 1,279.0 | 85,693.0 |
| DSV A/S | 20230403 | 10:45:51 | XCSE | 67.0 | 1,278.5 | 85,659.5 |
| DSV A/S | 20230403 | 10:46:39 | XCSE | 70.0 | 1,278.5 | 89,495.0 |
| DSV A/S | 20230403 | 10:48:02 | XCSE | 70.0 | 1,279.5 | 89,565.0 |
| DSV A/S | 20230403 | 10:49:32 | XCSE | 93.0 | 1,279.5 | 118,993.5 |
| DSV A/S | 20230403 | 10:49:32 | XCSE | 13.0 | 1,279.5 | 16,633.5 |
| DSV A/S | 20230403 | 10:50:33 | XCSE | 67.0 | 1,279.0 | 85,693.0 |
| DSV A/S | 20230403 | 10:52:10 | XCSE | 105.0 | 1,280.0 | 134,400.0 |
| DSV A/S | 20230403 | 10:52:34 | XCSE | 71.0 | 1,279.5 | 90,844.5 |
| DSV A/S | 20230403 | 10:54:54 | XCSE | 70.0 | 1,278.5 | 89,495.0 |
| DSV A/S | 20230403 | 10:55:31 | XCSE | 67.0 | 1,278.5 | 85,659.5 |
| DSV A/S | 20230403 | 10:55:31 | XCSE | 33.0 | 1,278.5 | 42,190.5 |
| DSV A/S | 20230403 | 10:57:03 | XCSE | 72.0 | 1,280.0 | 92,160.0 |
| DSV A/S | 20230403 | 10:58:19 | XCSE | 67.0 | 1,280.5 | 85,793.5 |
| DSV A/S | 20230403 | 10:58:19 | XCSE | 69.0 | 1,280.0 | 88,320.0 |
| DSV A/S | 20230403 | 10:59:25 | XCSE | 69.0 | 1,279.5 | 88,285.5 |
| DSV A/S | 20230403 | 10:59:44 | XCSE | 59.0 | 1,279.5 | 75,490.5 |
| DSV A/S | 20230403 | 10:59:44 | XCSE | 9.0 | 1,279.5 | 11,515.5 |
| DSV A/S | 20230403 | 11:01:09 | XCSE | 45.0 | 1,279.0 | 57,555.0 |
| DSV A/S | 20230403 | 11:01:09 | XCSE | 24.0 | 1,279.0 | 30,696.0 |
| DSV A/S | 20230403 | 11:02:27 | XCSE | 104.0 | 1,280.0 | 133,120.0 |
| DSV A/S | 20230403 | 11:05:22 | XCSE | 105.0 | 1,282.0 | 134,610.0 |
| DSV A/S | 20230403 | 11:05:54 | XCSE | 107.0 | 1,282.0 | 137,174.0 |
| DSV A/S | 20230403 | 11:06:59 | XCSE | 105.0 | 1,282.5 | 134,662.5 |
| DSV A/S | 20230403 | 11:07:17 | XCSE | 100.0 | 1,283.0 | 128,300.0 |
| DSV A/S | 20230403 | 11:07:17 | XCSE | 4.0 | 1,283.0 | 5,132.0 |
| DSV A/S | 20230403 | 11:09:31 | XCSE | 100.0 | 1,283.5 | 128,350.0 |
| DSV A/S | 20230403 | 11:10:40 | XCSE | 4.0 | 1,282.0 | 5,128.0 |
| DSV A/S | 20230403 | 11:10:40 | XCSE | 33.0 | 1,282.0 | 42,306.0 |
| DSV A/S | 20230403 | 11:10:40 | XCSE | 34.0 | 1,282.0 | 43,588.0 |
| DSV A/S | 20230403 | 11:10:54 | XCSE | 73.0 | 1,281.5 | 93,549.5 |
| DSV A/S | 20230403 | 11:10:54 | XCSE | 36.0 | 1,281.5 | 46,134.0 |
| DSV A/S | 20230403 | 11:15:01 | XCSE | 67.0 | 1,283.0 | 85,961.0 |
| DSV A/S | 20230403 | 11:16:43 | XCSE | 22.0 | 1,283.0 | 28,226.0 |
| DSV A/S | 20230403 | 11:16:43 | XCSE | 48.0 | 1,283.0 | 61,584.0 |
| DSV A/S | 20230403 | 11:18:04 | XCSE | 33.0 | 1,283.0 | 42,339.0 |
| DSV A/S | 20230403 | 11:18:04 | XCSE | 34.0 | 1,283.0 | 43,622.0 |
| DSV A/S | 20230403 | 11:18:04 | XCSE | 34.0 | 1,283.0 | 43,622.0 |
| DSV A/S | 20230403 | 11:18:09 | XCSE | 72.0 | 1,282.5 | 92,340.0 |
| DSV A/S | 20230403 | 11:19:14 | XCSE | 106.0 | 1,283.0 | 135,998.0 |
| DSV A/S | 20230403 | 11:21:05 | XCSE | 20.0 | 1,282.5 | 25,650.0 |
| DSV A/S | 20230403 | 11:21:20 | XCSE | 87.0 | 1,282.5 | 111,577.5 |
| DSV A/S | 20230403 | 11:21:20 | XCSE | 27.0 | 1,282.5 | 34,627.5 |
| DSV A/S | 20230403 | 11:21:20 | XCSE | 20.0 | 1,282.5 | 25,650.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 11:21:20 | XCSE | 8.0 | 1,282.5 | 10,260.0 |
| DSV A/S | 20230403 | 11:25:11 | XCSE | 69.0 | 1,282.0 | 88,458.0 |
| DSV A/S | 20230403 | 11:25:11 | XCSE | 34.0 | 1,282.0 | 43,588.0 |
| DSV A/S | 20230403 | 11:25:11 | XCSE | 34.0 | 1,282.0 | 43,588.0 |
| DSV A/S | 20230403 | 11:25:11 | XCSE | 35.0 | 1,282.0 | 44,870.0 |
| DSV A/S | 20230403 | 11:25:14 | XCSE | 24.0 | 1,282.0 | 30,768.0 |
| DSV A/S | 20230403 | 11:25:48 | XCSE | 35.0 | 1,281.0 | 44,835.0 |
| DSV A/S | 20230403 | 11:26:13 | XCSE | 36.0 | 1,281.0 | 46,116.0 |
| DSV A/S | 20230403 | 11:27:39 | XCSE | 45.0 | 1,280.5 | 57,622.5 |
| DSV A/S | 20230403 | 11:27:39 | XCSE | 24.0 | 1,280.5 | 30,732.0 |
| DSV A/S | 20230403 | 11:27:42 | XCSE | 34.0 | 1,280.0 | 43,520.0 |
| DSV A/S | 20230403 | 11:27:42 | XCSE | 316.0 | 1,280.0 | 404,480.0 |
| DSV A/S | 20230403 | 11:27:42 | XCSE | 163.0 | 1,280.0 | 208,640.0 |
| DSV A/S | 20230403 | 11:27:42 | XCSE | 521.0 | 1,280.0 | 666,880.0 |
| DSV A/S | 20230403 | 11:29:48 | XCSE | 136.0 | 1,280.0 | 174,080.0 |
| DSV A/S | 20230403 | 11:29:58 | XCSE | 34.0 | 1,279.5 | 43,503.0 |
| DSV A/S | 20230403 | 11:35:00 | XCSE | 23.0 | 1,278.5 | 29,405.5 |
| DSV A/S | 20230403 | 11:35:00 | XCSE | 85.0 | 1,278.5 | 108,672.5 |
| DSV A/S | 20230403 | 11:35:02 | XCSE | 28.0 | 1,278.5 | 35,798.0 |
| DSV A/S | 20230403 | 11:35:02 | XCSE | 50.0 | 1,278.5 | 63,925.0 |
| DSV A/S | 20230403 | 11:35:02 | XCSE | 28.0 | 1,278.5 | 35,798.0 |
| DSV A/S | 20230403 | 11:35:25 | XCSE | 108.0 | 1,278.5 | 138,078.0 |
| DSV A/S | 20230403 | 11:35:59 | XCSE | 36.0 | 1,278.5 | 46,026.0 |
| DSV A/S | 20230403 | 11:36:46 | XCSE | 72.0 | 1,278.5 | 92,052.0 |
| DSV A/S | 20230403 | 11:36:47 | XCSE | 35.0 | 1,278.5 | 44,747.5 |
| DSV A/S | 20230403 | 11:44:45 | XCSE | 10.0 | 1,279.0 | 12,790.0 |
| DSV A/S | 20230403 | 11:44:58 | XCSE | 93.0 | 1,279.0 | 118,947.0 |
| DSV A/S | 20230403 | 11:45:48 | XCSE | 71.0 | 1,278.5 | 90,773.5 |
| DSV A/S | 20230403 | 11:45:48 | XCSE | 30.0 | 1,278.5 | 38,355.0 |
| DSV A/S | 20230403 | 11:45:48 | XCSE | 27.0 | 1,278.5 | 34,519.5 |
| DSV A/S | 20230403 | 11:49:37 | XCSE | 69.0 | 1,280.0 | 88,320.0 |
| DSV A/S | 20230403 | 11:50:05 | XCSE | 72.0 | 1,279.5 | 92,124.0 |
| DSV A/S | 20230403 | 11:50:59 | XCSE | 35.0 | 1,279.0 | 44,765.0 |
| DSV A/S | 20230403 | 11:52:51 | XCSE | 34.0 | 1,278.5 | 43,469.0 |
| DSV A/S | 20230403 | 11:52:51 | XCSE | 34.0 | 1,278.5 | 43,469.0 |
| DSV A/S | 20230403 | 11:52:52 | XCSE | 71.0 | 1,278.0 | 90,738.0 |
| DSV A/S | 20230403 | 11:54:17 | XCSE | 109.0 | 1,278.5 | 139,356.5 |
| DSV A/S | 20230403 | 11:54:37 | XCSE | 18.0 | 1,278.0 | 23,004.0 |
| DSV A/S | 20230403 | 11:54:37 | XCSE | 54.0 | 1,278.0 | 69,012.0 |
| DSV A/S | 20230403 | 11:54:37 | XCSE | 21.0 | 1,278.0 | 26,838.0 |
| DSV A/S | 20230403 | 11:54:37 | XCSE | 30.0 | 1,278.0 | 38,340.0 |
| DSV A/S | 20230403 | 11:54:37 | XCSE | 21.0 | 1,278.0 | 26,838.0 |
| DSV A/S | 20230403 | 11:54:42 | XCSE | 55.0 | 1,277.5 | 70,262.5 |
| DSV A/S | 20230403 | 11:54:42 | XCSE | 52.0 | 1,277.5 | 66,430.0 |
| DSV A/S | 20230403 | 11:55:26 | XCSE | 81.0 | 1,276.5 | 103,396.5 |
| DSV A/S | 20230403 | 11:55:49 | XCSE | 2.0 | 1,276.0 | 2,552.0 |
| DSV A/S | 20230403 | 11:55:49 | XCSE | 69.0 | 1,276.0 | 88,044.0 |
| DSV A/S | 20230403 | 11:56:13 | XCSE | 71.0 | 1,275.5 | 90,560.5 |
| DSV A/S | 20230403 | 11:56:13 | XCSE | 58.0 | 1,274.5 | 73,921.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 11:56:13 | XCSE | 9.0 | 1,274.5 | 11,470.5 |
| DSV A/S | 20230403 | 11:56:13 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230403 | 11:57:42 | XCSE | 27.0 | 1,275.0 | 34,425.0 |
| DSV A/S | 20230403 | 12:03:19 | XCSE | 15.0 | 1,276.5 | 19,147.5 |
| DSV A/S | 20230403 | 12:03:19 | XCSE | 91.0 | 1,276.5 | 116,161.5 |
| DSV A/S | 20230403 | 12:03:19 | XCSE | 51.0 | 1,276.5 | 65,101.5 |
| DSV A/S | 20230403 | 12:03:19 | XCSE | 19.0 | 1,276.5 | 24,253.5 |
| DSV A/S | 20230403 | 12:03:31 | XCSE | 101.0 | 1,276.0 | 128,876.0 |
| DSV A/S | 20230403 | 12:03:31 | XCSE | 68.0 | 1,276.0 | 86,768.0 |
| DSV A/S | 20230403 | 12:05:07 | XCSE | 167.0 | 1,276.0 | 213,092.0 |
| DSV A/S | 20230403 | 12:06:14 | XCSE | 24.0 | 1,275.5 | 30,612.0 |
| DSV A/S | 20230403 | 12:06:14 | XCSE | 10.0 | 1,275.5 | 12,755.0 |
| DSV A/S | 20230403 | 12:06:14 | XCSE | 33.0 | 1,275.5 | 42,091.5 |
| DSV A/S | 20230403 | 12:06:14 | XCSE | 33.0 | 1,275.5 | 42,091.5 |
| DSV A/S | 20230403 | 12:06:15 | XCSE | 35.0 | 1,275.5 | 44,642.5 |
| DSV A/S | 20230403 | 12:10:23 | XCSE | 48.0 | 1,277.0 | 61,296.0 |
| DSV A/S | 20230403 | 12:10:23 | XCSE | 28.0 | 1,277.0 | 35,756.0 |
| DSV A/S | 20230403 | 12:10:23 | XCSE | 134.0 | 1,277.0 | 171,118.0 |
| DSV A/S | 20230403 | 12:10:55 | XCSE | 2.0 | 1,276.0 | 2,552.0 |
| DSV A/S | 20230403 | 12:10:55 | XCSE | 69.0 | 1,276.0 | 88,044.0 |
| DSV A/S | 20230403 | 12:11:35 | XCSE | 36.0 | 1,276.0 | 45,936.0 |
| DSV A/S | 20230403 | 12:13:07 | XCSE | 70.0 | 1,275.0 | 89,250.0 |
| DSV A/S | 20230403 | 12:13:45 | XCSE | 35.0 | 1,276.0 | 44,660.0 |
| DSV A/S | 20230403 | 12:16:54 | XCSE | 25.0 | 1,276.0 | 31,900.0 |
| DSV A/S | 20230403 | 12:16:54 | XCSE | 17.0 | 1,276.0 | 21,692.0 |
| DSV A/S | 20230403 | 12:16:54 | XCSE | 47.0 | 1,276.0 | 59,972.0 |
| DSV A/S | 20230403 | 12:16:54 | XCSE | 89.0 | 1,276.0 | 113,564.0 |
| DSV A/S | 20230403 | 12:16:54 | XCSE | 18.0 | 1,276.0 | 22,968.0 |
| DSV A/S | 20230403 | 12:17:47 | XCSE | 18.0 | 1,275.5 | 22,959.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 36.0 | 1,275.0 | 45,900.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 72.0 | 1,275.0 | 91,800.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 36.0 | 1,275.0 | 45,900.0 |
| DSV A/S | 20230403 | 12:21:04 | XCSE | 34.0 | 1,275.0 | 43,350.0 |
| DSV A/S | 20230403 | 12:21:17 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230403 | 12:21:27 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230403 | 12:21:27 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230403 | 12:22:52 | XCSE | 136.0 | 1,273.5 | 173,196.0 |
| DSV A/S | 20230403 | 12:22:52 | XCSE | 102.0 | 1,273.5 | 129,897.0 |
| DSV A/S | 20230403 | 12:22:52 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230403 | 12:25:07 | XCSE | 22.0 | 1,273.0 | 28,006.0 |
| DSV A/S | 20230403 | 12:25:07 | XCSE | 37.0 | 1,273.0 | 47,101.0 |
| DSV A/S | 20230403 | 12:25:07 | XCSE | 21.0 | 1,273.0 | 26,733.0 |
| DSV A/S | 20230403 | 12:25:07 | XCSE | 22.0 | 1,273.0 | 28,006.0 |
| DSV A/S | 20230403 | 12:26:35 | XCSE | 72.0 | 1,272.0 | 91,584.0 |
| DSV A/S | 20230403 | 12:26:38 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230403 | 12:31:19 | XCSE | 83.0 | 1,272.5 | 105,617.5 |
| DSV A/S | 20230403 | 12:31:19 | XCSE | 99.0 | 1,272.5 | 125,977.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 12:31:19 | XCSE | 22.0 | 1,272.5 | 27,995.0 |
| DSV A/S | 20230403 | 12:33:42 | XCSE | 107.0 | 1,272.0 | 136,104.0 |
| DSV A/S | 20230403 | 12:34:32 | XCSE | 1.0 | 1,272.5 | 1,272.5 |
| DSV A/S | 20230403 | 12:34:32 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230403 | 12:47:42 | XCSE | 130.0 | 1,274.5 | 165,685.0 |
| DSV A/S | 20230403 | 12:47:42 | XCSE | 7.0 | 1,274.5 | 8,921.5 |
| DSV A/S | 20230403 | 12:54:06 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230403 | 12:54:06 | XCSE | 66.0 | 1,274.0 | 84,084.0 |
| DSV A/S | 20230403 | 12:54:09 | XCSE | 105.0 | 1,273.5 | 133,717.5 |
| DSV A/S | 20230403 | 12:54:21 | XCSE | 145.0 | 1,273.5 | 184,657.5 |
| DSV A/S | 20230403 | 12:55:11 | XCSE | 107.0 | 1,273.0 | 136,211.0 |
| DSV A/S | 20230403 | 12:55:11 | XCSE | 46.0 | 1,273.0 | 58,558.0 |
| DSV A/S | 20230403 | 12:55:11 | XCSE | 59.0 | 1,273.0 | 75,107.0 |
| DSV A/S | 20230403 | 13:02:32 | XCSE | 38.0 | 1,274.0 | 48,412.0 |
| DSV A/S | 20230403 | 13:02:32 | XCSE | 68.0 | 1,274.0 | 86,632.0 |
| DSV A/S | 20230403 | 13:03:57 | XCSE | 21.0 | 1,274.0 | 26,754.0 |
| DSV A/S | 20230403 | 13:03:57 | XCSE | 61.0 | 1,274.0 | 77,714.0 |
| DSV A/S | 20230403 | 13:03:57 | XCSE | 21.0 | 1,274.0 | 26,754.0 |
| DSV A/S | 20230403 | 13:05:07 | XCSE | 104.0 | 1,274.0 | 132,496.0 |
| DSV A/S | 20230403 | 13:05:24 | XCSE | 69.0 | 1,273.5 | 87,871.5 |
| DSV A/S | 20230403 | 13:06:04 | XCSE | 67.0 | 1,273.5 | 85,324.5 |
| DSV A/S | 20230403 | 13:06:15 | XCSE | 70.0 | 1,273.0 | 89,110.0 |
| DSV A/S | 20230403 | 13:06:52 | XCSE | 106.0 | 1,273.0 | 134,938.0 |
| DSV A/S | 20230403 | 13:11:19 | XCSE | 73.0 | 1,275.0 | 93,075.0 |
| DSV A/S | 20230403 | 13:11:56 | XCSE | 77.0 | 1,275.0 | 98,175.0 |
| DSV A/S | 20230403 | 13:11:56 | XCSE | 31.0 | 1,275.0 | 39,525.0 |
| DSV A/S | 20230403 | 13:22:44 | XCSE | 173.0 | 1,273.0 | 220,229.0 |
| DSV A/S | 20230403 | 13:23:43 | XCSE | 133.0 | 1,272.5 | 169,242.5 |
| DSV A/S | 20230403 | 13:23:45 | XCSE | 11.0 | 1,272.5 | 13,997.5 |
| DSV A/S | 20230403 | 13:23:45 | XCSE | 196.0 | 1,272.5 | 249,410.0 |
| DSV A/S | 20230403 | 13:23:55 | XCSE | 35.0 | 1,272.5 | 44,537.5 |
| DSV A/S | 20230403 | 13:23:56 | XCSE | 34.0 | 1,271.5 | 43,231.0 |
| DSV A/S | 20230403 | 13:26:05 | XCSE | 208.0 | 1,273.0 | 264,784.0 |
| DSV A/S | 20230403 | 13:28:55 | XCSE | 108.0 | 1,273.0 | 137,484.0 |
| DSV A/S | 20230403 | 13:28:55 | XCSE | 37.0 | 1,273.0 | 47,101.0 |
| DSV A/S | 20230403 | 13:28:55 | XCSE | 105.0 | 1,273.0 | 133,665.0 |
| DSV A/S | 20230403 | 13:31:01 | XCSE | 5.0 | 1,273.0 | 6,365.0 |
| DSV A/S | 20230403 | 13:31:01 | XCSE | 66.0 | 1,273.0 | 84,018.0 |
| DSV A/S | 20230403 | 13:31:01 | XCSE | 54.0 | 1,273.0 | 68,742.0 |
| DSV A/S | 20230403 | 13:31:01 | XCSE | 17.0 | 1,273.0 | 21,641.0 |
| DSV A/S | 20230403 | 13:35:14 | XCSE | 168.0 | 1,273.5 | 213,948.0 |
| DSV A/S | 20230403 | 13:40:02 | XCSE | 144.0 | 1,273.5 | 183,384.0 |
| DSV A/S | 20230403 | 13:40:02 | XCSE | 45.0 | 1,273.5 | 57,307.5 |
| DSV A/S | 20230403 | 13:40:02 | XCSE | 26.0 | 1,273.5 | 33,111.0 |
| DSV A/S | 20230403 | 13:44:11 | XCSE | 143.0 | 1,272.5 | 181,967.5 |
| DSV A/S | 20230403 | 13:49:27 | XCSE | 63.0 | 1,274.0 | 80,262.0 |
| DSV A/S | 20230403 | 13:49:27 | XCSE | 109.0 | 1,274.0 | 138,866.0 |
| DSV A/S | 20230403 | 13:50:41 | XCSE | 104.0 | 1,273.5 | 132,444.0 |
| DSV A/S | 20230403 | 13:56:08 | XCSE | 145.0 | 1,274.0 | 184,730.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 14:03:08 | XCSE | 100.0 | 1,273.0 | 127,300.0 |
| DSV A/S | 20230403 | 14:03:08 | XCSE | 81.0 | 1,273.0 | 103,113.0 |
| DSV A/S | 20230403 | 14:07:37 | XCSE | 28.0 | 1,273.0 | 35,644.0 |
| DSV A/S | 20230403 | 14:07:37 | XCSE | 145.0 | 1,273.0 | 184,585.0 |
| DSV A/S | 20230403 | 14:07:37 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230403 | 14:14:53 | XCSE | 61.0 | 1,273.5 | 77,683.5 |
| DSV A/S | 20230403 | 14:14:53 | XCSE | 107.0 | 1,273.5 | 136,264.5 |
| DSV A/S | 20230403 | 14:15:19 | XCSE | 65.0 | 1,273.5 | 82,777.5 |
| DSV A/S | 20230403 | 14:15:19 | XCSE | 102.0 | 1,273.5 | 129,897.0 |
| DSV A/S | 20230403 | 14:19:22 | XCSE | 90.0 | 1,275.0 | 114,750.0 |
| DSV A/S | 20230403 | 14:19:22 | XCSE | 86.0 | 1,275.0 | 109,650.0 |
| DSV A/S | 20230403 | 14:19:31 | XCSE | 6.0 | 1,275.0 | 7,650.0 |
| DSV A/S | 20230403 | 14:19:31 | XCSE | 52.0 | 1,275.0 | 66,300.0 |
| DSV A/S | 20230403 | 14:19:31 | XCSE | 100.0 | 1,275.0 | 127,500.0 |
| DSV A/S | 20230403 | 14:19:31 | XCSE | 11.0 | 1,275.0 | 14,025.0 |
| DSV A/S | 20230403 | 14:20:53 | XCSE | 13.0 | 1,275.0 | 16,575.0 |
| DSV A/S | 20230403 | 14:20:57 | XCSE | 100.0 | 1,275.0 | 127,500.0 |
| DSV A/S | 20230403 | 14:20:57 | XCSE | 61.0 | 1,275.0 | 77,775.0 |
| DSV A/S | 20230403 | 14:22:34 | XCSE | 8.0 | 1,275.5 | 10,204.0 |
| DSV A/S | 20230403 | 14:22:51 | XCSE | 9.0 | 1,275.5 | 11,479.5 |
| DSV A/S | 20230403 | 14:22:55 | XCSE | 8.0 | 1,275.5 | 10,204.0 |
| DSV A/S | 20230403 | 14:22:55 | XCSE | 83.0 | 1,275.5 | 105,866.5 |
| DSV A/S | 20230403 | 14:23:03 | XCSE | 15.0 | 1,275.5 | 19,132.5 |
| DSV A/S | 20230403 | 14:26:32 | XCSE | 133.0 | 1,277.0 | 169,841.0 |
| DSV A/S | 20230403 | 14:27:00 | XCSE | 109.0 | 1,276.5 | 139,138.5 |
| DSV A/S | 20230403 | 14:28:17 | XCSE | 28.0 | 1,277.0 | 35,756.0 |
| DSV A/S | 20230403 | 14:28:17 | XCSE | 78.0 | 1,277.0 | 99,606.0 |
| DSV A/S | 20230403 | 14:28:17 | XCSE | 31.0 | 1,277.0 | 39,587.0 |
| DSV A/S | 20230403 | 14:28:17 | XCSE | 28.0 | 1,277.0 | 35,756.0 |
| DSV A/S | 20230403 | 14:32:40 | XCSE | 66.0 | 1,276.5 | 84,249.0 |
| DSV A/S | 20230403 | 14:32:40 | XCSE | 75.0 | 1,276.5 | 95,737.5 |
| DSV A/S | 20230403 | 14:32:40 | XCSE | 50.0 | 1,276.5 | 63,825.0 |
| DSV A/S | 20230403 | 14:32:40 | XCSE | 21.0 | 1,276.5 | 26,806.5 |
| DSV A/S | 20230403 | 14:33:23 | XCSE | 22.0 | 1,276.5 | 28,083.0 |
| DSV A/S | 20230403 | 14:33:23 | XCSE | 90.0 | 1,276.5 | 114,885.0 |
| DSV A/S | 20230403 | 14:33:23 | XCSE | 81.0 | 1,276.5 | 103,396.5 |
| DSV A/S | 20230403 | 14:33:56 | XCSE | 134.0 | 1,276.0 | 170,984.0 |
| DSV A/S | 20230403 | 14:34:20 | XCSE | 40.0 | 1,275.5 | 51,020.0 |
| DSV A/S | 20230403 | 14:34:20 | XCSE | 33.0 | 1,275.5 | 42,091.5 |
| DSV A/S | 20230403 | 14:34:20 | XCSE | 61.0 | 1,275.5 | 77,805.5 |
| DSV A/S | 20230403 | 14:34:37 | XCSE | 36.0 | 1,275.5 | 45,918.0 |
| DSV A/S | 20230403 | 14:36:01 | XCSE | 71.0 | 1,276.5 | 90,631.5 |
| DSV A/S | 20230403 | 14:36:01 | XCSE | 35.0 | 1,276.5 | 44,677.5 |
| DSV A/S | 20230403 | 14:36:01 | XCSE | 35.0 | 1,276.5 | 44,677.5 |
| DSV A/S | 20230403 | 14:38:21 | XCSE | 42.0 | 1,274.5 | 53,529.0 |
| DSV A/S | 20230403 | 14:38:40 | XCSE | 67.0 | 1,274.5 | 85,391.5 |
| DSV A/S | 20230403 | 14:43:22 | XCSE | 70.0 | 1,275.0 | 89,250.0 |
| DSV A/S | 20230403 | 14:43:22 | XCSE | 109.0 | 1,275.0 | 138,975.0 |
| DSV A/S | 20230403 | 14:44:27 | XCSE | 5.0 | 1,275.5 | 6,377.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 14:45:09 | XCSE | 30.0 | 1,276.0 | 38,280.0 |
| DSV A/S | 20230403 | 14:45:09 | XCSE | 103.0 | 1,276.0 | 131,428.0 |
| DSV A/S | 20230403 | 14:45:37 | XCSE | 70.0 | 1,275.5 | 89,285.0 |
| DSV A/S | 20230403 | 14:45:37 | XCSE | 38.0 | 1,275.5 | 48,469.0 |
| DSV A/S | 20230403 | 14:45:37 | XCSE | 71.0 | 1,275.5 | 90,560.5 |
| DSV A/S | 20230403 | 14:46:50 | XCSE | 70.0 | 1,275.0 | 89,250.0 |
| DSV A/S | 20230403 | 14:49:43 | XCSE | 141.0 | 1,276.5 | 179,986.5 |
| DSV A/S | 20230403 | 14:49:43 | XCSE | 35.0 | 1,276.5 | 44,677.5 |
| DSV A/S | 20230403 | 14:50:03 | XCSE | 133.0 | 1,276.0 | 169,708.0 |
| DSV A/S | 20230403 | 14:50:03 | XCSE | 33.0 | 1,276.0 | 42,108.0 |
| DSV A/S | 20230403 | 14:51:39 | XCSE | 135.0 | 1,275.5 | 172,192.5 |
| DSV A/S | 20230403 | 14:54:23 | XCSE | 166.0 | 1,275.5 | 211,733.0 |
| DSV A/S | 20230403 | 14:57:16 | XCSE | 173.0 | 1,276.5 | 220,834.5 |
| DSV A/S | 20230403 | 14:57:45 | XCSE | 204.0 | 1,276.5 | 260,406.0 |
| DSV A/S | 20230403 | 14:57:45 | XCSE | 12.0 | 1,276.0 | 15,312.0 |
| DSV A/S | 20230403 | 14:57:45 | XCSE | 97.0 | 1,276.0 | 123,772.0 |
| DSV A/S | 20230403 | 15:03:55 | XCSE | 60.0 | 1,275.0 | 76,500.0 |
| DSV A/S | 20230403 | 15:03:55 | XCSE | 9.0 | 1,275.0 | 11,475.0 |
| DSV A/S | 20230403 | 15:04:35 | XCSE | 69.0 | 1,275.0 | 87,975.0 |
| DSV A/S | 20230403 | 15:04:35 | XCSE | 40.0 | 1,275.0 | 51,000.0 |
| DSV A/S | 20230403 | 15:05:13 | XCSE | 37.0 | 1,275.0 | 47,175.0 |
| DSV A/S | 20230403 | 15:05:13 | XCSE | 21.0 | 1,275.0 | 26,775.0 |
| DSV A/S | 20230403 | 15:05:13 | XCSE | 74.0 | 1,275.0 | 94,350.0 |
| DSV A/S | 20230403 | 15:05:13 | XCSE | 10.0 | 1,275.0 | 12,750.0 |
| DSV A/S | 20230403 | 15:05:13 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230403 | 15:07:10 | XCSE | 176.0 | 1,276.0 | 224,576.0 |
| DSV A/S | 20230403 | 15:10:41 | XCSE | 19.0 | 1,276.0 | 24,244.0 |
| DSV A/S | 20230403 | 15:10:41 | XCSE | 117.0 | 1,276.0 | 149,292.0 |
| DSV A/S | 20230403 | 15:10:41 | XCSE | 4.0 | 1,276.0 | 5,104.0 |
| DSV A/S | 20230403 | 15:10:47 | XCSE | 42.0 | 1,276.0 | 53,592.0 |
| DSV A/S | 20230403 | 15:11:26 | XCSE | 4.0 | 1,276.0 | 5,104.0 |
| DSV A/S | 20230403 | 15:12:11 | XCSE | 84.0 | 1,276.0 | 107,184.0 |
| DSV A/S | 20230403 | 15:12:11 | XCSE | 10.0 | 1,276.0 | 12,760.0 |
| DSV A/S | 20230403 | 15:12:11 | XCSE | 42.0 | 1,276.0 | 53,592.0 |
| DSV A/S | 20230403 | 15:13:09 | XCSE | 43.0 | 1,276.0 | 54,868.0 |
| DSV A/S | 20230403 | 15:13:09 | XCSE | 61.0 | 1,276.0 | 77,836.0 |
| DSV A/S | 20230403 | 15:13:09 | XCSE | 30.0 | 1,276.0 | 38,280.0 |
| DSV A/S | 20230403 | 15:15:43 | XCSE | 130.0 | 1,275.0 | 165,750.0 |
| DSV A/S | 20230403 | 15:15:45 | XCSE | 4.0 | 1,275.0 | 5,100.0 |
| DSV A/S | 20230403 | 15:15:45 | XCSE | 1.0 | 1,275.0 | 1,275.0 |
| DSV A/S | 20230403 | 15:15:45 | XCSE | 9.0 | 1,275.0 | 11,475.0 |
| DSV A/S | 20230403 | 15:18:43 | XCSE | 79.0 | 1,274.5 | 100,685.5 |
| DSV A/S | 20230403 | 15:18:43 | XCSE | 57.0 | 1,274.5 | 72,646.5 |
| DSV A/S | 20230403 | 15:18:43 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230403 | 15:20:16 | XCSE | 90.0 | 1,274.0 | 114,660.0 |
| DSV A/S | 20230403 | 15:20:16 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230403 | 15:20:16 | XCSE | 16.0 | 1,274.0 | 20,384.0 |
| DSV A/S | 20230403 | 15:20:16 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230403 | 15:22:13 | XCSE | 174.0 | 1,273.5 | 221,589.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 15:23:26 | XCSE | 180.0 | 1,274.0 | 229,320.0 |
| DSV A/S | 20230403 | 15:26:02 | XCSE | 144.0 | 1,274.0 | 183,456.0 |
| DSV A/S | 20230403 | 15:26:20 | XCSE | 102.0 | 1,274.0 | 129,948.0 |
| DSV A/S | 20230403 | 15:28:39 | XCSE | 138.0 | 1,275.0 | 175,950.0 |
| DSV A/S | 20230403 | 15:28:48 | XCSE | 170.0 | 1,275.0 | 216,750.0 |
| DSV A/S | 20230403 | 15:30:20 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230403 | 15:30:20 | XCSE | 107.0 | 1,274.5 | 136,371.5 |
| DSV A/S | 20230403 | 15:30:20 | XCSE | 89.0 | 1,274.5 | 113,430.5 |
| DSV A/S | 20230403 | 15:30:20 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230403 | 15:30:20 | XCSE | 51.0 | 1,274.5 | 64,999.5 |
| DSV A/S | 20230403 | 15:30:24 | XCSE | 15.0 | 1,274.0 | 19,110.0 |
| DSV A/S | 20230403 | 15:30:46 | XCSE | 145.0 | 1,274.5 | 184,802.5 |
| DSV A/S | 20230403 | 15:32:11 | XCSE | 108.0 | 1,275.0 | 137,700.0 |
| DSV A/S | 20230403 | 15:32:11 | XCSE | 10.0 | 1,275.0 | 12,750.0 |
| DSV A/S | 20230403 | 15:32:11 | XCSE | 37.0 | 1,275.0 | 47,175.0 |
| DSV A/S | 20230403 | 15:33:14 | XCSE | 57.0 | 1,274.0 | 72,618.0 |
| DSV A/S | 20230403 | 15:33:16 | XCSE | 51.0 | 1,274.0 | 64,974.0 |
| DSV A/S | 20230403 | 15:33:16 | XCSE | 1.0 | 1,274.0 | 1,274.0 |
| DSV A/S | 20230403 | 15:33:16 | XCSE | 72.0 | 1,274.0 | 91,728.0 |
| DSV A/S | 20230403 | 15:33:16 | XCSE | 22.0 | 1,274.0 | 28,028.0 |
| DSV A/S | 20230403 | 15:33:16 | XCSE | 20.0 | 1,274.0 | 25,480.0 |
| DSV A/S | 20230403 | 15:33:17 | XCSE | 62.0 | 1,274.0 | 78,988.0 |
| DSV A/S | 20230403 | 15:33:17 | XCSE | 10.0 | 1,274.0 | 12,740.0 |
| DSV A/S | 20230403 | 15:33:17 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230403 | 15:35:05 | XCSE | 42.0 | 1,274.0 | 53,508.0 |
| DSV A/S | 20230403 | 15:35:05 | XCSE | 98.0 | 1,274.0 | 124,852.0 |
| DSV A/S | 20230403 | 15:35:05 | XCSE | 52.0 | 1,274.0 | 66,248.0 |
| DSV A/S | 20230403 | 15:35:11 | XCSE | 51.0 | 1,273.5 | 64,948.5 |
| DSV A/S | 20230403 | 15:35:11 | XCSE | 90.0 | 1,273.5 | 114,615.0 |
| DSV A/S | 20230403 | 15:35:29 | XCSE | 11.0 | 1,272.5 | 13,997.5 |
| DSV A/S | 20230403 | 15:35:29 | XCSE | 25.0 | 1,272.5 | 31,812.5 |
| DSV A/S | 20230403 | 15:35:29 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230403 | 15:35:55 | XCSE | 36.0 | 1,271.0 | 45,756.0 |
| DSV A/S | 20230403 | 15:37:05 | XCSE | 20.0 | 1,271.0 | 25,420.0 |
| DSV A/S | 20230403 | 15:37:05 | XCSE | 47.0 | 1,271.0 | 59,737.0 |
| DSV A/S | 20230403 | 15:37:12 | XCSE | 35.0 | 1,271.0 | 44,485.0 |
| DSV A/S | 20230403 | 15:37:12 | XCSE | 36.0 | 1,271.0 | 45,756.0 |
| DSV A/S | 20230403 | 15:37:12 | XCSE | 4.0 | 1,271.0 | 5,084.0 |
| DSV A/S | 20230403 | 15:37:12 | XCSE | 47.0 | 1,271.0 | 59,737.0 |
| DSV A/S | 20230403 | 15:37:12 | XCSE | 20.0 | 1,271.0 | 25,420.0 |
| DSV A/S | 20230403 | 15:38:37 | XCSE | 137.0 | 1,271.5 | 174,195.5 |
| DSV A/S | 20230403 | 15:39:59 | XCSE | 173.0 | 1,272.0 | 220,056.0 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 80.0 | 1,271.5 | 101,720.0 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 20.0 | 1,271.5 | 25,430.0 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 33.0 | 1,271.5 | 41,959.5 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 74.0 | 1,271.5 | 94,091.0 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 1.0 | 1,271.5 | 1,271.5 |
| DSV A/S | 20230403 | 15:43:02 | XCSE | 37.0 | 1,271.5 | 47,045.5 |
| DSV A/S | 20230403 | 15:44:02 | XCSE | 109.0 | 1,272.0 | 138,648.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|---------|---------|-------------|
| DSV A/S | 20230403 | 15:45:24 | XCSE | 94.0 | 1,271.5 | 119,521.0 |
| DSV A/S | 20230403 | 15:46:06 | XCSE | 109.0 | 1,273.0 | 138,757.0 |
| DSV A/S | 20230403 | 15:46:39 | XCSE | 39.0 | 1,272.5 | 49,627.5 |
| DSV A/S | 20230403 | 15:47:10 | XCSE | 10.0 | 1,273.5 | 12,735.0 |
| DSV A/S | 20230403 | 15:47:10 | XCSE | 95.0 | 1,273.5 | 120,982.5 |
| DSV A/S | 20230403 | 15:48:21 | XCSE | 10.0 | 1,274.5 | 12,745.0 |
| DSV A/S | 20230403 | 15:48:21 | XCSE | 95.0 | 1,274.5 | 121,077.5 |
| DSV A/S | 20230403 | 15:48:21 | XCSE | 68.0 | 1,274.5 | 86,666.0 |
| DSV A/S | 20230403 | 15:49:00 | XCSE | 30.0 | 1,274.5 | 38,235.0 |
| DSV A/S | 20230403 | 15:49:02 | XCSE | 20.0 | 1,274.5 | 25,490.0 |
| DSV A/S | 20230403 | 15:49:02 | XCSE | 43.0 | 1,274.5 | 54,803.5 |
| DSV A/S | 20230403 | 15:49:02 | XCSE | 11.0 | 1,274.5 | 14,019.5 |
| DSV A/S | 20230403 | 15:49:02 | XCSE | 30.0 | 1,274.5 | 38,235.0 |
| DSV A/S | 20230403 | 15:50:28 | XCSE | 102.0 | 1,275.0 | 130,050.0 |
| DSV A/S | 20230403 | 15:50:28 | XCSE | 33.0 | 1,275.0 | 42,075.0 |
| DSV A/S | 20230403 | 15:50:28 | XCSE | 133.0 | 1,275.0 | 169,575.0 |
| DSV A/S | 20230403 | 15:50:29 | XCSE | 101.0 | 1,274.5 | 128,724.5 |
| DSV A/S | 20230403 | 15:51:29 | XCSE | 5,000.0 | 1,274.5 | 6,372,500.0 |
| DSV A/S | 20230403 | 15:51:35 | XCSE | 31.0 | 1,274.0 | 39,494.0 |
| DSV A/S | 20230403 | 15:51:35 | XCSE | 104.0 | 1,274.0 | 132,496.0 |
| DSV A/S | 20230403 | 15:51:35 | XCSE | 4.0 | 1,274.0 | 5,096.0 |
| DSV A/S | 20230403 | 15:51:35 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230403 | 15:51:35 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230403 | 15:51:51 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230403 | 15:52:28 | XCSE | 103.0 | 1,275.0 | 131,325.0 |
| DSV A/S | 20230403 | 15:52:28 | XCSE | 61.0 | 1,275.0 | 77,775.0 |
| DSV A/S | 20230403 | 15:52:28 | XCSE | 8.0 | 1,275.0 | 10,200.0 |
| DSV A/S | 20230403 | 15:54:09 | XCSE | 173.0 | 1,275.0 | 220,575.0 |
| DSV A/S | 20230403 | 15:54:12 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230403 | 15:56:37 | XCSE | 40.0 | 1,274.0 | 50,960.0 |
| DSV A/S | 20230403 | 15:56:37 | XCSE | 27.0 | 1,274.0 | 34,398.0 |
| DSV A/S | 20230403 | 15:57:45 | XCSE | 69.0 | 1,273.5 | 87,871.5 |
| DSV A/S | 20230403 | 15:59:02 | XCSE | 71.0 | 1,272.5 | 90,347.5 |
| DSV A/S | 20230403 | 15:59:02 | XCSE | 35.0 | 1,272.5 | 44,537.5 |
| DSV A/S | 20230403 | 16:00:06 | XCSE | 88.0 | 1,272.5 | 111,980.0 |
| DSV A/S | 20230403 | 16:00:06 | XCSE | 19.0 | 1,272.5 | 24,177.5 |
| DSV A/S | 20230403 | 16:00:14 | XCSE | 57.0 | 1,272.5 | 72,532.5 |
| DSV A/S | 20230403 | 16:00:14 | XCSE | 10.0 | 1,272.5 | 12,725.0 |
| DSV A/S | 20230403 | 16:00:23 | XCSE | 9.0 | 1,271.5 | 11,443.5 |
| DSV A/S | 20230403 | 16:00:26 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230403 | 16:00:33 | XCSE | 12.0 | 1,272.0 | 15,264.0 |
| DSV A/S | 20230403 | 16:01:38 | XCSE | 101.0 | 1,271.5 | 128,421.5 |
| DSV A/S | 20230403 | 16:03:18 | XCSE | 179.0 | 1,273.0 | 227,867.0 |
| DSV A/S | 20230403 | 16:03:19 | XCSE | 70.0 | 1,272.5 | 89,075.0 |
| DSV A/S | 20230403 | 16:03:19 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230403 | 16:03:19 | XCSE | 35.0 | 1,272.5 | 44,537.5 |
| DSV A/S | 20230403 | 16:03:21 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230403 | 16:03:47 | XCSE | 44.0 | 1,271.5 | 55,946.0 |
| DSV A/S | 20230403 | 16:05:45 | XCSE | 34.0 | 1,271.0 | 43,214.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 16:05:45 | XCSE | 33.0 | 1,271.0 | 41,943.0 |
| DSV A/S | 20230403 | 16:05:45 | XCSE | 17.0 | 1,271.0 | 21,607.0 |
| DSV A/S | 20230403 | 16:05:45 | XCSE | 16.0 | 1,271.0 | 20,336.0 |
| DSV A/S | 20230403 | 16:05:45 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230403 | 16:06:02 | XCSE | 89.0 | 1,271.0 | 113,119.0 |
| DSV A/S | 20230403 | 16:06:02 | XCSE | 52.0 | 1,271.0 | 66,092.0 |
| DSV A/S | 20230403 | 16:06:34 | XCSE | 145.0 | 1,271.0 | 184,295.0 |
| DSV A/S | 20230403 | 16:08:03 | XCSE | 133.0 | 1,271.5 | 169,109.5 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 75.0 | 1,270.5 | 95,287.5 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 25.0 | 1,270.5 | 31,762.5 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 56.0 | 1,270.0 | 71,120.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 49.0 | 1,270.0 | 62,230.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 18.0 | 1,270.0 | 22,860.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 410.0 | 1,270.0 | 520,700.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 23.0 | 1,270.0 | 29,210.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 34.0 | 1,270.0 | 43,180.0 |
| DSV A/S | 20230403 | 16:08:35 | XCSE | 444.0 | 1,270.0 | 563,880.0 |
| DSV A/S | 20230403 | 16:09:07 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 16:09:07 | XCSE | 68.0 | 1,269.0 | 86,292.0 |
| DSV A/S | 20230403 | 16:09:07 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 16:09:07 | XCSE | 34.0 | 1,269.0 | 43,146.0 |
| DSV A/S | 20230403 | 16:09:48 | XCSE | 131.0 | 1,269.5 | 166,304.5 |
| DSV A/S | 20230403 | 16:09:48 | XCSE | 44.0 | 1,269.5 | 55,858.0 |
| DSV A/S | 20230403 | 16:10:53 | XCSE | 66.0 | 1,269.5 | 83,787.0 |
| DSV A/S | 20230403 | 16:10:53 | XCSE | 69.0 | 1,269.5 | 87,595.5 |
| DSV A/S | 20230403 | 16:12:30 | XCSE | 42.0 | 1,269.5 | 53,319.0 |
| DSV A/S | 20230403 | 16:12:30 | XCSE | 62.0 | 1,269.5 | 78,709.0 |
| DSV A/S | 20230403 | 16:12:30 | XCSE | 35.0 | 1,269.5 | 44,432.5 |
| DSV A/S | 20230403 | 16:12:30 | XCSE | 35.0 | 1,269.5 | 44,432.5 |
| DSV A/S | 20230403 | 16:12:41 | XCSE | 18.0 | 1,269.5 | 22,851.0 |
| DSV A/S | 20230403 | 16:12:44 | XCSE | 26.0 | 1,269.5 | 33,007.0 |
| DSV A/S | 20230403 | 16:12:59 | XCSE | 35.0 | 1,270.0 | 44,450.0 |
| DSV A/S | 20230403 | 16:13:42 | XCSE | 65.0 | 1,269.5 | 82,517.5 |
| DSV A/S | 20230403 | 16:14:12 | XCSE | 20.0 | 1,269.5 | 25,390.0 |
| DSV A/S | 20230403 | 16:14:12 | XCSE | 65.0 | 1,269.5 | 82,517.5 |
| DSV A/S | 20230403 | 16:14:16 | XCSE | 35.0 | 1,269.0 | 44,415.0 |
| DSV A/S | 20230403 | 16:14:46 | XCSE | 36.0 | 1,269.5 | 45,702.0 |
| DSV A/S | 20230403 | 16:14:46 | XCSE | 34.0 | 1,269.5 | 43,163.0 |
| DSV A/S | 20230403 | 16:15:12 | XCSE | 34.0 | 1,269.5 | 43,163.0 |
| DSV A/S | 20230403 | 16:15:42 | XCSE | 31.0 | 1,269.5 | 39,354.5 |
| DSV A/S | 20230403 | 16:17:24 | XCSE | 104.0 | 1,270.5 | 132,132.0 |
| DSV A/S | 20230403 | 16:17:24 | XCSE | 34.0 | 1,270.5 | 43,197.0 |
| DSV A/S | 20230403 | 16:17:24 | XCSE | 35.0 | 1,270.5 | 44,467.5 |
| DSV A/S | 20230403 | 16:17:24 | XCSE | 34.0 | 1,270.5 | 43,197.0 |
| DSV A/S | 20230403 | 16:18:24 | XCSE | 6.0 | 1,269.0 | 7,614.0 |
| DSV A/S | 20230403 | 16:18:24 | XCSE | 97.0 | 1,269.0 | 123,093.0 |
| DSV A/S | 20230403 | 16:18:44 | XCSE | 35.0 | 1,268.0 | 44,380.0 |
| DSV A/S | 20230403 | 16:18:44 | XCSE | 19.0 | 1,268.0 | 24,092.0 |
| DSV A/S | 20230403 | 16:18:44 | XCSE | 15.0 | 1,268.0 | 19,020.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 16:18:44 | XCSE | 21.0 | 1,268.0 | 26,628.0 |
| DSV A/S | 20230403 | 16:19:19 | XCSE | 2.0 | 1,266.0 | 2,532.0 |
| DSV A/S | 20230403 | 16:19:19 | XCSE | 34.0 | 1,266.0 | 43,044.0 |
| DSV A/S | 20230403 | 16:19:24 | XCSE | 35.0 | 1,266.5 | 44,327.5 |
| DSV A/S | 20230403 | 16:20:37 | XCSE | 71.0 | 1,267.5 | 89,992.5 |
| DSV A/S | 20230403 | 16:20:37 | XCSE | 36.0 | 1,267.5 | 45,630.0 |
| DSV A/S | 20230403 | 16:20:37 | XCSE | 36.0 | 1,267.5 | 45,630.0 |
| DSV A/S | 20230403 | 16:20:37 | XCSE | 35.0 | 1,267.5 | 44,362.5 |
| DSV A/S | 20230403 | 16:20:59 | XCSE | 36.0 | 1,266.0 | 45,576.0 |
| DSV A/S | 20230403 | 16:21:27 | XCSE | 25.0 | 1,266.0 | 31,650.0 |
| DSV A/S | 20230403 | 16:21:27 | XCSE | 11.0 | 1,266.0 | 13,926.0 |
| DSV A/S | 20230403 | 16:21:27 | XCSE | 25.0 | 1,266.0 | 31,650.0 |
| DSV A/S | 20230403 | 16:22:03 | XCSE | 58.0 | 1,266.0 | 73,428.0 |
| DSV A/S | 20230403 | 16:22:03 | XCSE | 15.0 | 1,266.0 | 18,990.0 |
| DSV A/S | 20230403 | 16:22:06 | XCSE | 36.0 | 1,265.0 | 45,540.0 |
| DSV A/S | 20230403 | 16:22:18 | XCSE | 11.0 | 1,265.5 | 13,920.5 |
| DSV A/S | 20230403 | 16:25:04 | XCSE | 1.0 | 1,267.0 | 1,267.0 |
| DSV A/S | 20230403 | 16:25:21 | XCSE | 24.0 | 1,267.5 | 30,420.0 |
| DSV A/S | 20230403 | 16:25:44 | XCSE | 83.0 | 1,268.0 | 105,244.0 |
| DSV A/S | 20230403 | 16:25:44 | XCSE | 43.0 | 1,268.0 | 54,524.0 |
| DSV A/S | 20230403 | 16:26:03 | XCSE | 29.0 | 1,268.0 | 36,772.0 |
| DSV A/S | 20230403 | 16:26:03 | XCSE | 6.0 | 1,268.0 | 7,608.0 |
| DSV A/S | 20230403 | 16:26:15 | XCSE | 211.0 | 1,267.5 | 267,442.5 |
| DSV A/S | 20230403 | 16:26:15 | XCSE | 55.0 | 1,267.0 | 69,685.0 |
| DSV A/S | 20230403 | 16:26:15 | XCSE | 78.0 | 1,267.0 | 98,826.0 |
| DSV A/S | 20230403 | 16:27:53 | XCSE | 49.0 | 1,266.0 | 62,034.0 |
| DSV A/S | 20230403 | 16:27:53 | XCSE | 84.0 | 1,266.0 | 106,344.0 |
| DSV A/S | 20230403 | 16:27:59 | XCSE | 34.0 | 1,265.0 | 43,010.0 |
| DSV A/S | 20230403 | 16:28:28 | XCSE | 71.0 | 1,264.0 | 89,744.0 |
| DSV A/S | 20230403 | 16:29:13 | XCSE | 36.0 | 1,265.0 | 45,540.0 |
| DSV A/S | 20230403 | 16:29:13 | XCSE | 32.0 | 1,265.0 | 40,480.0 |
| DSV A/S | 20230403 | 16:29:51 | XCSE | 22.0 | 1,265.0 | 27,830.0 |
| DSV A/S | 20230403 | 16:30:42 | XCSE | 135.0 | 1,266.0 | 170,910.0 |
| DSV A/S | 20230403 | 16:30:42 | XCSE | 35.0 | 1,266.0 | 44,310.0 |
| DSV A/S | 20230403 | 16:30:58 | XCSE | 35.0 | 1,265.5 | 44,292.5 |
| DSV A/S | 20230403 | 16:32:53 | XCSE | 133.0 | 1,267.5 | 168,577.5 |
| DSV A/S | 20230403 | 16:35:01 | XCSE | 176.0 | 1,268.5 | 223,256.0 |
| DSV A/S | 20230403 | 16:35:47 | XCSE | 34.0 | 1,267.5 | 43,095.0 |
| DSV A/S | 20230403 | 16:35:47 | XCSE | 34.0 | 1,267.5 | 43,095.0 |
| DSV A/S | 20230403 | 16:36:40 | XCSE | 34.0 | 1,267.0 | 43,078.0 |
| DSV A/S | 20230403 | 16:36:40 | XCSE | 34.0 | 1,267.0 | 43,078.0 |
| DSV A/S | 20230403 | 16:38:00 | XCSE | 20.0 | 1,267.0 | 25,340.0 |
| DSV A/S | 20230403 | 16:38:00 | XCSE | 17.0 | 1,267.0 | 21,539.0 |
| DSV A/S | 20230403 | 16:38:03 | XCSE | 36.0 | 1,266.5 | 45,594.0 |
| DSV A/S | 20230403 | 16:39:18 | XCSE | 24.0 | 1,265.5 | 30,372.0 |
| DSV A/S | 20230403 | 16:39:18 | XCSE | 34.0 | 1,265.5 | 43,027.0 |
| DSV A/S | 20230403 | 16:39:18 | XCSE | 33.0 | 1,265.5 | 41,761.5 |
| DSV A/S | 20230403 | 16:39:18 | XCSE | 9.0 | 1,265.5 | 11,389.5 |
| DSV A/S | 20230403 | 16:39:18 | XCSE | 33.0 | 1,265.5 | 41,761.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 16:39:18 | XCSE | 7.0 | 1,265.5 | 8,858.5 |
| DSV A/S | 20230403 | 16:40:20 | XCSE | 134.0 | 1,268.0 | 169,912.0 |
| DSV A/S | 20230403 | 16:41:23 | XCSE | 13.0 | 1,269.0 | 16,497.0 |
| DSV A/S | 20230403 | 16:41:23 | XCSE | 126.0 | 1,269.0 | 159,894.0 |
| DSV A/S | 20230403 | 16:41:39 | XCSE | 20.0 | 1,268.5 | 25,370.0 |
| DSV A/S | 20230403 | 16:41:39 | XCSE | 82.0 | 1,268.5 | 104,017.0 |
| DSV A/S | 20230403 | 16:41:39 | XCSE | 33.0 | 1,268.5 | 41,860.5 |
| DSV A/S | 20230403 | 16:43:18 | XCSE | 60.0 | 1,268.0 | 76,080.0 |
| DSV A/S | 20230403 | 16:43:18 | XCSE | 33.0 | 1,268.0 | 41,844.0 |
| DSV A/S | 20230403 | 16:43:18 | XCSE | 42.0 | 1,268.0 | 53,256.0 |
| DSV A/S | 20230403 | 16:43:20 | XCSE | 36.0 | 1,267.5 | 45,630.0 |
| DSV A/S | 20230403 | 16:43:40 | XCSE | 69.0 | 1,268.0 | 87,492.0 |
| DSV A/S | 20230403 | 16:44:05 | XCSE | 17.0 | 1,268.0 | 21,556.0 |
| DSV A/S | 20230403 | 16:44:05 | XCSE | 20.0 | 1,268.0 | 25,360.0 |
| DSV A/S | 20230403 | 16:44:16 | XCSE | 144.0 | 1,268.0 | 182,592.0 |
| DSV A/S | 20230403 | 16:44:16 | XCSE | 36.0 | 1,268.0 | 45,648.0 |
| DSV A/S | 20230403 | 16:44:37 | XCSE | 35.0 | 1,268.0 | 44,380.0 |
| DSV A/S | 20230403 | 16:44:37 | XCSE | 3.0 | 1,268.0 | 3,804.0 |
| DSV A/S | 20230403 | 16:44:42 | XCSE | 20.0 | 1,268.0 | 25,360.0 |
| DSV A/S | 20230403 | 16:44:42 | XCSE | 18.0 | 1,268.0 | 22,824.0 |
| DSV A/S | 20230403 | 16:44:48 | XCSE | 35.0 | 1,268.0 | 44,380.0 |
| DSV A/S | 20230403 | 16:44:50 | XCSE | 22.0 | 1,268.0 | 27,896.0 |
| DSV A/S | 20230403 | 16:44:50 | XCSE | 55.0 | 1,268.0 | 69,740.0 |
| DSV A/S | 20230403 | 16:44:50 | XCSE | 4.0 | 1,268.0 | 5,072.0 |
| DSV A/S | 20230403 | 16:44:50 | XCSE | 42.0 | 1,268.0 | 53,256.0 |
| DSV A/S | 20230403 | 16:44:50 | XCSE | 2.0 | 1,268.0 | 2,536.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 36.0 | 1,263.5 | 45,486.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 60.0 | 1,263.5 | 75,810.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 33.0 | 1,263.5 | 41,695.5 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 26.0 | 1,263.5 | 32,851.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 39.0 | 1,263.5 | 49,276.5 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 70.0 | 1,263.5 | 88,445.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 64.0 | 1,263.5 | 80,864.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 27.0 | 1,263.5 | 34,114.5 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 34.0 | 1,263.5 | 42,959.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 356.0 | 1,263.5 | 449,806.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 40.0 | 1,263.5 | 50,540.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 30.0 | 1,263.5 | 37,905.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 48.0 | 1,263.5 | 60,648.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 22.0 | 1,263.5 | 27,797.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 30.0 | 1,263.5 | 37,905.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 23.0 | 1,263.5 | 29,060.5 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 1.0 | 1,263.5 | 1,263.5 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 46.0 | 1,263.5 | 58,121.0 |
| DSV A/S | 20230403 | 16:48:29 | XCSE | 40.0 | 1,263.5 | 50,540.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 11.0 | 1,263.5 | 13,898.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 43.0 | 1,263.5 | 54,330.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 46.0 | 1,263.5 | 58,121.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 16:48:30 | XCSE | 38.0 | 1,263.5 | 48,013.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 62.0 | 1,263.5 | 78,337.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 62.0 | 1,263.5 | 78,337.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 15.0 | 1,263.5 | 18,952.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 65.0 | 1,263.5 | 82,127.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 28.0 | 1,263.5 | 35,378.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 51.0 | 1,263.5 | 64,438.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 45.0 | 1,263.5 | 56,857.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 9.0 | 1,263.5 | 11,371.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 91.0 | 1,263.5 | 114,978.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 10.0 | 1,263.5 | 12,635.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 90.0 | 1,263.5 | 113,715.0 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 21.0 | 1,263.5 | 26,533.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 79.0 | 1,263.5 | 99,816.5 |
| DSV A/S | 20230403 | 16:48:30 | XCSE | 190.0 | 1,263.5 | 240,065.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 58.0 | 1,263.5 | 73,283.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 58.0 | 1,263.5 | 73,283.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 45.0 | 1,263.5 | 56,857.5 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 12.0 | 1,263.5 | 15,162.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 88.0 | 1,263.5 | 111,188.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 33.0 | 1,263.5 | 41,695.5 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 51.0 | 1,263.5 | 64,438.5 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:31 | XCSE | 45.0 | 1,263.5 | 56,857.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 55.0 | 1,263.5 | 69,492.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 45.0 | 1,263.5 | 56,857.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 7.0 | 1,263.5 | 8,844.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 53.0 | 1,263.5 | 66,965.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 40.0 | 1,263.5 | 50,540.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 132.0 | 1,263.5 | 166,782.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 9.0 | 1,263.5 | 11,371.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|---------|---------|-------------|
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 51.0 | 1,263.5 | 64,438.5 |
| DSV A/S | 20230403 | 16:48:32 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:33 | XCSE | 12.0 | 1,263.5 | 15,162.0 |
| DSV A/S | 20230403 | 16:48:38 | XCSE | 24.0 | 1,263.5 | 30,324.0 |
| DSV A/S | 20230403 | 16:48:39 | XCSE | 31.0 | 1,263.5 | 39,168.5 |
| DSV A/S | 20230403 | 16:48:45 | XCSE | 33.0 | 1,263.5 | 41,695.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 5,000.0 | 1,263.5 | 6,317,500.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 958.0 | 1,263.5 | 1,210,433.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 162.0 | 1,263.5 | 204,687.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 162.0 | 1,263.5 | 204,687.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 1,380.0 | 1,263.5 | 1,743,630.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 30.0 | 1,263.5 | 37,905.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 70.0 | 1,263.5 | 88,445.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 997.0 | 1,263.5 | 1,259,709.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 95.0 | 1,263.5 | 120,032.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 5.0 | 1,263.5 | 6,317.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 51.0 | 1,263.5 | 64,438.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 1,487.0 | 1,263.5 | 1,878,824.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 12.0 | 1,263.5 | 15,162.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 10.0 | 1,263.5 | 12,635.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 100.0 | 1,263.5 | 126,350.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 42.0 | 1,263.5 | 53,067.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 51.0 | 1,263.5 | 64,438.5 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 75.0 | 1,263.5 | 94,762.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230403 | 16:48:47 | XCSE | 80.0 | 1,263.5 | 101,080.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 20.0 | 1,263.5 | 25,270.0 |
| DSV A/S | 20230403 | 16:48:47 | XCSE | 434.0 | 1,263.5 | 548,359.0 |
| DSV A/S | 20230404 | 9:00:02 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 9:00:02 | XCSE | 33.0 | 1,274.0 | 42,042.0 |
| DSV A/S | 20230404 | 9:00:16 | XCSE | 70.0 | 1,275.0 | 89,250.0 |
| DSV A/S | 20230404 | 9:00:23 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 9:00:24 | XCSE | 37.0 | 1,273.0 | 47,101.0 |
| DSV A/S | 20230404 | 9:01:00 | XCSE | 57.0 | 1,277.0 | 72,789.0 |
| DSV A/S | 20230404 | 9:01:03 | XCSE | 48.0 | 1,277.0 | 61,296.0 |
| DSV A/S | 20230404 | 9:01:03 | XCSE | 19.0 | 1,277.0 | 24,263.0 |
| DSV A/S | 20230404 | 9:01:09 | XCSE | 34.0 | 1,277.5 | 43,435.0 |
| DSV A/S | 20230404 | 9:01:14 | XCSE | 35.0 | 1,278.0 | 44,730.0 |
| DSV A/S | 20230404 | 9:01:20 | XCSE | 35.0 | 1,278.0 | 44,730.0 |
| DSV A/S | 20230404 | 9:01:24 | XCSE | 36.0 | 1,278.0 | 46,008.0 |
| DSV A/S | 20230404 | 9:01:36 | XCSE | 73.0 | 1,278.5 | 93,330.5 |
| DSV A/S | 20230404 | 9:01:42 | XCSE | 35.0 | 1,278.0 | 44,730.0 |
| DSV A/S | 20230404 | 9:01:42 | XCSE | 10.0 | 1,277.5 | 12,775.0 |
| DSV A/S | 20230404 | 9:01:42 | XCSE | 24.0 | 1,277.5 | 30,660.0 |
| DSV A/S | 20230404 | 9:01:59 | XCSE | 34.0 | 1,277.0 | 43,418.0 |
| DSV A/S | 20230404 | 9:01:59 | XCSE | 34.0 | 1,277.0 | 43,418.0 |
| DSV A/S | 20230404 | 9:01:59 | XCSE | 36.0 | 1,276.5 | 45,954.0 |
| DSV A/S | 20230404 | 9:02:31 | XCSE | 72.0 | 1,278.5 | 92,052.0 |
| DSV A/S | 20230404 | 9:02:43 | XCSE | 25.0 | 1,278.5 | 31,962.5 |
| DSV A/S | 20230404 | 9:02:43 | XCSE | 9.0 | 1,278.5 | 11,506.5 |
| DSV A/S | 20230404 | 9:03:01 | XCSE | 36.0 | 1,278.5 | 46,026.0 |
| DSV A/S | 20230404 | 9:03:01 | XCSE | 36.0 | 1,278.5 | 46,026.0 |
| DSV A/S | 20230404 | 9:03:05 | XCSE | 36.0 | 1,278.0 | 46,008.0 |
| DSV A/S | 20230404 | 9:03:41 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230404 | 9:04:20 | XCSE | 73.0 | 1,278.0 | 93,294.0 |
| DSV A/S | 20230404 | 9:04:25 | XCSE | 17.0 | 1,277.0 | 21,709.0 |
| DSV A/S | 20230404 | 9:04:25 | XCSE | 19.0 | 1,277.0 | 24,263.0 |
| DSV A/S | 20230404 | 9:05:10 | XCSE | 69.0 | 1,278.0 | 88,182.0 |
| DSV A/S | 20230404 | 9:05:20 | XCSE | 71.0 | 1,277.5 | 90,702.5 |
| DSV A/S | 20230404 | 9:05:20 | XCSE | 9.0 | 1,277.5 | 11,497.5 |
| DSV A/S | 20230404 | 9:05:20 | XCSE | 30.0 | 1,277.5 | 38,325.0 |
| DSV A/S | 20230404 | 9:05:23 | XCSE | 35.0 | 1,277.0 | 44,695.0 |
| DSV A/S | 20230404 | 9:05:26 | XCSE | 27.0 | 1,276.0 | 34,452.0 |
| DSV A/S | 20230404 | 9:05:26 | XCSE | 7.0 | 1,276.0 | 8,932.0 |
| DSV A/S | 20230404 | 9:05:26 | XCSE | 34.0 | 1,276.0 | 43,384.0 |
| DSV A/S | 20230404 | 9:05:26 | XCSE | 39.0 | 1,276.0 | 49,764.0 |
| DSV A/S | 20230404 | 9:05:31 | XCSE | 37.0 | 1,275.0 | 47,175.0 |
| DSV A/S | 20230404 | 9:05:31 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230404 | 9:05:31 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230404 | 9:05:51 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 9:05:51 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 9:06:14 | XCSE | 45.0 | 1,275.0 | 57,375.0 |
| DSV A/S | 20230404 | 9:06:52 | XCSE | 3.0 | 1,278.0 | 3,834.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 9:06:52 | XCSE | 67.0 | 1,278.0 | 85,626.0 |
| DSV A/S | 20230404 | 9:07:56 | XCSE | 7.0 | 1,278.0 | 8,946.0 |
| DSV A/S | 20230404 | 9:07:56 | XCSE | 28.0 | 1,278.0 | 35,784.0 |
| DSV A/S | 20230404 | 9:08:14 | XCSE | 34.0 | 1,277.5 | 43,435.0 |
| DSV A/S | 20230404 | 9:08:34 | XCSE | 34.0 | 1,277.5 | 43,435.0 |
| DSV A/S | 20230404 | 9:08:36 | XCSE | 36.0 | 1,277.0 | 45,972.0 |
| DSV A/S | 20230404 | 9:09:04 | XCSE | 34.0 | 1,276.5 | 43,401.0 |
| DSV A/S | 20230404 | 9:09:05 | XCSE | 35.0 | 1,276.0 | 44,660.0 |
| DSV A/S | 20230404 | 9:09:23 | XCSE | 37.0 | 1,275.5 | 47,193.5 |
| DSV A/S | 20230404 | 9:09:28 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230404 | 9:10:19 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 9:11:15 | XCSE | 71.0 | 1,274.0 | 90,454.0 |
| DSV A/S | 20230404 | 9:12:14 | XCSE | 68.0 | 1,274.0 | 86,632.0 |
| DSV A/S | 20230404 | 9:12:20 | XCSE | 36.0 | 1,275.0 | 45,900.0 |
| DSV A/S | 20230404 | 9:12:57 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 9:13:59 | XCSE | 33.0 | 1,272.5 | 41,992.5 |
| DSV A/S | 20230404 | 9:13:59 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 9:14:27 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 9:15:12 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230404 | 9:16:46 | XCSE | 69.0 | 1,274.5 | 87,940.5 |
| DSV A/S | 20230404 | 9:16:46 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230404 | 9:16:56 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 9:17:37 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 9:19:35 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 9:20:12 | XCSE | 72.0 | 1,274.5 | 91,764.0 |
| DSV A/S | 20230404 | 9:20:30 | XCSE | 37.0 | 1,274.0 | 47,138.0 |
| DSV A/S | 20230404 | 9:20:52 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230404 | 9:22:04 | XCSE | 31.0 | 1,271.0 | 39,401.0 |
| DSV A/S | 20230404 | 9:22:04 | XCSE | 3.0 | 1,271.0 | 3,813.0 |
| DSV A/S | 20230404 | 9:25:16 | XCSE | 68.0 | 1,270.0 | 86,360.0 |
| DSV A/S | 20230404 | 9:25:19 | XCSE | 69.0 | 1,269.0 | 87,561.0 |
| DSV A/S | 20230404 | 9:27:08 | XCSE | 106.0 | 1,271.5 | 134,779.0 |
| DSV A/S | 20230404 | 9:28:02 | XCSE | 34.0 | 1,270.5 | 43,197.0 |
| DSV A/S | 20230404 | 9:28:06 | XCSE | 36.0 | 1,268.5 | 45,666.0 |
| DSV A/S | 20230404 | 9:28:48 | XCSE | 36.0 | 1,268.5 | 45,666.0 |
| DSV A/S | 20230404 | 9:29:57 | XCSE | 35.0 | 1,268.5 | 44,397.5 |
| DSV A/S | 20230404 | 9:30:00 | XCSE | 36.0 | 1,268.0 | 45,648.0 |
| DSV A/S | 20230404 | 9:30:36 | XCSE | 36.0 | 1,268.5 | 45,666.0 |
| DSV A/S | 20230404 | 9:33:05 | XCSE | 4.0 | 1,269.5 | 5,078.0 |
| DSV A/S | 20230404 | 9:33:06 | XCSE | 12.0 | 1,269.5 | 15,234.0 |
| DSV A/S | 20230404 | 9:33:17 | XCSE | 16.0 | 1,269.5 | 20,312.0 |
| DSV A/S | 20230404 | 9:33:17 | XCSE | 34.0 | 1,269.5 | 43,163.0 |
| DSV A/S | 20230404 | 9:33:17 | XCSE | 18.0 | 1,269.5 | 22,851.0 |
| DSV A/S | 20230404 | 9:33:17 | XCSE | 36.0 | 1,269.0 | 45,684.0 |
| DSV A/S | 20230404 | 9:34:51 | XCSE | 72.0 | 1,269.0 | 91,368.0 |
| DSV A/S | 20230404 | 9:36:23 | XCSE | 34.0 | 1,270.0 | 43,180.0 |
| DSV A/S | 20230404 | 9:36:23 | XCSE | 2.0 | 1,270.0 | 2,540.0 |
| DSV A/S | 20230404 | 9:36:23 | XCSE | 36.0 | 1,270.0 | 45,720.0 |
| DSV A/S | 20230404 | 9:38:51 | XCSE | 58.0 | 1,271.5 | 73,747.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 9:38:51 | XCSE | 13.0 | 1,271.5 | 16,529.5 |
| DSV A/S | 20230404 | 9:38:51 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230404 | 9:40:07 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230404 | 9:40:28 | XCSE | 7.0 | 1,271.5 | 8,900.5 |
| DSV A/S | 20230404 | 9:40:48 | XCSE | 73.0 | 1,271.0 | 92,783.0 |
| DSV A/S | 20230404 | 9:44:40 | XCSE | 108.0 | 1,273.5 | 137,538.0 |
| DSV A/S | 20230404 | 9:45:11 | XCSE | 68.0 | 1,272.0 | 86,496.0 |
| DSV A/S | 20230404 | 9:45:12 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 9:45:22 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 9:46:22 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 9:51:30 | XCSE | 56.0 | 1,272.0 | 71,232.0 |
| DSV A/S | 20230404 | 9:51:31 | XCSE | 10.0 | 1,272.0 | 12,720.0 |
| DSV A/S | 20230404 | 9:51:31 | XCSE | 74.0 | 1,272.0 | 94,128.0 |
| DSV A/S | 20230404 | 9:51:31 | XCSE | 21.0 | 1,272.0 | 26,712.0 |
| DSV A/S | 20230404 | 9:52:42 | XCSE | 40.0 | 1,272.0 | 50,880.0 |
| DSV A/S | 20230404 | 9:54:21 | XCSE | 40.0 | 1,271.0 | 50,840.0 |
| DSV A/S | 20230404 | 9:54:21 | XCSE | 30.0 | 1,271.0 | 38,130.0 |
| DSV A/S | 20230404 | 9:54:55 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230404 | 9:56:53 | XCSE | 73.0 | 1,273.0 | 92,929.0 |
| DSV A/S | 20230404 | 9:57:08 | XCSE | 15.0 | 1,271.5 | 19,072.5 |
| DSV A/S | 20230404 | 9:57:08 | XCSE | 21.0 | 1,271.5 | 26,701.5 |
| DSV A/S | 20230404 | 10:00:24 | XCSE | 59.0 | 1,271.0 | 74,989.0 |
| DSV A/S | 20230404 | 10:00:24 | XCSE | 9.0 | 1,271.0 | 11,439.0 |
| DSV A/S | 20230404 | 10:03:01 | XCSE | 6.0 | 1,270.0 | 7,620.0 |
| DSV A/S | 20230404 | 10:03:01 | XCSE | 28.0 | 1,270.0 | 35,560.0 |
| DSV A/S | 20230404 | 10:03:01 | XCSE | 34.0 | 1,270.0 | 43,180.0 |
| DSV A/S | 20230404 | 10:08:51 | XCSE | 71.0 | 1,274.5 | 90,489.5 |
| DSV A/S | 20230404 | 10:08:51 | XCSE | 68.0 | 1,274.5 | 86,666.0 |
| DSV A/S | 20230404 | 10:08:57 | XCSE | 53.0 | 1,273.5 | 67,495.5 |
| DSV A/S | 20230404 | 10:08:57 | XCSE | 15.0 | 1,273.5 | 19,102.5 |
| DSV A/S | 20230404 | 10:09:16 | XCSE | 25.0 | 1,273.5 | 31,837.5 |
| DSV A/S | 20230404 | 10:09:16 | XCSE | 11.0 | 1,273.5 | 14,008.5 |
| DSV A/S | 20230404 | 10:09:41 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 10:15:08 | XCSE | 69.0 | 1,273.0 | 87,837.0 |
| DSV A/S | 20230404 | 10:15:33 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 10:15:33 | XCSE | 33.0 | 1,272.5 | 41,992.5 |
| DSV A/S | 20230404 | 10:17:59 | XCSE | 69.0 | 1,274.0 | 87,906.0 |
| DSV A/S | 20230404 | 10:22:11 | XCSE | 36.0 | 1,279.5 | 46,062.0 |
| DSV A/S | 20230404 | 10:22:46 | XCSE | 107.0 | 1,279.0 | 136,853.0 |
| DSV A/S | 20230404 | 10:24:50 | XCSE | 35.0 | 1,277.5 | 44,712.5 |
| DSV A/S | 20230404 | 10:24:50 | XCSE | 36.0 | 1,277.5 | 45,990.0 |
| DSV A/S | 20230404 | 10:26:57 | XCSE | 72.0 | 1,276.0 | 91,872.0 |
| DSV A/S | 20230404 | 10:27:30 | XCSE | 36.0 | 1,276.0 | 45,936.0 |
| DSV A/S | 20230404 | 10:31:07 | XCSE | 54.0 | 1,276.0 | 68,904.0 |
| DSV A/S | 20230404 | 10:31:07 | XCSE | 13.0 | 1,276.0 | 16,588.0 |
| DSV A/S | 20230404 | 10:34:27 | XCSE | 34.0 | 1,276.0 | 43,384.0 |
| DSV A/S | 20230404 | 10:34:27 | XCSE | 33.0 | 1,276.0 | 42,108.0 |
| DSV A/S | 20230404 | 10:35:18 | XCSE | 72.0 | 1,275.5 | 91,836.0 |
| DSV A/S | 20230404 | 10:39:30 | XCSE | 103.0 | 1,275.0 | 131,325.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 10:43:23 | XCSE | 15.0 | 1,273.5 | 19,102.5 |
| DSV A/S | 20230404 | 10:43:23 | XCSE | 56.0 | 1,273.5 | 71,316.0 |
| DSV A/S | 20230404 | 10:43:23 | XCSE | 73.0 | 1,273.5 | 92,965.5 |
| DSV A/S | 20230404 | 10:45:11 | XCSE | 109.0 | 1,274.5 | 138,920.5 |
| DSV A/S | 20230404 | 10:47:13 | XCSE | 34.0 | 1,275.5 | 43,367.0 |
| DSV A/S | 20230404 | 10:47:13 | XCSE | 27.0 | 1,275.5 | 34,438.5 |
| DSV A/S | 20230404 | 10:47:13 | XCSE | 6.0 | 1,275.5 | 7,653.0 |
| DSV A/S | 20230404 | 10:47:41 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230404 | 10:50:51 | XCSE | 33.0 | 1,273.5 | 42,025.5 |
| DSV A/S | 20230404 | 10:50:51 | XCSE | 33.0 | 1,273.5 | 42,025.5 |
| DSV A/S | 20230404 | 10:50:51 | XCSE | 1.0 | 1,273.5 | 1,273.5 |
| DSV A/S | 20230404 | 10:50:51 | XCSE | 33.0 | 1,273.5 | 42,025.5 |
| DSV A/S | 20230404 | 10:53:46 | XCSE | 22.0 | 1,273.0 | 28,006.0 |
| DSV A/S | 20230404 | 10:53:46 | XCSE | 49.0 | 1,273.0 | 62,377.0 |
| DSV A/S | 20230404 | 10:57:49 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230404 | 10:57:49 | XCSE | 69.0 | 1,273.5 | 87,871.5 |
| DSV A/S | 20230404 | 10:57:52 | XCSE | 66.0 | 1,273.0 | 84,018.0 |
| DSV A/S | 20230404 | 10:57:55 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 10:58:49 | XCSE | 37.0 | 1,271.0 | 47,027.0 |
| DSV A/S | 20230404 | 11:00:30 | XCSE | 37.0 | 1,270.5 | 47,008.5 |
| DSV A/S | 20230404 | 11:02:44 | XCSE | 23.0 | 1,271.0 | 29,233.0 |
| DSV A/S | 20230404 | 11:02:44 | XCSE | 48.0 | 1,271.0 | 61,008.0 |
| DSV A/S | 20230404 | 11:05:13 | XCSE | 9.0 | 1,271.5 | 11,443.5 |
| DSV A/S | 20230404 | 11:05:13 | XCSE | 62.0 | 1,271.5 | 78,833.0 |
| DSV A/S | 20230404 | 11:11:20 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 11:15:21 | XCSE | 21.0 | 1,272.5 | 26,722.5 |
| DSV A/S | 20230404 | 11:15:21 | XCSE | 25.0 | 1,272.5 | 31,812.5 |
| DSV A/S | 20230404 | 11:15:21 | XCSE | 21.0 | 1,272.5 | 26,722.5 |
| DSV A/S | 20230404 | 11:19:05 | XCSE | 17.0 | 1,273.0 | 21,641.0 |
| DSV A/S | 20230404 | 11:19:40 | XCSE | 67.0 | 1,273.0 | 85,291.0 |
| DSV A/S | 20230404 | 11:21:29 | XCSE | 20.0 | 1,273.5 | 25,470.0 |
| DSV A/S | 20230404 | 11:21:29 | XCSE | 47.0 | 1,273.5 | 59,854.5 |
| DSV A/S | 20230404 | 11:22:29 | XCSE | 2.0 | 1,273.0 | 2,546.0 |
| DSV A/S | 20230404 | 11:22:29 | XCSE | 65.0 | 1,273.0 | 82,745.0 |
| DSV A/S | 20230404 | 11:24:25 | XCSE | 101.0 | 1,274.0 | 128,674.0 |
| DSV A/S | 20230404 | 11:26:02 | XCSE | 108.0 | 1,274.0 | 137,592.0 |
| DSV A/S | 20230404 | 11:26:35 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 11:26:35 | XCSE | 21.0 | 1,273.5 | 26,743.5 |
| DSV A/S | 20230404 | 11:26:35 | XCSE | 5.0 | 1,273.5 | 6,367.5 |
| DSV A/S | 20230404 | 11:26:35 | XCSE | 9.0 | 1,273.5 | 11,461.5 |
| DSV A/S | 20230404 | 11:28:25 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 11:39:25 | XCSE | 73.0 | 1,274.0 | 93,002.0 |
| DSV A/S | 20230404 | 11:39:25 | XCSE | 37.0 | 1,274.0 | 47,138.0 |
| DSV A/S | 20230404 | 11:39:25 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230404 | 11:40:04 | XCSE | 71.0 | 1,274.5 | 90,489.5 |
| DSV A/S | 20230404 | 11:45:38 | XCSE | 101.0 | 1,274.5 | 128,724.5 |
| DSV A/S | 20230404 | 11:47:11 | XCSE | 23.0 | 1,274.5 | 29,313.5 |
| DSV A/S | 20230404 | 11:47:11 | XCSE | 44.0 | 1,274.5 | 56,078.0 |
| DSV A/S | 20230404 | 11:53:01 | XCSE | 20.0 | 1,275.0 | 25,500.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 11:53:01 | XCSE | 48.0 | 1,275.0 | 61,200.0 |
| DSV A/S | 20230404 | 11:55:06 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230404 | 11:55:06 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230404 | 11:56:30 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230404 | 11:59:31 | XCSE | 1.0 | 1,274.5 | 1,274.5 |
| DSV A/S | 20230404 | 12:05:23 | XCSE | 150.0 | 1,275.0 | 191,250.0 |
| DSV A/S | 20230404 | 12:05:23 | XCSE | 19.0 | 1,275.0 | 24,225.0 |
| DSV A/S | 20230404 | 12:06:54 | XCSE | 21.0 | 1,276.0 | 26,796.0 |
| DSV A/S | 20230404 | 12:06:54 | XCSE | 15.0 | 1,276.0 | 19,140.0 |
| DSV A/S | 20230404 | 12:06:54 | XCSE | 21.0 | 1,276.0 | 26,796.0 |
| DSV A/S | 20230404 | 12:16:02 | XCSE | 71.0 | 1,275.5 | 90,560.5 |
| DSV A/S | 20230404 | 12:16:02 | XCSE | 35.0 | 1,275.5 | 44,642.5 |
| DSV A/S | 20230404 | 12:19:09 | XCSE | 34.0 | 1,275.5 | 43,367.0 |
| DSV A/S | 20230404 | 12:19:09 | XCSE | 34.0 | 1,275.5 | 43,367.0 |
| DSV A/S | 20230404 | 12:19:37 | XCSE | 36.0 | 1,275.0 | 45,900.0 |
| DSV A/S | 20230404 | 12:22:00 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230404 | 12:31:54 | XCSE | 100.0 | 1,275.5 | 127,550.0 |
| DSV A/S | 20230404 | 12:36:43 | XCSE | 68.0 | 1,275.5 | 86,734.0 |
| DSV A/S | 20230404 | 12:40:24 | XCSE | 73.0 | 1,274.5 | 93,038.5 |
| DSV A/S | 20230404 | 12:48:23 | XCSE | 67.0 | 1,275.0 | 85,425.0 |
| DSV A/S | 20230404 | 12:52:25 | XCSE | 1.0 | 1,275.0 | 1,275.0 |
| DSV A/S | 20230404 | 12:52:25 | XCSE | 51.0 | 1,275.0 | 65,025.0 |
| DSV A/S | 20230404 | 12:52:25 | XCSE | 20.0 | 1,275.0 | 25,500.0 |
| DSV A/S | 20230404 | 12:55:25 | XCSE | 72.0 | 1,274.5 | 91,764.0 |
| DSV A/S | 20230404 | 12:55:28 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230404 | 12:58:46 | XCSE | 10.0 | 1,273.0 | 12,730.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 10.0 | 1,273.0 | 12,730.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 27.0 | 1,273.0 | 34,371.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 40.0 | 1,272.0 | 50,880.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 28.0 | 1,272.0 | 35,616.0 |
| DSV A/S | 20230404 | 13:00:34 | XCSE | 6.0 | 1,272.0 | 7,632.0 |
| DSV A/S | 20230404 | 13:00:35 | XCSE | 34.0 | 1,271.5 | 43,231.0 |
| DSV A/S | 20230404 | 13:01:18 | XCSE | 37.0 | 1,271.5 | 47,045.5 |
| DSV A/S | 20230404 | 13:02:08 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230404 | 13:05:07 | XCSE | 69.0 | 1,273.0 | 87,837.0 |
| DSV A/S | 20230404 | 13:06:07 | XCSE | 23.0 | 1,273.0 | 29,279.0 |
| DSV A/S | 20230404 | 13:11:55 | XCSE | 1.0 | 1,272.5 | 1,272.5 |
| DSV A/S | 20230404 | 13:11:55 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 13:11:55 | XCSE | 35.0 | 1,272.5 | 44,537.5 |
| DSV A/S | 20230404 | 13:11:55 | XCSE | 35.0 | 1,272.5 | 44,537.5 |
| DSV A/S | 20230404 | 13:14:44 | XCSE | 69.0 | 1,273.0 | 87,837.0 |
| DSV A/S | 20230404 | 13:18:43 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 13:18:43 | XCSE | 73.0 | 1,273.5 | 92,965.5 |
| DSV A/S | 20230404 | 13:19:48 | XCSE | 19.0 | 1,273.5 | 24,196.5 |
| DSV A/S | 20230404 | 13:19:48 | XCSE | 15.0 | 1,273.5 | 19,102.5 |
| DSV A/S | 20230404 | 13:19:48 | XCSE | 19.0 | 1,273.5 | 24,196.5 |
| DSV A/S | 20230404 | 13:24:12 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230404 | 13:24:12 | XCSE | 34.0 | 1,274.5 | 43,333.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 13:24:12 | XCSE | 34.0 | 1,274.5 | 43,333.0 |
| DSV A/S | 20230404 | 13:25:51 | XCSE | 5.0 | 1,273.5 | 6,367.5 |
| DSV A/S | 20230404 | 13:30:04 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230404 | 13:30:04 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 13:33:24 | XCSE | 60.0 | 1,274.0 | 76,440.0 |
| DSV A/S | 20230404 | 13:33:24 | XCSE | 10.0 | 1,274.0 | 12,740.0 |
| DSV A/S | 20230404 | 13:35:36 | XCSE | 9.0 | 1,274.0 | 11,466.0 |
| DSV A/S | 20230404 | 13:41:00 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 13:41:00 | XCSE | 102.0 | 1,273.5 | 129,897.0 |
| DSV A/S | 20230404 | 13:42:17 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 13:43:06 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 13:43:53 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 13:45:17 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230404 | 13:50:00 | XCSE | 1.0 | 1,272.5 | 1,272.5 |
| DSV A/S | 20230404 | 13:50:00 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 13:50:00 | XCSE | 33.0 | 1,272.5 | 41,992.5 |
| DSV A/S | 20230404 | 13:50:00 | XCSE | 33.0 | 1,272.5 | 41,992.5 |
| DSV A/S | 20230404 | 13:50:00 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 13:50:12 | XCSE | 27.0 | 1,272.5 | 34,357.5 |
| DSV A/S | 20230404 | 13:50:12 | XCSE | 7.0 | 1,272.5 | 8,907.5 |
| DSV A/S | 20230404 | 13:51:41 | XCSE | 5.0 | 1,272.5 | 6,362.5 |
| DSV A/S | 20230404 | 13:58:05 | XCSE | 102.0 | 1,273.5 | 129,897.0 |
| DSV A/S | 20230404 | 13:58:05 | XCSE | 33.0 | 1,273.5 | 42,025.5 |
| DSV A/S | 20230404 | 14:00:12 | XCSE | 109.0 | 1,273.5 | 138,811.5 |
| DSV A/S | 20230404 | 14:02:36 | XCSE | 50.0 | 1,274.0 | 63,700.0 |
| DSV A/S | 20230404 | 14:02:36 | XCSE | 27.0 | 1,274.0 | 34,398.0 |
| DSV A/S | 20230404 | 14:02:36 | XCSE | 27.0 | 1,274.0 | 34,398.0 |
| DSV A/S | 20230404 | 14:04:15 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230404 | 14:05:42 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230404 | 14:07:51 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 14:13:00 | XCSE | 109.0 | 1,274.0 | 138,866.0 |
| DSV A/S | 20230404 | 14:14:13 | XCSE | 4.0 | 1,274.0 | 5,096.0 |
| DSV A/S | 20230404 | 14:14:13 | XCSE | 31.0 | 1,274.0 | 39,494.0 |
| DSV A/S | 20230404 | 14:17:37 | XCSE | 37.0 | 1,273.5 | 47,119.5 |
| DSV A/S | 20230404 | 14:19:45 | XCSE | 28.0 | 1,274.0 | 35,672.0 |
| DSV A/S | 20230404 | 14:21:17 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230404 | 14:21:17 | XCSE | 35.0 | 1,274.5 | 44,607.5 |
| DSV A/S | 20230404 | 14:21:54 | XCSE | 36.0 | 1,274.5 | 45,882.0 |
| DSV A/S | 20230404 | 14:24:46 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 14:27:53 | XCSE | 35.0 | 1,275.0 | 44,625.0 |
| DSV A/S | 20230404 | 14:28:01 | XCSE | 34.0 | 1,275.0 | 43,350.0 |
| DSV A/S | 20230404 | 14:31:34 | XCSE | 34.0 | 1,274.0 | 43,316.0 |
| DSV A/S | 20230404 | 14:31:34 | XCSE | 33.0 | 1,274.0 | 42,042.0 |
| DSV A/S | 20230404 | 14:31:43 | XCSE | 25.0 | 1,273.0 | 31,825.0 |
| DSV A/S | 20230404 | 14:36:53 | XCSE | 238.0 | 1,273.5 | 303,093.0 |
| DSV A/S | 20230404 | 14:36:55 | XCSE | 5.0 | 1,273.5 | 6,367.5 |
| DSV A/S | 20230404 | 14:36:55 | XCSE | 48.0 | 1,273.5 | 61,128.0 |
| DSV A/S | 20230404 | 14:36:55 | XCSE | 31.0 | 1,273.5 | 39,478.5 |
| DSV A/S | 20230404 | 14:36:55 | XCSE | 6.0 | 1,273.5 | 7,641.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 14:36:59 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 14:38:25 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230404 | 14:38:25 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230404 | 14:38:25 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230404 | 14:38:25 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230404 | 14:44:41 | XCSE | 137.0 | 1,274.0 | 174,538.0 |
| DSV A/S | 20230404 | 14:44:41 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 14:44:50 | XCSE | 71.0 | 1,273.5 | 90,418.5 |
| DSV A/S | 20230404 | 14:44:50 | XCSE | 65.0 | 1,273.5 | 82,777.5 |
| DSV A/S | 20230404 | 14:44:50 | XCSE | 32.0 | 1,273.5 | 40,752.0 |
| DSV A/S | 20230404 | 14:44:50 | XCSE | 2.0 | 1,273.5 | 2,547.0 |
| DSV A/S | 20230404 | 14:52:05 | XCSE | 210.0 | 1,274.5 | 267,645.0 |
| DSV A/S | 20230404 | 14:54:30 | XCSE | 68.0 | 1,275.0 | 86,700.0 |
| DSV A/S | 20230404 | 14:54:30 | XCSE | 33.0 | 1,275.0 | 42,075.0 |
| DSV A/S | 20230404 | 14:54:30 | XCSE | 31.0 | 1,274.5 | 39,509.5 |
| DSV A/S | 20230404 | 14:54:30 | XCSE | 4.0 | 1,274.5 | 5,098.0 |
| DSV A/S | 20230404 | 15:01:30 | XCSE | 104.0 | 1,274.0 | 132,496.0 |
| DSV A/S | 20230404 | 15:04:44 | XCSE | 5.0 | 1,274.0 | 6,370.0 |
| DSV A/S | 20230404 | 15:04:44 | XCSE | 62.0 | 1,274.0 | 78,988.0 |
| DSV A/S | 20230404 | 15:04:44 | XCSE | 33.0 | 1,274.0 | 42,042.0 |
| DSV A/S | 20230404 | 15:04:45 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 15:05:30 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 15:05:30 | XCSE | 106.0 | 1,274.0 | 135,044.0 |
| DSV A/S | 20230404 | 15:07:54 | XCSE | 10.0 | 1,273.5 | 12,735.0 |
| DSV A/S | 20230404 | 15:07:54 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 15:07:54 | XCSE | 92.0 | 1,273.5 | 117,162.0 |
| DSV A/S | 20230404 | 15:08:16 | XCSE | 8.0 | 1,273.0 | 10,184.0 |
| DSV A/S | 20230404 | 15:08:16 | XCSE | 23.0 | 1,273.0 | 29,279.0 |
| DSV A/S | 20230404 | 15:08:16 | XCSE | 5.0 | 1,273.0 | 6,365.0 |
| DSV A/S | 20230404 | 15:08:56 | XCSE | 14.0 | 1,272.5 | 17,815.0 |
| DSV A/S | 20230404 | 15:10:21 | XCSE | 30.0 | 1,273.5 | 38,205.0 |
| DSV A/S | 20230404 | 15:16:24 | XCSE | 89.0 | 1,273.5 | 113,341.5 |
| DSV A/S | 20230404 | 15:16:24 | XCSE | 83.0 | 1,273.5 | 105,700.5 |
| DSV A/S | 20230404 | 15:18:43 | XCSE | 28.0 | 1,273.5 | 35,658.0 |
| DSV A/S | 20230404 | 15:18:43 | XCSE | 62.0 | 1,273.5 | 78,957.0 |
| DSV A/S | 20230404 | 15:18:43 | XCSE | 28.0 | 1,273.5 | 35,658.0 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 55.0 | 1,273.5 | 70,042.5 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 28.0 | 1,273.5 | 35,658.0 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 21.0 | 1,273.5 | 26,743.5 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 12.0 | 1,273.5 | 15,282.0 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 23.0 | 1,273.5 | 29,290.5 |
| DSV A/S | 20230404 | 15:19:44 | XCSE | 71.0 | 1,273.5 | 90,418.5 |
| DSV A/S | 20230404 | 15:24:15 | XCSE | 35.0 | 1,274.0 | 44,590.0 |
| DSV A/S | 20230404 | 15:24:15 | XCSE | 36.0 | 1,274.0 | 45,864.0 |
| DSV A/S | 20230404 | 15:24:15 | XCSE | 71.0 | 1,274.0 | 90,454.0 |
| DSV A/S | 20230404 | 15:25:41 | XCSE | 2.0 | 1,273.0 | 2,546.0 |
| DSV A/S | 20230404 | 15:27:05 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 15:28:33 | XCSE | 101.0 | 1,273.0 | 128,573.0 |
| DSV A/S | 20230404 | 15:29:30 | XCSE | 3.0 | 1,273.5 | 3,820.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 15:29:30 | XCSE | 37.0 | 1,273.5 | 47,119.5 |
| DSV A/S | 20230404 | 15:30:01 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 15:30:01 | XCSE | 33.0 | 1,273.5 | 42,025.5 |
| DSV A/S | 20230404 | 15:30:01 | XCSE | 1.0 | 1,273.5 | 1,273.5 |
| DSV A/S | 20230404 | 15:31:00 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 15:32:35 | XCSE | 35.0 | 1,273.0 | 44,555.0 |
| DSV A/S | 20230404 | 15:32:35 | XCSE | 64.0 | 1,273.0 | 81,472.0 |
| DSV A/S | 20230404 | 15:32:35 | XCSE | 7.0 | 1,273.0 | 8,911.0 |
| DSV A/S | 20230404 | 15:32:44 | XCSE | 15.0 | 1,273.0 | 19,095.0 |
| DSV A/S | 20230404 | 15:32:44 | XCSE | 20.0 | 1,273.0 | 25,460.0 |
| DSV A/S | 20230404 | 15:34:31 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 15:34:31 | XCSE | 73.0 | 1,273.5 | 92,965.5 |
| DSV A/S | 20230404 | 15:35:21 | XCSE | 67.0 | 1,273.5 | 85,324.5 |
| DSV A/S | 20230404 | 15:35:26 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230404 | 15:35:53 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 15:36:12 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 15:36:41 | XCSE | 71.0 | 1,273.0 | 90,383.0 |
| DSV A/S | 20230404 | 15:37:45 | XCSE | 101.0 | 1,274.0 | 128,674.0 |
| DSV A/S | 20230404 | 15:39:23 | XCSE | 16.0 | 1,273.5 | 20,376.0 |
| DSV A/S | 20230404 | 15:39:23 | XCSE | 18.0 | 1,273.5 | 22,923.0 |
| DSV A/S | 20230404 | 15:39:23 | XCSE | 34.0 | 1,273.5 | 43,299.0 |
| DSV A/S | 20230404 | 15:39:52 | XCSE | 36.0 | 1,272.0 | 45,792.0 |
| DSV A/S | 20230404 | 15:40:06 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230404 | 15:40:23 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230404 | 15:40:50 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230404 | 15:40:50 | XCSE | 35.0 | 1,271.5 | 44,502.5 |
| DSV A/S | 20230404 | 15:43:02 | XCSE | 73.0 | 1,272.5 | 92,892.5 |
| DSV A/S | 20230404 | 15:43:02 | XCSE | 28.0 | 1,272.5 | 35,630.0 |
| DSV A/S | 20230404 | 15:43:02 | XCSE | 33.0 | 1,272.5 | 41,992.5 |
| DSV A/S | 20230404 | 15:44:02 | XCSE | 34.0 | 1,271.5 | 43,231.0 |
| DSV A/S | 20230404 | 15:44:02 | XCSE | 34.0 | 1,271.5 | 43,231.0 |
| DSV A/S | 20230404 | 15:45:28 | XCSE | 68.0 | 1,271.5 | 86,462.0 |
| DSV A/S | 20230404 | 15:47:03 | XCSE | 69.0 | 1,272.0 | 87,768.0 |
| DSV A/S | 20230404 | 15:47:03 | XCSE | 34.0 | 1,272.0 | 43,248.0 |
| DSV A/S | 20230404 | 15:48:03 | XCSE | 70.0 | 1,272.5 | 89,075.0 |
| DSV A/S | 20230404 | 15:48:03 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 15:49:53 | XCSE | 63.0 | 1,272.5 | 80,167.5 |
| DSV A/S | 20230404 | 15:49:53 | XCSE | 38.0 | 1,272.5 | 48,355.0 |
| DSV A/S | 20230404 | 15:50:32 | XCSE | 30.0 | 1,271.5 | 38,145.0 |
| DSV A/S | 20230404 | 15:50:32 | XCSE | 43.0 | 1,271.5 | 54,674.5 |
| DSV A/S | 20230404 | 15:50:46 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230404 | 15:52:12 | XCSE | 10.0 | 1,270.5 | 12,705.0 |
| DSV A/S | 20230404 | 15:52:58 | XCSE | 55.0 | 1,271.0 | 69,905.0 |
| DSV A/S | 20230404 | 15:52:58 | XCSE | 54.0 | 1,271.0 | 68,634.0 |
| DSV A/S | 20230404 | 15:52:58 | XCSE | 55.0 | 1,271.0 | 69,905.0 |
| DSV A/S | 20230404 | 15:52:58 | XCSE | 36.0 | 1,271.0 | 45,756.0 |
| DSV A/S | 20230404 | 15:54:07 | XCSE | 17.0 | 1,272.0 | 21,624.0 |
| DSV A/S | 20230404 | 15:54:07 | XCSE | 55.0 | 1,272.0 | 69,960.0 |
| DSV A/S | 20230404 | 15:54:07 | XCSE | 36.0 | 1,272.0 | 45,792.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 15:54:07 | XCSE | 36.0 | 1,272.0 | 45,792.0 |
| DSV A/S | 20230404 | 15:54:38 | XCSE | 7.0 | 1,272.5 | 8,907.5 |
| DSV A/S | 20230404 | 15:55:05 | XCSE | 25.0 | 1,272.5 | 31,812.5 |
| DSV A/S | 20230404 | 15:55:05 | XCSE | 10.0 | 1,272.5 | 12,725.0 |
| DSV A/S | 20230404 | 15:55:31 | XCSE | 34.0 | 1,271.0 | 43,214.0 |
| DSV A/S | 20230404 | 15:56:01 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 15:56:29 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 15:57:53 | XCSE | 67.0 | 1,272.0 | 85,224.0 |
| DSV A/S | 20230404 | 15:59:57 | XCSE | 105.0 | 1,273.0 | 133,665.0 |
| DSV A/S | 20230404 | 16:00:05 | XCSE | 35.0 | 1,272.0 | 44,520.0 |
| DSV A/S | 20230404 | 16:01:11 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:02:50 | XCSE | 59.0 | 1,273.0 | 75,107.0 |
| DSV A/S | 20230404 | 16:02:50 | XCSE | 13.0 | 1,273.0 | 16,549.0 |
| DSV A/S | 20230404 | 16:03:33 | XCSE | 36.0 | 1,273.0 | 45,828.0 |
| DSV A/S | 20230404 | 16:03:33 | XCSE | 37.0 | 1,273.0 | 47,101.0 |
| DSV A/S | 20230404 | 16:04:38 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:05:12 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 16:05:12 | XCSE | 36.0 | 1,273.5 | 45,846.0 |
| DSV A/S | 20230404 | 16:06:17 | XCSE | 36.0 | 1,272.5 | 45,810.0 |
| DSV A/S | 20230404 | 16:07:04 | XCSE | 28.0 | 1,272.5 | 35,630.0 |
| DSV A/S | 20230404 | 16:07:04 | XCSE | 8.0 | 1,272.5 | 10,180.0 |
| DSV A/S | 20230404 | 16:08:31 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 16:08:31 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 16:09:30 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:09:30 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:09:48 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:10:50 | XCSE | 24.0 | 1,273.5 | 30,564.0 |
| DSV A/S | 20230404 | 16:10:50 | XCSE | 14.0 | 1,273.5 | 17,829.0 |
| DSV A/S | 20230404 | 16:10:56 | XCSE | 14.0 | 1,273.5 | 17,829.0 |
| DSV A/S | 20230404 | 16:10:56 | XCSE | 22.0 | 1,273.5 | 28,017.0 |
| DSV A/S | 20230404 | 16:11:23 | XCSE | 35.0 | 1,273.5 | 44,572.5 |
| DSV A/S | 20230404 | 16:12:02 | XCSE | 137.0 | 1,273.5 | 174,469.5 |
| DSV A/S | 20230404 | 16:12:53 | XCSE | 107.0 | 1,273.5 | 136,264.5 |
| DSV A/S | 20230404 | 16:12:53 | XCSE | 26.0 | 1,273.5 | 33,111.0 |
| DSV A/S | 20230404 | 16:12:59 | XCSE | 69.0 | 1,273.0 | 87,837.0 |
| DSV A/S | 20230404 | 16:13:13 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:13:42 | XCSE | 34.0 | 1,273.0 | 43,282.0 |
| DSV A/S | 20230404 | 16:15:24 | XCSE | 36.0 | 1,272.0 | 45,792.0 |
| DSV A/S | 20230404 | 16:16:21 | XCSE | 24.0 | 1,272.5 | 30,540.0 |
| DSV A/S | 20230404 | 16:16:21 | XCSE | 11.0 | 1,272.5 | 13,997.5 |
| DSV A/S | 20230404 | 16:16:21 | XCSE | 34.0 | 1,272.5 | 43,265.0 |
| DSV A/S | 20230404 | 16:17:01 | XCSE | 36.0 | 1,271.5 | 45,774.0 |
| DSV A/S | 20230404 | 16:19:10 | XCSE | 29.0 | 1,271.0 | 36,859.0 |
| DSV A/S | 20230404 | 16:19:10 | XCSE | 19.0 | 1,271.0 | 24,149.0 |
| DSV A/S | 20230404 | 16:19:10 | XCSE | 57.0 | 1,271.0 | 72,447.0 |
| DSV A/S | 20230404 | 16:20:16 | XCSE | 107.0 | 1,270.5 | 135,943.5 |
| DSV A/S | 20230404 | 16:20:16 | XCSE | 35.0 | 1,270.5 | 44,467.5 |
| DSV A/S | 20230404 | 16:20:28 | XCSE | 36.0 | 1,270.0 | 45,720.0 |
| DSV A/S | 20230404 | 16:20:51 | XCSE | 36.0 | 1,269.5 | 45,702.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 16:21:19 | XCSE | 37.0 | 1,269.0 | 46,953.0 |
| DSV A/S | 20230404 | 16:22:15 | XCSE | 12.0 | 1,268.0 | 15,216.0 |
| DSV A/S | 20230404 | 16:22:15 | XCSE | 23.0 | 1,268.0 | 29,164.0 |
| DSV A/S | 20230404 | 16:22:15 | XCSE | 35.0 | 1,268.0 | 44,380.0 |
| DSV A/S | 20230404 | 16:23:17 | XCSE | 36.0 | 1,267.5 | 45,630.0 |
| DSV A/S | 20230404 | 16:23:17 | XCSE | 35.0 | 1,267.5 | 44,362.5 |
| DSV A/S | 20230404 | 16:24:04 | XCSE | 35.0 | 1,267.5 | 44,362.5 |
| DSV A/S | 20230404 | 16:24:54 | XCSE | 18.0 | 1,268.5 | 22,833.0 |
| DSV A/S | 20230404 | 16:25:02 | XCSE | 64.0 | 1,269.0 | 81,216.0 |
| DSV A/S | 20230404 | 16:26:40 | XCSE | 77.0 | 1,269.5 | 97,751.5 |
| DSV A/S | 20230404 | 16:26:40 | XCSE | 25.0 | 1,269.5 | 31,737.5 |
| DSV A/S | 20230404 | 16:26:40 | XCSE | 34.0 | 1,269.5 | 43,163.0 |
| DSV A/S | 20230404 | 16:27:18 | XCSE | 35.0 | 1,269.0 | 44,415.0 |
| DSV A/S | 20230404 | 16:27:26 | XCSE | 35.0 | 1,268.5 | 44,397.5 |
| DSV A/S | 20230404 | 16:29:29 | XCSE | 105.0 | 1,269.5 | 133,297.5 |
| DSV A/S | 20230404 | 16:31:00 | XCSE | 98.0 | 1,269.5 | 124,411.0 |
| DSV A/S | 20230404 | 16:31:00 | XCSE | 36.0 | 1,269.5 | 45,702.0 |
| DSV A/S | 20230404 | 16:32:13 | XCSE | 49.0 | 1,268.5 | 62,156.5 |
| DSV A/S | 20230404 | 16:32:13 | XCSE | 90.0 | 1,268.5 | 114,165.0 |
| DSV A/S | 20230404 | 16:33:42 | XCSE | 138.0 | 1,269.0 | 175,122.0 |
| DSV A/S | 20230404 | 16:33:42 | XCSE | 35.0 | 1,269.0 | 44,415.0 |
| DSV A/S | 20230404 | 16:34:10 | XCSE | 32.0 | 1,268.5 | 40,592.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 38.0 | 1,268.5 | 48,203.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 44.0 | 1,268.5 | 55,814.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 48.0 | 1,268.5 | 60,888.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 24.0 | 1,268.5 | 30,444.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 100.0 | 1,268.5 | 126,850.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 100.0 | 1,268.5 | 126,850.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 60.0 | 1,268.5 | 76,110.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 13.0 | 1,268.5 | 16,490.5 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 75.0 | 1,268.5 | 95,137.5 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 12.0 | 1,268.5 | 15,222.0 |
| DSV A/S | 20230404 | 16:34:26 | XCSE | 36.0 | 1,268.5 | 45,666.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 90.0 | 1,270.0 | 114,300.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 110.0 | 1,270.0 | 139,700.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 200.0 | 1,270.0 | 254,000.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 92.0 | 1,270.0 | 116,840.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 77.0 | 1,270.0 | 97,790.0 |
| DSV A/S | 20230404 | 16:36:34 | XCSE | 123.0 | 1,270.0 | 156,210.0 |
| DSV A/S | 20230404 | 16:36:46 | XCSE | 17.0 | 1,270.0 | 21,590.0 |
| DSV A/S | 20230404 | 16:37:32 | XCSE | 189.0 | 1,271.0 | 240,219.0 |
| DSV A/S | 20230404 | 16:37:32 | XCSE | 11.0 | 1,271.0 | 13,981.0 |
| DSV A/S | 20230404 | 16:37:32 | XCSE | 45.0 | 1,271.0 | 57,195.0 |
| DSV A/S | 20230404 | 16:37:38 | XCSE | 98.0 | 1,271.0 | 124,558.0 |
| DSV A/S | 20230404 | 16:37:38 | XCSE | 25.0 | 1,271.0 | 31,775.0 |
| DSV A/S | 20230404 | 16:37:38 | XCSE | 49.0 | 1,271.0 | 62,279.0 |
| DSV A/S | 20230404 | 16:37:38 | XCSE | 28.0 | 1,271.0 | 35,588.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 9.0 | 1,271.0 | 11,439.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 16:37:40 | XCSE | 43.0 | 1,271.0 | 54,653.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 68.0 | 1,271.0 | 86,428.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 45.0 | 1,271.0 | 57,195.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 10.0 | 1,271.0 | 12,710.0 |
| DSV A/S | 20230404 | 16:37:40 | XCSE | 25.0 | 1,271.0 | 31,775.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 278.0 | 1,271.0 | 353,338.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 43.0 | 1,271.0 | 54,653.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 44.0 | 1,271.0 | 55,924.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 257.0 | 1,271.0 | 326,647.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 137.0 | 1,271.0 | 174,127.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 63.0 | 1,271.0 | 80,073.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 91.0 | 1,271.0 | 115,661.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 63.0 | 1,271.0 | 80,073.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 154.0 | 1,271.0 | 195,734.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 154.0 | 1,271.0 | 195,734.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 12.0 | 1,271.0 | 15,252.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 188.0 | 1,271.0 | 238,948.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 44.0 | 1,271.0 | 55,924.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 119.0 | 1,271.0 | 151,249.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 44.0 | 1,271.0 | 55,924.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 48.0 | 1,271.0 | 61,008.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 200.0 | 1,271.0 | 254,200.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 44.0 | 1,271.0 | 55,924.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 129.0 | 1,271.0 | 163,959.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 71.0 | 1,271.0 | 90,241.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 45.0 | 1,271.0 | 57,195.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 32.0 | 1,271.0 | 40,672.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 168.0 | 1,271.0 | 213,528.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 32.0 | 1,271.0 | 40,672.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 44.0 | 1,271.0 | 55,924.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 48.0 | 1,271.0 | 61,008.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 147.0 | 1,271.0 | 186,837.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 53.0 | 1,271.0 | 67,363.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 45.0 | 1,271.0 | 57,195.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 20.0 | 1,271.0 | 25,420.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 118.0 | 1,271.0 | 149,978.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 62.0 | 1,271.0 | 78,802.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 170.0 | 1,271.0 | 216,070.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 30.0 | 1,271.0 | 38,130.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 23.0 | 1,271.0 | 29,233.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 144.0 | 1,271.0 | 183,024.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 16:39:07 | XCSE | 33.0 | 1,271.0 | 41,943.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 136.0 | 1,271.0 | 172,856.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 64.0 | 1,271.0 | 81,344.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 185.0 | 1,271.0 | 235,135.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 163.0 | 1,271.0 | 207,173.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 37.0 | 1,271.0 | 47,027.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 90.0 | 1,271.0 | 114,390.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 90.0 | 1,271.0 | 114,390.0 |
| DSV A/S | 20230404 | 16:39:07 | XCSE | 16.0 | 1,271.0 | 20,336.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 4.0 | 1,271.0 | 5,084.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 134.0 | 1,271.0 | 170,314.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 66.0 | 1,271.0 | 83,886.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 14.0 | 1,271.0 | 17,794.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 62.0 | 1,271.0 | 78,802.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 124.0 | 1,271.0 | 157,604.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 73.0 | 1,271.0 | 92,783.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 127.0 | 1,271.0 | 161,417.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 161.0 | 1,271.0 | 204,631.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 39.0 | 1,271.0 | 49,569.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 404.0 | 1,271.0 | 513,484.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 39.0 | 1,271.0 | 49,569.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 84.0 | 1,271.0 | 106,764.0 |
| DSV A/S | 20230404 | 16:39:08 | XCSE | 60.0 | 1,271.0 | 76,260.0 |
| DSV A/S | 20230404 | 16:39:09 | XCSE | 17.0 | 1,271.0 | 21,607.0 |
| DSV A/S | 20230404 | 16:39:09 | XCSE | 70.0 | 1,271.0 | 88,970.0 |
| DSV A/S | 20230404 | 16:39:09 | XCSE | 67.0 | 1,271.0 | 85,157.0 |
| DSV A/S | 20230404 | 16:39:09 | XCSE | 14.0 | 1,271.0 | 17,794.0 |
| DSV A/S | 20230404 | 16:39:09 | XCSE | 49.0 | 1,271.0 | 62,279.0 |
| DSV A/S | 20230404 | 16:39:11 | XCSE | 162.0 | 1,271.0 | 205,902.0 |
| DSV A/S | 20230404 | 16:39:11 | XCSE | 38.0 | 1,271.0 | 48,298.0 |
| DSV A/S | 20230404 | 16:39:11 | XCSE | 89.0 | 1,271.0 | 113,119.0 |
| DSV A/S | 20230404 | 16:39:11 | XCSE | 81.0 | 1,271.0 | 102,951.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 30.0 | 1,271.5 | 38,145.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 7.0 | 1,271.5 | 8,900.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 13.0 | 1,271.5 | 16,529.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 27.0 | 1,271.5 | 34,330.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 21.0 | 1,271.5 | 26,701.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 54.0 | 1,271.5 | 68,661.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 18.0 | 1,271.5 | 22,887.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 33.0 | 1,271.5 | 41,959.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 27.0 | 1,271.5 | 34,330.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 44.0 | 1,271.5 | 55,946.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 48.0 | 1,271.5 | 61,032.0 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 83.0 | 1,271.5 | 105,534.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 17.0 | 1,271.5 | 21,615.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 9.0 | 1,271.5 | 11,443.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 91.0 | 1,271.5 | 115,706.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 53.0 | 1,271.5 | 67,389.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 100.0 | 1,271.5 | 127,150.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230404 | 16:44:47 | XCSE | 21.0 | 1,271.5 | 26,701.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 1.0 | 1,271.5 | 1,271.5 |
| DSV A/S | 20230404 | 16:44:47 | XCSE | 32.0 | 1,271.5 | 40,688.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 30.0 | 1,272.0 | 38,160.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 64.0 | 1,272.0 | 81,408.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 9.0 | 1,272.0 | 11,448.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 9.0 | 1,272.0 | 11,448.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 16.0 | 1,272.0 | 20,352.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 62.0 | 1,272.0 | 78,864.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 22.0 | 1,272.0 | 27,984.0 |
| DSV A/S | 20230404 | 16:46:25 | XCSE | 1.0 | 1,272.0 | 1,272.0 |
| DSV A/S | 20230404 | 16:46:26 | XCSE | 5.0 | 1,272.0 | 6,360.0 |
| DSV A/S | 20230404 | 16:48:20 | XCSE | 30.0 | 1,273.0 | 38,190.0 |
| DSV A/S | 20230404 | 16:48:20 | XCSE | 408.0 | 1,273.0 | 519,384.0 |
| DSV A/S | 20230404 | 16:48:20 | XCSE | 115.0 | 1,273.0 | 146,395.0 |
| DSV A/S | 20230405 | 9:00:14 | XCSE | 34.0 | 1,268.0 | 43,112.0 |
| DSV A/S | 20230405 | 9:00:16 | XCSE | 37.0 | 1,266.0 | 46,842.0 |
| DSV A/S | 20230405 | 9:01:24 | XCSE | 72.0 | 1,264.5 | 91,044.0 |
| DSV A/S | 20230405 | 9:01:43 | XCSE | 35.0 | 1,264.0 | 44,240.0 |
| DSV A/S | 20230405 | 9:01:59 | XCSE | 36.0 | 1,263.0 | 45,468.0 |
| DSV A/S | 20230405 | 9:02:36 | XCSE | 35.0 | 1,262.0 | 44,170.0 |
| DSV A/S | 20230405 | 9:03:56 | XCSE | 60.0 | 1,261.0 | 75,660.0 |
| DSV A/S | 20230405 | 9:03:56 | XCSE | 8.0 | 1,261.0 | 10,088.0 |
| DSV A/S | 20230405 | 9:04:22 | XCSE | 7.0 | 1,262.0 | 8,834.0 |
| DSV A/S | 20230405 | 9:04:28 | XCSE | 73.0 | 1,261.5 | 92,089.5 |
| DSV A/S | 20230405 | 9:04:28 | XCSE | 36.0 | 1,261.0 | 45,396.0 |
| DSV A/S | 20230405 | 9:04:31 | XCSE | 36.0 | 1,260.5 | 45,378.0 |
| DSV A/S | 20230405 | 9:05:00 | XCSE | 34.0 | 1,258.5 | 42,789.0 |
| DSV A/S | 20230405 | 9:05:48 | XCSE | 71.0 | 1,258.5 | 89,353.5 |
| DSV A/S | 20230405 | 9:06:22 | XCSE | 6.0 | 1,257.5 | 7,545.0 |
| DSV A/S | 20230405 | 9:07:57 | XCSE | 69.0 | 1,257.5 | 86,767.5 |
| DSV A/S | 20230405 | 9:09:15 | XCSE | 70.0 | 1,257.0 | 87,990.0 |
| DSV A/S | 20230405 | 9:09:15 | XCSE | 31.0 | 1,257.0 | 38,967.0 |
| DSV A/S | 20230405 | 9:09:15 | XCSE | 41.0 | 1,257.0 | 51,537.0 |
| DSV A/S | 20230405 | 9:09:16 | XCSE | 35.0 | 1,256.5 | 43,977.5 |
| DSV A/S | 20230405 | 9:09:28 | XCSE | 35.0 | 1,256.0 | 43,960.0 |
| DSV A/S | 20230405 | 9:09:28 | XCSE | 37.0 | 1,256.0 | 46,472.0 |
| DSV A/S | 20230405 | 9:09:28 | XCSE | 34.0 | 1,255.5 | 42,687.0 |
| DSV A/S | 20230405 | 9:10:00 | XCSE | 19.0 | 1,255.5 | 23,854.5 |
| DSV A/S | 20230405 | 9:10:00 | XCSE | 15.0 | 1,255.5 | 18,832.5 |
| DSV A/S | 20230405 | 9:10:49 | XCSE | 49.0 | 1,255.0 | 61,495.0 |
| DSV A/S | 20230405 | 9:10:49 | XCSE | 19.0 | 1,255.0 | 23,845.0 |
| DSV A/S | 20230405 | 9:11:19 | XCSE | 3.0 | 1,255.5 | 3,766.5 |
| DSV A/S | 20230405 | 9:11:19 | XCSE | 36.0 | 1,255.5 | 45,198.0 |
| DSV A/S | 20230405 | 9:11:19 | XCSE | 30.0 | 1,255.5 | 37,665.0 |
| DSV A/S | 20230405 | 9:12:09 | XCSE | 23.0 | 1,256.0 | 28,888.0 |
| DSV A/S | 20230405 | 9:13:20 | XCSE | 79.0 | 1,255.0 | 99,145.0 |
| DSV A/S | 20230405 | 9:13:40 | XCSE | 19.0 | 1,255.0 | 23,845.0 |
| DSV A/S | 20230405 | 9:14:04 | XCSE | 39.0 | 1,255.0 | 48,945.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 9:14:04 | XCSE | 19.0 | 1,255.0 | 23,845.0 |
| DSV A/S | 20230405 | 9:14:04 | XCSE | 33.0 | 1,255.0 | 41,415.0 |
| DSV A/S | 20230405 | 9:14:04 | XCSE | 10.0 | 1,255.0 | 12,550.0 |
| DSV A/S | 20230405 | 9:14:17 | XCSE | 31.0 | 1,253.0 | 38,843.0 |
| DSV A/S | 20230405 | 9:14:58 | XCSE | 17.0 | 1,255.0 | 21,335.0 |
| DSV A/S | 20230405 | 9:15:09 | XCSE | 1.0 | 1,256.0 | 1,256.0 |
| DSV A/S | 20230405 | 9:15:09 | XCSE | 33.0 | 1,256.0 | 41,448.0 |
| DSV A/S | 20230405 | 9:16:05 | XCSE | 33.0 | 1,255.5 | 41,431.5 |
| DSV A/S | 20230405 | 9:16:05 | XCSE | 2.0 | 1,255.5 | 2,511.0 |
| DSV A/S | 20230405 | 9:16:25 | XCSE | 35.0 | 1,254.0 | 43,890.0 |
| DSV A/S | 20230405 | 9:17:55 | XCSE | 11.0 | 1,254.0 | 13,794.0 |
| DSV A/S | 20230405 | 9:17:55 | XCSE | 84.0 | 1,254.0 | 105,336.0 |
| DSV A/S | 20230405 | 9:19:23 | XCSE | 71.0 | 1,252.0 | 88,892.0 |
| DSV A/S | 20230405 | 9:19:30 | XCSE | 35.0 | 1,252.0 | 43,820.0 |
| DSV A/S | 20230405 | 9:22:19 | XCSE | 102.0 | 1,255.5 | 128,061.0 |
| DSV A/S | 20230405 | 9:23:17 | XCSE | 104.0 | 1,255.0 | 130,520.0 |
| DSV A/S | 20230405 | 9:24:11 | XCSE | 1.0 | 1,254.0 | 1,254.0 |
| DSV A/S | 20230405 | 9:24:11 | XCSE | 36.0 | 1,254.0 | 45,144.0 |
| DSV A/S | 20230405 | 9:26:11 | XCSE | 71.0 | 1,255.5 | 89,140.5 |
| DSV A/S | 20230405 | 9:27:02 | XCSE | 35.0 | 1,255.5 | 43,942.5 |
| DSV A/S | 20230405 | 9:27:02 | XCSE | 35.0 | 1,255.5 | 43,942.5 |
| DSV A/S | 20230405 | 9:27:52 | XCSE | 35.0 | 1,255.5 | 43,942.5 |
| DSV A/S | 20230405 | 9:27:54 | XCSE | 34.0 | 1,255.0 | 42,670.0 |
| DSV A/S | 20230405 | 9:29:00 | XCSE | 34.0 | 1,254.0 | 42,636.0 |
| DSV A/S | 20230405 | 9:30:44 | XCSE | 34.0 | 1,255.0 | 42,670.0 |
| DSV A/S | 20230405 | 9:31:00 | XCSE | 37.0 | 1,255.0 | 46,435.0 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 35.0 | 1,254.5 | 43,907.5 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 79.0 | 1,254.5 | 99,105.5 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 21.0 | 1,254.5 | 26,344.5 |
| DSV A/S | 20230405 | 9:31:17 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 66.0 | 1,254.5 | 82,797.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 34.0 | 1,254.5 | 42,653.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 32.0 | 1,254.5 | 40,144.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 34.0 | 1,254.5 | 42,653.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 36.0 | 1,254.5 | 45,162.0 |
| DSV A/S | 20230405 | 9:31:40 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 36.0 | 1,254.5 | 45,162.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 51.0 | 1,254.5 | 63,979.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 49.0 | 1,254.5 | 61,470.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 81.0 | 1,254.5 | 101,614.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 19.0 | 1,254.5 | 23,835.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 19.0 | 1,254.5 | 23,835.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 81.0 | 1,254.5 | 101,614.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 389.0 | 1,254.5 | 488,000.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 9:31:43 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 45.0 | 1,254.5 | 56,452.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 25.0 | 1,254.5 | 31,362.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 75.0 | 1,254.5 | 94,087.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 18.0 | 1,254.5 | 22,581.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 42.0 | 1,254.5 | 52,689.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 70.0 | 1,254.5 | 87,815.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 60.0 | 1,254.5 | 75,270.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 70.0 | 1,254.5 | 87,815.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 20.0 | 1,254.5 | 25,090.0 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 3.0 | 1,254.5 | 3,763.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 77.0 | 1,254.5 | 96,596.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 103.0 | 1,254.5 | 129,213.5 |
| DSV A/S | 20230405 | 9:31:43 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 48.0 | 1,254.5 | 60,216.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 12.0 | 1,254.5 | 15,054.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 1.0 | 1,254.5 | 1,254.5 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 70.0 | 1,254.5 | 87,815.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 20.0 | 1,254.5 | 25,090.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 80.0 | 1,254.5 | 100,360.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 20.0 | 1,254.5 | 25,090.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|---------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 9:31:44 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 20.0 | 1,254.5 | 25,090.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 80.0 | 1,254.5 | 100,360.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 20.0 | 1,254.5 | 25,090.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 80.0 | 1,254.5 | 100,360.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 20.0 | 1,254.5 | 25,090.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 100.0 | 1,254.5 | 125,450.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 91.0 | 1,254.5 | 114,159.5 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 30.0 | 1,254.5 | 37,635.0 |
| DSV A/S | 20230405 | 9:31:44 | XCSE | 64.0 | 1,254.5 | 80,288.0 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 6.0 | 1,254.5 | 7,527.0 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 3.0 | 1,254.5 | 3,763.5 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 97.0 | 1,254.5 | 121,686.5 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 40.0 | 1,254.5 | 50,180.0 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 87.0 | 1,254.5 | 109,141.5 |
| DSV A/S | 20230405 | 9:31:45 | XCSE | 12.0 | 1,254.5 | 15,054.0 |
| DSV A/S | 20230405 | 9:33:15 | XCSE | 70.0 | 1,256.5 | 87,955.0 |
| DSV A/S | 20230405 | 9:33:32 | XCSE | 67.0 | 1,256.5 | 84,185.5 |
| DSV A/S | 20230405 | 9:33:32 | XCSE | 34.0 | 1,256.0 | 42,704.0 |
| DSV A/S | 20230405 | 9:35:25 | XCSE | 104.0 | 1,258.0 | 130,832.0 |
| DSV A/S | 20230405 | 9:35:25 | XCSE | 71.0 | 1,257.5 | 89,282.5 |
| DSV A/S | 20230405 | 9:36:36 | XCSE | 71.0 | 1,257.5 | 89,282.5 |
| DSV A/S | 20230405 | 9:36:40 | XCSE | 68.0 | 1,257.5 | 85,510.0 |
| DSV A/S | 20230405 | 9:37:49 | XCSE | 69.0 | 1,254.5 | 86,560.5 |
| DSV A/S | 20230405 | 9:37:49 | XCSE | 34.0 | 1,254.5 | 42,653.0 |
| DSV A/S | 20230405 | 9:37:51 | XCSE | 34.0 | 1,254.0 | 42,636.0 |
| DSV A/S | 20230405 | 9:38:28 | XCSE | 35.0 | 1,253.5 | 43,872.5 |
| DSV A/S | 20230405 | 9:38:28 | XCSE | 12.0 | 1,253.5 | 15,042.0 |
| DSV A/S | 20230405 | 9:38:28 | XCSE | 23.0 | 1,253.5 | 28,830.5 |
| DSV A/S | 20230405 | 9:39:38 | XCSE | 72.0 | 1,251.5 | 90,108.0 |
| DSV A/S | 20230405 | 9:39:38 | XCSE | 35.0 | 1,251.5 | 43,802.5 |
| DSV A/S | 20230405 | 9:41:09 | XCSE | 34.0 | 1,250.0 | 42,500.0 |
| DSV A/S | 20230405 | 9:41:09 | XCSE | 34.0 | 1,250.0 | 42,500.0 |
| DSV A/S | 20230405 | 9:41:09 | XCSE | 34.0 | 1,250.0 | 42,500.0 |
| DSV A/S | 20230405 | 9:41:09 | XCSE | 33.0 | 1,250.0 | 41,250.0 |
| DSV A/S | 20230405 | 9:41:11 | XCSE | 36.0 | 1,248.5 | 44,946.0 |
| DSV A/S | 20230405 | 9:42:12 | XCSE | 25.0 | 1,249.5 | 31,237.5 |
| DSV A/S | 20230405 | 9:42:12 | XCSE | 9.0 | 1,249.5 | 11,245.5 |
| DSV A/S | 20230405 | 9:42:12 | XCSE | 18.0 | 1,249.5 | 22,491.0 |
| DSV A/S | 20230405 | 9:42:12 | XCSE | 16.0 | 1,249.5 | 19,992.0 |
| DSV A/S | 20230405 | 9:42:31 | XCSE | 12.0 | 1,249.5 | 14,994.0 |
| DSV A/S | 20230405 | 9:42:31 | XCSE | 24.0 | 1,249.5 | 29,988.0 |
| DSV A/S | 20230405 | 9:42:56 | XCSE | 25.0 | 1,249.5 | 31,237.5 |
| DSV A/S | 20230405 | 9:42:56 | XCSE | 12.0 | 1,249.5 | 14,994.0 |
| DSV A/S | 20230405 | 9:43:56 | XCSE | 6.0 | 1,249.0 | 7,494.0 |
| DSV A/S | 20230405 | 9:44:11 | XCSE | 29.0 | 1,249.0 | 36,221.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|---------|---------|-------------|
| DSV A/S | 20230405 | 9:44:11 | XCSE | 35.0 | 1,249.0 | 43,715.0 |
| DSV A/S | 20230405 | 9:44:45 | XCSE | 70.0 | 1,248.0 | 87,360.0 |
| DSV A/S | 20230405 | 9:45:45 | XCSE | 34.0 | 1,247.5 | 42,415.0 |
| DSV A/S | 20230405 | 9:46:54 | XCSE | 68.0 | 1,249.5 | 84,966.0 |
| DSV A/S | 20230405 | 9:47:34 | XCSE | 14.0 | 1,249.0 | 17,486.0 |
| DSV A/S | 20230405 | 9:47:34 | XCSE | 21.0 | 1,249.0 | 26,229.0 |
| DSV A/S | 20230405 | 9:48:32 | XCSE | 72.0 | 1,249.5 | 89,964.0 |
| DSV A/S | 20230405 | 9:49:05 | XCSE | 36.0 | 1,249.5 | 44,982.0 |
| DSV A/S | 20230405 | 9:49:10 | XCSE | 5.0 | 1,249.5 | 6,247.5 |
| DSV A/S | 20230405 | 9:49:10 | XCSE | 65.0 | 1,249.5 | 81,217.5 |
| DSV A/S | 20230405 | 9:49:47 | XCSE | 10.0 | 1,249.0 | 12,490.0 |
| DSV A/S | 20230405 | 9:49:47 | XCSE | 24.0 | 1,249.0 | 29,976.0 |
| DSV A/S | 20230405 | 9:50:49 | XCSE | 21.0 | 1,250.0 | 26,250.0 |
| DSV A/S | 20230405 | 9:50:49 | XCSE | 52.0 | 1,250.0 | 65,000.0 |
| DSV A/S | 20230405 | 9:50:50 | XCSE | 34.0 | 1,249.5 | 42,483.0 |
| DSV A/S | 20230405 | 9:51:42 | XCSE | 35.0 | 1,249.5 | 43,732.5 |
| DSV A/S | 20230405 | 9:52:41 | XCSE | 69.0 | 1,249.0 | 86,181.0 |
| DSV A/S | 20230405 | 9:52:44 | XCSE | 13.0 | 1,248.5 | 16,230.5 |
| DSV A/S | 20230405 | 9:52:44 | XCSE | 58.0 | 1,248.5 | 72,413.0 |
| DSV A/S | 20230405 | 9:54:16 | XCSE | 32.0 | 1,246.5 | 39,888.0 |
| DSV A/S | 20230405 | 9:54:53 | XCSE | 73.0 | 1,246.0 | 90,958.0 |
| DSV A/S | 20230405 | 9:55:00 | XCSE | 26.0 | 1,245.5 | 32,383.0 |
| DSV A/S | 20230405 | 9:55:03 | XCSE | 34.0 | 1,246.0 | 42,364.0 |
| DSV A/S | 20230405 | 9:56:13 | XCSE | 67.0 | 1,244.0 | 83,348.0 |
| DSV A/S | 20230405 | 9:56:42 | XCSE | 10.0 | 1,245.0 | 12,450.0 |
| DSV A/S | 20230405 | 9:56:42 | XCSE | 25.0 | 1,245.0 | 31,125.0 |
| DSV A/S | 20230405 | 9:56:55 | XCSE | 22.0 | 1,244.5 | 27,379.0 |
| DSV A/S | 20230405 | 9:56:55 | XCSE | 12.0 | 1,244.5 | 14,934.0 |
| DSV A/S | 20230405 | 9:57:55 | XCSE | 57.0 | 1,244.5 | 70,936.5 |
| DSV A/S | 20230405 | 9:57:55 | XCSE | 12.0 | 1,244.5 | 14,934.0 |
| DSV A/S | 20230405 | 9:59:03 | XCSE | 21.0 | 1,245.0 | 26,145.0 |
| DSV A/S | 20230405 | 9:59:03 | XCSE | 25.0 | 1,245.0 | 31,125.0 |
| DSV A/S | 20230405 | 9:59:03 | XCSE | 21.0 | 1,245.0 | 26,145.0 |
| DSV A/S | 20230405 | 10:00:02 | XCSE | 34.0 | 1,245.0 | 42,330.0 |
| DSV A/S | 20230405 | 10:00:02 | XCSE | 35.0 | 1,245.0 | 43,575.0 |
| DSV A/S | 20230405 | 10:02:02 | XCSE | 47.0 | 1,243.5 | 58,444.5 |
| DSV A/S | 20230405 | 10:02:02 | XCSE | 94.0 | 1,243.5 | 116,889.0 |
| DSV A/S | 20230405 | 10:02:12 | XCSE | 35.0 | 1,243.0 | 43,505.0 |
| DSV A/S | 20230405 | 10:02:13 | XCSE | 35.0 | 1,242.5 | 43,487.5 |
| DSV A/S | 20230405 | 10:03:01 | XCSE | 35.0 | 1,241.0 | 43,435.0 |
| DSV A/S | 20230405 | 10:04:05 | XCSE | 69.0 | 1,243.5 | 85,801.5 |
| DSV A/S | 20230405 | 10:06:47 | XCSE | 13.0 | 1,242.0 | 16,146.0 |
| DSV A/S | 20230405 | 10:06:47 | XCSE | 60.0 | 1,242.0 | 74,520.0 |
| DSV A/S | 20230405 | 10:07:44 | XCSE | 68.0 | 1,241.0 | 84,388.0 |
| DSV A/S | 20230405 | 10:07:44 | XCSE | 68.0 | 1,240.5 | 84,354.0 |
| DSV A/S | 20230405 | 10:07:44 | XCSE | 71.0 | 1,240.0 | 88,040.0 |
| DSV A/S | 20230405 | 10:09:05 | XCSE | 5,000.0 | 1,240.3 | 6,201,250.0 |
| DSV A/S | 20230405 | 10:09:42 | XCSE | 71.0 | 1,241.0 | 88,111.0 |
| DSV A/S | 20230405 | 10:11:32 | XCSE | 48.0 | 1,243.5 | 59,688.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 10:11:32 | XCSE | 23.0 | 1,243.5 | 28,600.5 |
| DSV A/S | 20230405 | 10:12:21 | XCSE | 23.0 | 1,244.5 | 28,623.5 |
| DSV A/S | 20230405 | 10:12:21 | XCSE | 25.0 | 1,244.5 | 31,112.5 |
| DSV A/S | 20230405 | 10:12:21 | XCSE | 21.0 | 1,244.5 | 26,134.5 |
| DSV A/S | 20230405 | 10:13:28 | XCSE | 72.0 | 1,243.0 | 89,496.0 |
| DSV A/S | 20230405 | 10:13:28 | XCSE | 10.0 | 1,242.5 | 12,425.0 |
| DSV A/S | 20230405 | 10:13:57 | XCSE | 34.0 | 1,242.5 | 42,245.0 |
| DSV A/S | 20230405 | 10:13:58 | XCSE | 36.0 | 1,242.5 | 44,730.0 |
| DSV A/S | 20230405 | 10:15:37 | XCSE | 28.0 | 1,239.0 | 34,692.0 |
| DSV A/S | 20230405 | 10:16:02 | XCSE | 35.0 | 1,239.0 | 43,365.0 |
| DSV A/S | 20230405 | 10:17:07 | XCSE | 9.0 | 1,238.5 | 11,146.5 |
| DSV A/S | 20230405 | 10:18:09 | XCSE | 6.0 | 1,239.0 | 7,434.0 |
| DSV A/S | 20230405 | 10:18:43 | XCSE | 72.0 | 1,239.5 | 89,244.0 |
| DSV A/S | 20230405 | 10:20:04 | XCSE | 34.0 | 1,241.5 | 42,211.0 |
| DSV A/S | 20230405 | 10:21:15 | XCSE | 35.0 | 1,241.5 | 43,452.5 |
| DSV A/S | 20230405 | 10:22:10 | XCSE | 34.0 | 1,239.0 | 42,126.0 |
| DSV A/S | 20230405 | 10:22:20 | XCSE | 35.0 | 1,238.0 | 43,330.0 |
| DSV A/S | 20230405 | 10:23:41 | XCSE | 34.0 | 1,238.5 | 42,109.0 |
| DSV A/S | 20230405 | 10:27:25 | XCSE | 13.0 | 1,237.5 | 16,087.5 |
| DSV A/S | 20230405 | 10:27:25 | XCSE | 54.0 | 1,237.5 | 66,825.0 |
| DSV A/S | 20230405 | 10:27:25 | XCSE | 33.0 | 1,237.5 | 40,837.5 |
| DSV A/S | 20230405 | 10:27:25 | XCSE | 34.0 | 1,237.5 | 42,075.0 |
| DSV A/S | 20230405 | 10:29:30 | XCSE | 31.0 | 1,237.0 | 38,347.0 |
| DSV A/S | 20230405 | 10:30:08 | XCSE | 34.0 | 1,237.5 | 42,075.0 |
| DSV A/S | 20230405 | 10:32:16 | XCSE | 70.0 | 1,238.0 | 86,660.0 |
| DSV A/S | 20230405 | 10:32:37 | XCSE | 23.0 | 1,238.0 | 28,474.0 |
| DSV A/S | 20230405 | 10:33:00 | XCSE | 34.0 | 1,238.0 | 42,092.0 |
| DSV A/S | 20230405 | 10:35:31 | XCSE | 36.0 | 1,238.5 | 44,586.0 |
| DSV A/S | 20230405 | 10:36:24 | XCSE | 36.0 | 1,238.5 | 44,586.0 |
| DSV A/S | 20230405 | 10:38:00 | XCSE | 21.0 | 1,237.5 | 25,987.5 |
| DSV A/S | 20230405 | 10:38:00 | XCSE | 13.0 | 1,237.5 | 16,087.5 |
| DSV A/S | 20230405 | 10:43:05 | XCSE | 99.0 | 1,240.5 | 122,809.5 |
| DSV A/S | 20230405 | 10:43:05 | XCSE | 6.0 | 1,240.5 | 7,443.0 |
| DSV A/S | 20230405 | 10:43:06 | XCSE | 36.0 | 1,240.0 | 44,640.0 |
| DSV A/S | 20230405 | 10:45:52 | XCSE | 71.0 | 1,240.0 | 88,040.0 |
| DSV A/S | 20230405 | 10:47:41 | XCSE | 73.0 | 1,237.0 | 90,301.0 |
| DSV A/S | 20230405 | 10:52:43 | XCSE | 107.0 | 1,238.5 | 132,519.5 |
| DSV A/S | 20230405 | 10:52:46 | XCSE | 47.0 | 1,238.5 | 58,209.5 |
| DSV A/S | 20230405 | 10:52:46 | XCSE | 25.0 | 1,238.5 | 30,962.5 |
| DSV A/S | 20230405 | 10:53:38 | XCSE | 15.0 | 1,239.0 | 18,585.0 |
| DSV A/S | 20230405 | 10:54:20 | XCSE | 34.0 | 1,239.0 | 42,126.0 |
| DSV A/S | 20230405 | 10:55:13 | XCSE | 35.0 | 1,237.5 | 43,312.5 |
| DSV A/S | 20230405 | 10:56:33 | XCSE | 35.0 | 1,237.0 | 43,295.0 |
| DSV A/S | 20230405 | 10:58:58 | XCSE | 5.0 | 1,235.5 | 6,177.5 |
| DSV A/S | 20230405 | 10:58:58 | XCSE | 62.0 | 1,235.5 | 76,601.0 |
| DSV A/S | 20230405 | 11:01:39 | XCSE | 79.0 | 1,235.5 | 97,604.5 |
| DSV A/S | 20230405 | 11:02:04 | XCSE | 33.0 | 1,235.5 | 40,771.5 |
| DSV A/S | 20230405 | 11:03:49 | XCSE | 67.0 | 1,237.0 | 82,879.0 |
| DSV A/S | 20230405 | 11:05:32 | XCSE | 37.0 | 1,237.5 | 45,787.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-------------|
| DSV A/S | 20230405 | 11:05:32 | XCSE | 36.0 | 1,237.5 | 44,550.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 36.0 | 1,236.5 | 44,514.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 36.0 | 1,236.5 | 44,514.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 165.0 | 1,236.0 | 203,940.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 233.0 | 1,236.0 | 287,988.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 233.0 | 1,236.0 | 287,988.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 76.0 | 1,236.0 | 93,936.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 233.0 | 1,236.0 | 287,988.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 40.0 | 1,236.0 | 49,440.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 55.0 | 1,236.0 | 67,980.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 145.0 | 1,236.0 | 179,220.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 125.0 | 1,236.0 | 154,500.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 75.0 | 1,236.0 | 92,700.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 15.0 | 1,236.0 | 18,540.0 |
| DSV A/S | 20230405 | 11:09:02 | XCSE | 31.0 | 1,236.0 | 38,316.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 154.0 | 1,236.0 | 190,344.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 88.0 | 1,236.0 | 108,768.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 77.0 | 1,236.0 | 95,172.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 183.0 | 1,236.0 | 226,188.0 |
| DSV A/S | 20230405 | 11:09:08 | XCSE | 17.0 | 1,236.0 | 21,012.0 |
| DSV A/S | 20230405 | 11:09:10 | XCSE | 200.0 | 1,236.0 | 247,200.0 |
| DSV A/S | 20230405 | 11:09:10 | XCSE | 800.0 | 1,236.0 | 988,800.0 |
| DSV A/S | 20230405 | 11:09:10 | XCSE | 33.0 | 1,236.0 | 40,788.0 |
| DSV A/S | 20230405 | 11:09:10 | XCSE | 152.0 | 1,236.0 | 187,872.0 |
| DSV A/S | 20230405 | 11:09:10 | XCSE | 1.0 | 1,236.0 | 1,236.0 |
| DSV A/S | 20230405 | 11:09:18 | XCSE | 36.0 | 1,237.0 | 44,532.0 |
| DSV A/S | 20230405 | 11:09:43 | XCSE | 14.0 | 1,236.0 | 17,304.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 183.0 | 1,236.0 | 226,188.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 17.0 | 1,236.0 | 21,012.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 121.0 | 1,236.0 | 149,556.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 121.0 | 1,236.0 | 149,556.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 79.0 | 1,236.0 | 97,644.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 200.0 | 1,236.0 | 247,200.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 200.0 | 1,236.0 | 247,200.0 |
| DSV A/S | 20230405 | 11:10:32 | XCSE | 829.0 | 1,236.0 | 1,024,644.0 |
| DSV A/S | 20230405 | 11:11:06 | XCSE | 35.0 | 1,235.5 | 43,242.5 |
| DSV A/S | 20230405 | 11:11:56 | XCSE | 10.0 | 1,236.0 | 12,360.0 |
| DSV A/S | 20230405 | 11:11:56 | XCSE | 26.0 | 1,236.0 | 32,136.0 |
| DSV A/S | 20230405 | 11:14:10 | XCSE | 36.0 | 1,236.0 | 44,496.0 |
| DSV A/S | 20230405 | 11:14:10 | XCSE | 35.0 | 1,236.0 | 43,260.0 |
| DSV A/S | 20230405 | 11:16:22 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 11:16:22 | XCSE | 33.0 | 1,236.5 | 40,804.5 |
| DSV A/S | 20230405 | 11:16:27 | XCSE | 35.0 | 1,236.5 | 43,277.5 |
| DSV A/S | 20230405 | 11:17:50 | XCSE | 37.0 | 1,236.0 | 45,732.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 11:22:48 | XCSE | 72.0 | 1,244.5 | 89,604.0 |
| DSV A/S | 20230405 | 11:30:03 | XCSE | 35.0 | 1,243.0 | 43,505.0 |
| DSV A/S | 20230405 | 11:30:03 | XCSE | 34.0 | 1,243.0 | 42,262.0 |
| DSV A/S | 20230405 | 11:30:04 | XCSE | 68.0 | 1,242.5 | 84,490.0 |
| DSV A/S | 20230405 | 11:31:13 | XCSE | 69.0 | 1,241.5 | 85,663.5 |
| DSV A/S | 20230405 | 11:32:39 | XCSE | 72.0 | 1,241.0 | 89,352.0 |
| DSV A/S | 20230405 | 11:34:26 | XCSE | 34.0 | 1,241.0 | 42,194.0 |
| DSV A/S | 20230405 | 11:36:14 | XCSE | 35.0 | 1,241.0 | 43,435.0 |
| DSV A/S | 20230405 | 11:36:33 | XCSE | 35.0 | 1,239.5 | 43,382.5 |
| DSV A/S | 20230405 | 11:39:48 | XCSE | 1.0 | 1,238.0 | 1,238.0 |
| DSV A/S | 20230405 | 11:39:48 | XCSE | 33.0 | 1,238.0 | 40,854.0 |
| DSV A/S | 20230405 | 11:39:48 | XCSE | 10.0 | 1,237.5 | 12,375.0 |
| DSV A/S | 20230405 | 11:42:02 | XCSE | 70.0 | 1,238.5 | 86,695.0 |
| DSV A/S | 20230405 | 11:43:56 | XCSE | 35.0 | 1,236.5 | 43,277.5 |
| DSV A/S | 20230405 | 11:45:03 | XCSE | 34.0 | 1,236.0 | 42,024.0 |
| DSV A/S | 20230405 | 11:45:07 | XCSE | 36.0 | 1,235.5 | 44,478.0 |
| DSV A/S | 20230405 | 11:46:06 | XCSE | 35.0 | 1,235.5 | 43,242.5 |
| DSV A/S | 20230405 | 11:50:36 | XCSE | 52.0 | 1,237.0 | 64,324.0 |
| DSV A/S | 20230405 | 11:50:36 | XCSE | 17.0 | 1,237.0 | 21,029.0 |
| DSV A/S | 20230405 | 11:51:15 | XCSE | 35.0 | 1,237.5 | 43,312.5 |
| DSV A/S | 20230405 | 11:51:33 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 11:54:44 | XCSE | 36.0 | 1,236.5 | 44,514.0 |
| DSV A/S | 20230405 | 11:55:07 | XCSE | 36.0 | 1,236.5 | 44,514.0 |
| DSV A/S | 20230405 | 11:58:21 | XCSE | 48.0 | 1,235.5 | 59,304.0 |
| DSV A/S | 20230405 | 11:58:21 | XCSE | 24.0 | 1,235.5 | 29,652.0 |
| DSV A/S | 20230405 | 11:59:21 | XCSE | 34.0 | 1,235.0 | 41,990.0 |
| DSV A/S | 20230405 | 12:00:18 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 12:08:44 | XCSE | 177.0 | 1,238.5 | 219,214.5 |
| DSV A/S | 20230405 | 12:10:06 | XCSE | 35.0 | 1,238.5 | 43,347.5 |
| DSV A/S | 20230405 | 12:10:22 | XCSE | 36.0 | 1,238.5 | 44,586.0 |
| DSV A/S | 20230405 | 12:12:12 | XCSE | 35.0 | 1,238.5 | 43,347.5 |
| DSV A/S | 20230405 | 12:16:35 | XCSE | 73.0 | 1,240.5 | 90,556.5 |
| DSV A/S | 20230405 | 12:17:16 | XCSE | 70.0 | 1,241.0 | 86,870.0 |
| DSV A/S | 20230405 | 12:17:57 | XCSE | 22.0 | 1,242.5 | 27,335.0 |
| DSV A/S | 20230405 | 12:19:18 | XCSE | 106.0 | 1,243.0 | 131,758.0 |
| DSV A/S | 20230405 | 12:21:54 | XCSE | 35.0 | 1,242.0 | 43,470.0 |
| DSV A/S | 20230405 | 12:21:54 | XCSE | 106.0 | 1,242.0 | 131,652.0 |
| DSV A/S | 20230405 | 12:21:54 | XCSE | 106.0 | 1,241.5 | 131,599.0 |
| DSV A/S | 20230405 | 12:22:20 | XCSE | 107.0 | 1,241.5 | 132,840.5 |
| DSV A/S | 20230405 | 12:22:20 | XCSE | 36.0 | 1,241.5 | 44,694.0 |
| DSV A/S | 20230405 | 12:28:38 | XCSE | 71.0 | 1,241.5 | 88,146.5 |
| DSV A/S | 20230405 | 12:28:38 | XCSE | 25.0 | 1,241.0 | 31,025.0 |
| DSV A/S | 20230405 | 12:28:38 | XCSE | 11.0 | 1,241.0 | 13,651.0 |
| DSV A/S | 20230405 | 12:28:38 | XCSE | 35.0 | 1,241.0 | 43,435.0 |
| DSV A/S | 20230405 | 12:29:02 | XCSE | 32.0 | 1,240.5 | 39,696.0 |
| DSV A/S | 20230405 | 12:29:02 | XCSE | 5.0 | 1,240.5 | 6,202.5 |
| DSV A/S | 20230405 | 12:29:12 | XCSE | 36.0 | 1,240.0 | 44,640.0 |
| DSV A/S | 20230405 | 12:32:04 | XCSE | 40.0 | 1,241.0 | 49,640.0 |
| DSV A/S | 20230405 | 12:32:04 | XCSE | 38.0 | 1,241.0 | 47,158.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 12:32:04 | XCSE | 26.0 | 1,241.0 | 32,266.0 |
| DSV A/S | 20230405 | 12:33:49 | XCSE | 68.0 | 1,241.0 | 84,388.0 |
| DSV A/S | 20230405 | 12:33:49 | XCSE | 1.0 | 1,241.0 | 1,241.0 |
| DSV A/S | 20230405 | 12:33:49 | XCSE | 35.0 | 1,241.0 | 43,435.0 |
| DSV A/S | 20230405 | 12:36:28 | XCSE | 84.0 | 1,243.0 | 104,412.0 |
| DSV A/S | 20230405 | 12:36:28 | XCSE | 22.0 | 1,243.0 | 27,346.0 |
| DSV A/S | 20230405 | 12:36:28 | XCSE | 35.0 | 1,243.0 | 43,505.0 |
| DSV A/S | 20230405 | 12:44:31 | XCSE | 46.0 | 1,244.0 | 57,224.0 |
| DSV A/S | 20230405 | 12:44:31 | XCSE | 23.0 | 1,244.0 | 28,612.0 |
| DSV A/S | 20230405 | 12:47:58 | XCSE | 18.0 | 1,245.5 | 22,419.0 |
| DSV A/S | 20230405 | 12:47:58 | XCSE | 17.0 | 1,245.5 | 21,173.5 |
| DSV A/S | 20230405 | 12:48:28 | XCSE | 12.0 | 1,245.5 | 14,946.0 |
| DSV A/S | 20230405 | 12:48:28 | XCSE | 23.0 | 1,245.5 | 28,646.5 |
| DSV A/S | 20230405 | 12:49:06 | XCSE | 15.0 | 1,245.5 | 18,682.5 |
| DSV A/S | 20230405 | 12:49:12 | XCSE | 71.0 | 1,245.5 | 88,430.5 |
| DSV A/S | 20230405 | 12:49:55 | XCSE | 73.0 | 1,245.5 | 90,921.5 |
| DSV A/S | 20230405 | 12:50:00 | XCSE | 72.0 | 1,245.0 | 89,640.0 |
| DSV A/S | 20230405 | 12:51:13 | XCSE | 36.0 | 1,245.5 | 44,838.0 |
| DSV A/S | 20230405 | 12:51:13 | XCSE | 36.0 | 1,245.5 | 44,838.0 |
| DSV A/S | 20230405 | 12:53:08 | XCSE | 6.0 | 1,246.0 | 7,476.0 |
| DSV A/S | 20230405 | 12:53:08 | XCSE | 28.0 | 1,246.0 | 34,888.0 |
| DSV A/S | 20230405 | 12:53:35 | XCSE | 26.0 | 1,246.0 | 32,396.0 |
| DSV A/S | 20230405 | 12:53:35 | XCSE | 7.0 | 1,246.0 | 8,722.0 |
| DSV A/S | 20230405 | 12:54:03 | XCSE | 6.0 | 1,246.0 | 7,476.0 |
| DSV A/S | 20230405 | 12:54:03 | XCSE | 27.0 | 1,246.0 | 33,642.0 |
| DSV A/S | 20230405 | 12:54:30 | XCSE | 25.0 | 1,246.0 | 31,150.0 |
| DSV A/S | 20230405 | 12:54:30 | XCSE | 8.0 | 1,246.0 | 9,968.0 |
| DSV A/S | 20230405 | 12:54:56 | XCSE | 33.0 | 1,246.0 | 41,118.0 |
| DSV A/S | 20230405 | 12:56:10 | XCSE | 8.0 | 1,247.0 | 9,976.0 |
| DSV A/S | 20230405 | 12:56:10 | XCSE | 14.0 | 1,247.0 | 17,458.0 |
| DSV A/S | 20230405 | 12:56:10 | XCSE | 9.0 | 1,247.0 | 11,223.0 |
| DSV A/S | 20230405 | 12:56:10 | XCSE | 45.0 | 1,247.0 | 56,115.0 |
| DSV A/S | 20230405 | 12:56:10 | XCSE | 19.0 | 1,247.0 | 23,693.0 |
| DSV A/S | 20230405 | 12:56:13 | XCSE | 160.0 | 1,246.5 | 199,440.0 |
| DSV A/S | 20230405 | 12:56:13 | XCSE | 22.0 | 1,246.5 | 27,423.0 |
| DSV A/S | 20230405 | 12:56:50 | XCSE | 170.0 | 1,247.0 | 211,990.0 |
| DSV A/S | 20230405 | 12:56:50 | XCSE | 96.0 | 1,246.5 | 119,664.0 |
| DSV A/S | 20230405 | 12:56:50 | XCSE | 47.0 | 1,246.5 | 58,585.5 |
| DSV A/S | 20230405 | 12:57:01 | XCSE | 143.0 | 1,246.5 | 178,249.5 |
| DSV A/S | 20230405 | 12:57:35 | XCSE | 109.0 | 1,246.0 | 135,814.0 |
| DSV A/S | 20230405 | 12:57:35 | XCSE | 36.0 | 1,246.0 | 44,856.0 |
| DSV A/S | 20230405 | 12:59:11 | XCSE | 20.0 | 1,247.5 | 24,950.0 |
| DSV A/S | 20230405 | 12:59:11 | XCSE | 82.0 | 1,247.5 | 102,295.0 |
| DSV A/S | 20230405 | 13:01:31 | XCSE | 108.0 | 1,247.5 | 134,730.0 |
| DSV A/S | 20230405 | 13:01:31 | XCSE | 35.0 | 1,247.5 | 43,662.5 |
| DSV A/S | 20230405 | 13:02:30 | XCSE | 25.0 | 1,248.0 | 31,200.0 |
| DSV A/S | 20230405 | 13:02:30 | XCSE | 64.0 | 1,248.0 | 79,872.0 |
| DSV A/S | 20230405 | 13:02:30 | XCSE | 11.0 | 1,248.0 | 13,728.0 |
| DSV A/S | 20230405 | 13:03:54 | XCSE | 54.0 | 1,248.0 | 67,392.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 13:03:54 | XCSE | 50.0 | 1,248.0 | 62,400.0 |
| DSV A/S | 20230405 | 13:07:00 | XCSE | 107.0 | 1,248.5 | 133,589.5 |
| DSV A/S | 20230405 | 13:08:04 | XCSE | 72.0 | 1,248.0 | 89,856.0 |
| DSV A/S | 20230405 | 13:10:26 | XCSE | 72.0 | 1,247.5 | 89,820.0 |
| DSV A/S | 20230405 | 13:13:51 | XCSE | 105.0 | 1,248.0 | 131,040.0 |
| DSV A/S | 20230405 | 13:14:52 | XCSE | 21.0 | 1,247.5 | 26,197.5 |
| DSV A/S | 20230405 | 13:14:52 | XCSE | 86.0 | 1,247.5 | 107,285.0 |
| DSV A/S | 20230405 | 13:16:04 | XCSE | 6.0 | 1,248.5 | 7,491.0 |
| DSV A/S | 20230405 | 13:19:24 | XCSE | 201.0 | 1,248.0 | 250,848.0 |
| DSV A/S | 20230405 | 13:19:41 | XCSE | 27.0 | 1,248.0 | 33,696.0 |
| DSV A/S | 20230405 | 13:19:41 | XCSE | 174.0 | 1,248.0 | 217,152.0 |
| DSV A/S | 20230405 | 13:23:17 | XCSE | 109.0 | 1,248.0 | 136,032.0 |
| DSV A/S | 20230405 | 13:26:00 | XCSE | 20.0 | 1,248.0 | 24,960.0 |
| DSV A/S | 20230405 | 13:26:00 | XCSE | 81.0 | 1,248.0 | 101,088.0 |
| DSV A/S | 20230405 | 13:26:12 | XCSE | 105.0 | 1,248.0 | 131,040.0 |
| DSV A/S | 20230405 | 13:27:16 | XCSE | 64.0 | 1,248.0 | 79,872.0 |
| DSV A/S | 20230405 | 13:29:28 | XCSE | 101.0 | 1,248.5 | 126,098.5 |
| DSV A/S | 20230405 | 13:31:03 | XCSE | 45.0 | 1,248.5 | 56,182.5 |
| DSV A/S | 20230405 | 13:31:28 | XCSE | 35.0 | 1,248.5 | 43,697.5 |
| DSV A/S | 20230405 | 13:31:48 | XCSE | 36.0 | 1,248.0 | 44,928.0 |
| DSV A/S | 20230405 | 13:31:48 | XCSE | 108.0 | 1,248.0 | 134,784.0 |
| DSV A/S | 20230405 | 13:32:00 | XCSE | 15.0 | 1,248.0 | 18,720.0 |
| DSV A/S | 20230405 | 13:32:00 | XCSE | 74.0 | 1,248.0 | 92,352.0 |
| DSV A/S | 20230405 | 13:32:00 | XCSE | 19.0 | 1,248.0 | 23,712.0 |
| DSV A/S | 20230405 | 13:34:52 | XCSE | 125.0 | 1,249.5 | 156,187.5 |
| DSV A/S | 20230405 | 13:34:52 | XCSE | 45.0 | 1,249.5 | 56,227.5 |
| DSV A/S | 20230405 | 13:35:03 | XCSE | 124.0 | 1,248.5 | 154,814.0 |
| DSV A/S | 20230405 | 13:35:03 | XCSE | 55.0 | 1,248.5 | 68,667.5 |
| DSV A/S | 20230405 | 13:35:03 | XCSE | 3.0 | 1,248.5 | 3,745.5 |
| DSV A/S | 20230405 | 13:35:41 | XCSE | 143.0 | 1,248.0 | 178,464.0 |
| DSV A/S | 20230405 | 13:36:56 | XCSE | 100.0 | 1,247.5 | 124,750.0 |
| DSV A/S | 20230405 | 13:39:05 | XCSE | 20.0 | 1,247.5 | 24,950.0 |
| DSV A/S | 20230405 | 13:39:06 | XCSE | 113.0 | 1,247.5 | 140,967.5 |
| DSV A/S | 20230405 | 13:39:06 | XCSE | 20.0 | 1,247.5 | 24,950.0 |
| DSV A/S | 20230405 | 13:41:07 | XCSE | 44.0 | 1,247.0 | 54,868.0 |
| DSV A/S | 20230405 | 13:41:07 | XCSE | 33.0 | 1,247.0 | 41,151.0 |
| DSV A/S | 20230405 | 13:41:07 | XCSE | 90.0 | 1,247.0 | 112,230.0 |
| DSV A/S | 20230405 | 13:46:02 | XCSE | 137.0 | 1,247.5 | 170,907.5 |
| DSV A/S | 20230405 | 13:46:35 | XCSE | 37.0 | 1,247.5 | 46,157.5 |
| DSV A/S | 20230405 | 13:47:00 | XCSE | 10.0 | 1,247.5 | 12,475.0 |
| DSV A/S | 20230405 | 13:47:00 | XCSE | 16.0 | 1,247.5 | 19,960.0 |
| DSV A/S | 20230405 | 13:47:00 | XCSE | 9.0 | 1,247.5 | 11,227.5 |
| DSV A/S | 20230405 | 13:47:25 | XCSE | 18.0 | 1,247.5 | 22,455.0 |
| DSV A/S | 20230405 | 13:47:25 | XCSE | 11.0 | 1,247.5 | 13,722.5 |
| DSV A/S | 20230405 | 13:47:44 | XCSE | 13.0 | 1,247.5 | 16,217.5 |
| DSV A/S | 20230405 | 13:47:44 | XCSE | 12.0 | 1,247.5 | 14,970.0 |
| DSV A/S | 20230405 | 13:48:03 | XCSE | 12.0 | 1,247.5 | 14,970.0 |
| DSV A/S | 20230405 | 13:48:11 | XCSE | 34.0 | 1,247.5 | 42,415.0 |
| DSV A/S | 20230405 | 13:48:34 | XCSE | 26.0 | 1,247.5 | 32,435.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 13:48:43 | XCSE | 137.0 | 1,247.5 | 170,907.5 |
| DSV A/S | 20230405 | 13:50:26 | XCSE | 33.0 | 1,248.0 | 41,184.0 |
| DSV A/S | 20230405 | 13:51:27 | XCSE | 10.0 | 1,248.0 | 12,480.0 |
| DSV A/S | 20230405 | 13:51:27 | XCSE | 36.0 | 1,248.0 | 44,928.0 |
| DSV A/S | 20230405 | 13:51:27 | XCSE | 134.0 | 1,248.0 | 167,232.0 |
| DSV A/S | 20230405 | 13:52:52 | XCSE | 17.0 | 1,248.0 | 21,216.0 |
| DSV A/S | 20230405 | 13:52:52 | XCSE | 15.0 | 1,248.0 | 18,720.0 |
| DSV A/S | 20230405 | 13:54:01 | XCSE | 169.0 | 1,248.0 | 210,912.0 |
| DSV A/S | 20230405 | 13:55:37 | XCSE | 17.0 | 1,249.0 | 21,233.0 |
| DSV A/S | 20230405 | 13:58:43 | XCSE | 12.0 | 1,250.0 | 15,000.0 |
| DSV A/S | 20230405 | 13:58:43 | XCSE | 75.0 | 1,250.0 | 93,750.0 |
| DSV A/S | 20230405 | 13:58:50 | XCSE | 143.0 | 1,250.0 | 178,750.0 |
| DSV A/S | 20230405 | 13:58:50 | XCSE | 70.0 | 1,250.0 | 87,500.0 |
| DSV A/S | 20230405 | 13:58:50 | XCSE | 140.0 | 1,250.0 | 175,000.0 |
| DSV A/S | 20230405 | 13:58:59 | XCSE | 140.0 | 1,249.5 | 174,930.0 |
| DSV A/S | 20230405 | 13:59:59 | XCSE | 54.0 | 1,249.0 | 67,446.0 |
| DSV A/S | 20230405 | 13:59:59 | XCSE | 88.0 | 1,249.0 | 109,912.0 |
| DSV A/S | 20230405 | 14:02:03 | XCSE | 50.0 | 1,250.0 | 62,500.0 |
| DSV A/S | 20230405 | 14:02:46 | XCSE | 178.0 | 1,250.0 | 222,500.0 |
| DSV A/S | 20230405 | 14:02:48 | XCSE | 25.0 | 1,249.5 | 31,237.5 |
| DSV A/S | 20230405 | 14:02:48 | XCSE | 9.0 | 1,249.5 | 11,245.5 |
| DSV A/S | 20230405 | 14:02:48 | XCSE | 67.0 | 1,249.5 | 83,716.5 |
| DSV A/S | 20230405 | 14:02:49 | XCSE | 179.0 | 1,249.5 | 223,660.5 |
| DSV A/S | 20230405 | 14:04:02 | XCSE | 101.0 | 1,249.5 | 126,199.5 |
| DSV A/S | 20230405 | 14:04:02 | XCSE | 34.0 | 1,249.5 | 42,483.0 |
| DSV A/S | 20230405 | 14:05:32 | XCSE | 141.0 | 1,249.5 | 176,179.5 |
| DSV A/S | 20230405 | 14:07:30 | XCSE | 20.0 | 1,249.0 | 24,980.0 |
| DSV A/S | 20230405 | 14:07:30 | XCSE | 32.0 | 1,249.0 | 39,968.0 |
| DSV A/S | 20230405 | 14:07:30 | XCSE | 52.0 | 1,249.0 | 64,948.0 |
| DSV A/S | 20230405 | 14:09:39 | XCSE | 52.0 | 1,249.5 | 64,974.0 |
| DSV A/S | 20230405 | 14:09:39 | XCSE | 56.0 | 1,249.5 | 69,972.0 |
| DSV A/S | 20230405 | 14:11:16 | XCSE | 21.0 | 1,249.0 | 26,229.0 |
| DSV A/S | 20230405 | 14:11:16 | XCSE | 28.0 | 1,249.0 | 34,972.0 |
| DSV A/S | 20230405 | 14:11:16 | XCSE | 60.0 | 1,249.0 | 74,940.0 |
| DSV A/S | 20230405 | 14:11:16 | XCSE | 49.0 | 1,249.0 | 61,201.0 |
| DSV A/S | 20230405 | 14:11:16 | XCSE | 36.0 | 1,249.0 | 44,964.0 |
| DSV A/S | 20230405 | 14:11:36 | XCSE | 73.0 | 1,248.5 | 91,140.5 |
| DSV A/S | 20230405 | 14:11:36 | XCSE | 60.0 | 1,248.5 | 74,910.0 |
| DSV A/S | 20230405 | 14:11:36 | XCSE | 33.0 | 1,248.5 | 41,200.5 |
| DSV A/S | 20230405 | 14:12:44 | XCSE | 100.0 | 1,248.0 | 124,800.0 |
| DSV A/S | 20230405 | 14:15:21 | XCSE | 105.0 | 1,247.5 | 130,987.5 |
| DSV A/S | 20230405 | 14:15:43 | XCSE | 100.0 | 1,247.0 | 124,700.0 |
| DSV A/S | 20230405 | 14:15:43 | XCSE | 34.0 | 1,247.0 | 42,398.0 |
| DSV A/S | 20230405 | 14:16:08 | XCSE | 105.0 | 1,246.5 | 130,882.5 |
| DSV A/S | 20230405 | 14:16:45 | XCSE | 25.0 | 1,246.5 | 31,162.5 |
| DSV A/S | 20230405 | 14:16:47 | XCSE | 45.0 | 1,246.5 | 56,092.5 |
| DSV A/S | 20230405 | 14:18:19 | XCSE | 20.0 | 1,248.5 | 24,970.0 |
| DSV A/S | 20230405 | 14:18:19 | XCSE | 83.0 | 1,248.5 | 103,625.5 |
| DSV A/S | 20230405 | 14:18:19 | XCSE | 5.0 | 1,248.5 | 6,242.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 14:19:37 | XCSE | 34.0 | 1,248.0 | 42,432.0 |
| DSV A/S | 20230405 | 14:19:37 | XCSE | 67.0 | 1,248.0 | 83,616.0 |
| DSV A/S | 20230405 | 14:19:50 | XCSE | 61.0 | 1,248.0 | 76,128.0 |
| DSV A/S | 20230405 | 14:19:50 | XCSE | 79.0 | 1,248.0 | 98,592.0 |
| DSV A/S | 20230405 | 14:20:20 | XCSE | 106.0 | 1,248.0 | 132,288.0 |
| DSV A/S | 20230405 | 14:20:20 | XCSE | 35.0 | 1,248.0 | 43,680.0 |
| DSV A/S | 20230405 | 14:20:59 | XCSE | 137.0 | 1,248.5 | 171,044.5 |
| DSV A/S | 20230405 | 14:21:48 | XCSE | 144.0 | 1,248.5 | 179,784.0 |
| DSV A/S | 20230405 | 14:22:17 | XCSE | 2.0 | 1,248.0 | 2,496.0 |
| DSV A/S | 20230405 | 14:22:17 | XCSE | 31.0 | 1,248.0 | 38,688.0 |
| DSV A/S | 20230405 | 14:22:17 | XCSE | 3.0 | 1,248.0 | 3,744.0 |
| DSV A/S | 20230405 | 14:22:17 | XCSE | 99.0 | 1,248.0 | 123,552.0 |
| DSV A/S | 20230405 | 14:22:17 | XCSE | 34.0 | 1,248.0 | 42,432.0 |
| DSV A/S | 20230405 | 14:22:25 | XCSE | 7.0 | 1,248.0 | 8,736.0 |
| DSV A/S | 20230405 | 14:23:07 | XCSE | 35.0 | 1,247.5 | 43,662.5 |
| DSV A/S | 20230405 | 14:23:07 | XCSE | 71.0 | 1,247.5 | 88,572.5 |
| DSV A/S | 20230405 | 14:23:07 | XCSE | 36.0 | 1,247.5 | 44,910.0 |
| DSV A/S | 20230405 | 14:23:44 | XCSE | 22.0 | 1,247.0 | 27,434.0 |
| DSV A/S | 20230405 | 14:23:44 | XCSE | 47.0 | 1,247.0 | 58,609.0 |
| DSV A/S | 20230405 | 14:23:44 | XCSE | 65.0 | 1,247.0 | 81,055.0 |
| DSV A/S | 20230405 | 14:23:44 | XCSE | 4.0 | 1,247.0 | 4,988.0 |
| DSV A/S | 20230405 | 14:23:44 | XCSE | 11.0 | 1,247.0 | 13,717.0 |
| DSV A/S | 20230405 | 14:23:45 | XCSE | 6.0 | 1,247.0 | 7,482.0 |
| DSV A/S | 20230405 | 14:23:45 | XCSE | 64.0 | 1,247.0 | 79,808.0 |
| DSV A/S | 20230405 | 14:23:45 | XCSE | 5.0 | 1,247.0 | 6,235.0 |
| DSV A/S | 20230405 | 14:23:45 | XCSE | 11.0 | 1,247.0 | 13,717.0 |
| DSV A/S | 20230405 | 14:23:45 | XCSE | 20.0 | 1,247.0 | 24,940.0 |
| DSV A/S | 20230405 | 14:25:55 | XCSE | 102.0 | 1,247.0 | 127,194.0 |
| DSV A/S | 20230405 | 14:26:36 | XCSE | 59.0 | 1,246.5 | 73,543.5 |
| DSV A/S | 20230405 | 14:26:36 | XCSE | 9.0 | 1,246.5 | 11,218.5 |
| DSV A/S | 20230405 | 14:26:36 | XCSE | 33.0 | 1,246.5 | 41,134.5 |
| DSV A/S | 20230405 | 14:26:36 | XCSE | 34.0 | 1,246.5 | 42,381.0 |
| DSV A/S | 20230405 | 14:29:17 | XCSE | 68.0 | 1,246.0 | 84,728.0 |
| DSV A/S | 20230405 | 14:29:17 | XCSE | 67.0 | 1,245.5 | 83,448.5 |
| DSV A/S | 20230405 | 14:30:39 | XCSE | 68.0 | 1,246.0 | 84,728.0 |
| DSV A/S | 20230405 | 14:31:21 | XCSE | 69.0 | 1,245.5 | 85,939.5 |
| DSV A/S | 20230405 | 14:32:47 | XCSE | 67.0 | 1,246.5 | 83,515.5 |
| DSV A/S | 20230405 | 14:33:49 | XCSE | 105.0 | 1,245.5 | 130,777.5 |
| DSV A/S | 20230405 | 14:34:29 | XCSE | 107.0 | 1,245.0 | 133,215.0 |
| DSV A/S | 20230405 | 14:35:31 | XCSE | 109.0 | 1,245.0 | 135,705.0 |
| DSV A/S | 20230405 | 14:35:43 | XCSE | 109.0 | 1,244.5 | 135,650.5 |
| DSV A/S | 20230405 | 14:35:43 | XCSE | 68.0 | 1,244.0 | 84,592.0 |
| DSV A/S | 20230405 | 14:35:44 | XCSE | 102.0 | 1,244.0 | 126,888.0 |
| DSV A/S | 20230405 | 14:35:45 | XCSE | 29.0 | 1,244.0 | 36,076.0 |
| DSV A/S | 20230405 | 14:35:45 | XCSE | 76.0 | 1,244.0 | 94,544.0 |
| DSV A/S | 20230405 | 14:36:29 | XCSE | 39.0 | 1,243.5 | 48,496.5 |
| DSV A/S | 20230405 | 14:36:29 | XCSE | 68.0 | 1,243.5 | 84,558.0 |
| DSV A/S | 20230405 | 14:39:10 | XCSE | 7.0 | 1,244.5 | 8,711.5 |
| DSV A/S | 20230405 | 14:39:27 | XCSE | 99.0 | 1,244.5 | 123,205.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 14:39:45 | XCSE | 109.0 | 1,244.0 | 135,596.0 |
| DSV A/S | 20230405 | 14:41:44 | XCSE | 72.0 | 1,244.0 | 89,568.0 |
| DSV A/S | 20230405 | 14:42:46 | XCSE | 69.0 | 1,243.5 | 85,801.5 |
| DSV A/S | 20230405 | 14:44:18 | XCSE | 57.0 | 1,243.5 | 70,879.5 |
| DSV A/S | 20230405 | 14:44:18 | XCSE | 51.0 | 1,243.5 | 63,418.5 |
| DSV A/S | 20230405 | 14:44:18 | XCSE | 40.0 | 1,243.5 | 49,740.0 |
| DSV A/S | 20230405 | 14:44:18 | XCSE | 40.0 | 1,243.5 | 49,740.0 |
| DSV A/S | 20230405 | 14:44:18 | XCSE | 40.0 | 1,243.5 | 49,740.0 |
| DSV A/S | 20230405 | 14:44:20 | XCSE | 10.0 | 1,243.5 | 12,435.0 |
| DSV A/S | 20230405 | 14:44:20 | XCSE | 20.0 | 1,243.5 | 24,870.0 |
| DSV A/S | 20230405 | 14:44:22 | XCSE | 14.0 | 1,243.5 | 17,409.0 |
| DSV A/S | 20230405 | 14:44:22 | XCSE | 31.0 | 1,243.5 | 38,548.5 |
| DSV A/S | 20230405 | 14:45:02 | XCSE | 37.0 | 1,244.0 | 46,028.0 |
| DSV A/S | 20230405 | 14:45:17 | XCSE | 13.0 | 1,244.0 | 16,172.0 |
| DSV A/S | 20230405 | 14:45:17 | XCSE | 25.0 | 1,244.0 | 31,100.0 |
| DSV A/S | 20230405 | 14:45:18 | XCSE | 39.0 | 1,243.5 | 48,496.5 |
| DSV A/S | 20230405 | 14:45:38 | XCSE | 100.0 | 1,243.5 | 124,350.0 |
| DSV A/S | 20230405 | 14:45:38 | XCSE | 39.0 | 1,243.5 | 48,496.5 |
| DSV A/S | 20230405 | 14:46:01 | XCSE | 4.0 | 1,243.0 | 4,972.0 |
| DSV A/S | 20230405 | 14:47:18 | XCSE | 45.0 | 1,243.5 | 55,957.5 |
| DSV A/S | 20230405 | 14:47:19 | XCSE | 45.0 | 1,243.5 | 55,957.5 |
| DSV A/S | 20230405 | 14:47:19 | XCSE | 6.0 | 1,243.5 | 7,461.0 |
| DSV A/S | 20230405 | 14:48:26 | XCSE | 21.0 | 1,243.5 | 26,113.5 |
| DSV A/S | 20230405 | 14:48:26 | XCSE | 35.0 | 1,243.5 | 43,522.5 |
| DSV A/S | 20230405 | 14:48:26 | XCSE | 89.0 | 1,243.5 | 110,671.5 |
| DSV A/S | 20230405 | 14:48:40 | XCSE | 24.0 | 1,243.5 | 29,844.0 |
| DSV A/S | 20230405 | 14:48:40 | XCSE | 9.0 | 1,243.5 | 11,191.5 |
| DSV A/S | 20230405 | 14:48:52 | XCSE | 35.0 | 1,243.0 | 43,505.0 |
| DSV A/S | 20230405 | 14:48:52 | XCSE | 133.0 | 1,243.0 | 165,319.0 |
| DSV A/S | 20230405 | 14:48:52 | XCSE | 4.0 | 1,243.0 | 4,972.0 |
| DSV A/S | 20230405 | 14:48:53 | XCSE | 10.0 | 1,242.5 | 12,425.0 |
| DSV A/S | 20230405 | 14:48:53 | XCSE | 106.0 | 1,242.5 | 131,705.0 |
| DSV A/S | 20230405 | 14:48:53 | XCSE | 52.0 | 1,242.5 | 64,610.0 |
| DSV A/S | 20230405 | 14:49:55 | XCSE | 125.0 | 1,242.5 | 155,312.5 |
| DSV A/S | 20230405 | 14:49:55 | XCSE | 47.0 | 1,242.5 | 58,397.5 |
| DSV A/S | 20230405 | 14:50:10 | XCSE | 182.0 | 1,242.0 | 226,044.0 |
| DSV A/S | 20230405 | 14:50:18 | XCSE | 33.0 | 1,242.0 | 40,986.0 |
| DSV A/S | 20230405 | 14:50:18 | XCSE | 16.0 | 1,242.0 | 19,872.0 |
| DSV A/S | 20230405 | 14:50:18 | XCSE | 167.0 | 1,242.0 | 207,414.0 |
| DSV A/S | 20230405 | 14:51:08 | XCSE | 60.0 | 1,242.5 | 74,550.0 |
| DSV A/S | 20230405 | 14:51:08 | XCSE | 106.0 | 1,242.5 | 131,705.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 142.0 | 1,242.0 | 176,364.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 200.0 | 1,242.0 | 248,400.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 47.0 | 1,242.0 | 58,374.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 46.0 | 1,242.0 | 57,132.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 31.0 | 1,242.0 | 38,502.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 125.0 | 1,242.0 | 155,250.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 200.0 | 1,242.0 | 248,400.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 10.0 | 1,242.0 | 12,420.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 14:51:36 | XCSE | 147.0 | 1,242.0 | 182,574.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 9.0 | 1,242.0 | 11,178.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 200.0 | 1,242.0 | 248,400.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 9.0 | 1,242.0 | 11,178.0 |
| DSV A/S | 20230405 | 14:51:36 | XCSE | 48.0 | 1,242.0 | 59,616.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 36.0 | 1,242.0 | 44,712.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 130.0 | 1,242.0 | 161,460.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 143.0 | 1,242.0 | 177,606.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 200.0 | 1,242.0 | 248,400.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 13.0 | 1,242.0 | 16,146.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 224.0 | 1,242.0 | 278,208.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 224.0 | 1,242.0 | 278,208.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 93.0 | 1,242.0 | 115,506.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 158.0 | 1,242.0 | 196,236.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 24.0 | 1,242.0 | 29,808.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 176.0 | 1,242.0 | 218,592.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 8.0 | 1,242.0 | 9,936.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 125.0 | 1,242.0 | 155,250.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 200.0 | 1,242.0 | 248,400.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 51.0 | 1,242.0 | 63,342.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 68.0 | 1,242.0 | 84,456.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 149.0 | 1,242.0 | 185,058.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 510.0 | 1,242.0 | 633,420.0 |
| DSV A/S | 20230405 | 14:51:51 | XCSE | 43.0 | 1,242.0 | 53,406.0 |
| DSV A/S | 20230405 | 14:52:45 | XCSE | 85.0 | 1,242.5 | 105,612.5 |
| DSV A/S | 20230405 | 14:55:10 | XCSE | 135.0 | 1,242.5 | 167,737.5 |
| DSV A/S | 20230405 | 14:55:58 | XCSE | 22.0 | 1,242.5 | 27,335.0 |
| DSV A/S | 20230405 | 14:55:58 | XCSE | 64.0 | 1,242.5 | 79,520.0 |
| DSV A/S | 20230405 | 14:55:58 | XCSE | 26.0 | 1,242.5 | 32,305.0 |
| DSV A/S | 20230405 | 14:55:58 | XCSE | 21.0 | 1,242.5 | 26,092.5 |
| DSV A/S | 20230405 | 14:56:38 | XCSE | 47.0 | 1,242.5 | 58,397.5 |
| DSV A/S | 20230405 | 14:56:38 | XCSE | 40.0 | 1,242.5 | 49,700.0 |
| DSV A/S | 20230405 | 14:56:38 | XCSE | 21.0 | 1,242.5 | 26,092.5 |
| DSV A/S | 20230405 | 14:56:38 | XCSE | 36.0 | 1,242.5 | 44,730.0 |
| DSV A/S | 20230405 | 14:57:58 | XCSE | 12.0 | 1,242.0 | 14,904.0 |
| DSV A/S | 20230405 | 14:58:00 | XCSE | 26.0 | 1,242.0 | 32,292.0 |
| DSV A/S | 20230405 | 14:58:01 | XCSE | 25.0 | 1,242.0 | 31,050.0 |
| DSV A/S | 20230405 | 14:58:13 | XCSE | 7.0 | 1,242.0 | 8,694.0 |
| DSV A/S | 20230405 | 15:01:00 | XCSE | 24.0 | 1,242.5 | 29,820.0 |
| DSV A/S | 20230405 | 15:01:00 | XCSE | 58.0 | 1,242.5 | 72,065.0 |
| DSV A/S | 20230405 | 15:01:00 | XCSE | 52.0 | 1,242.5 | 64,610.0 |
| DSV A/S | 20230405 | 15:01:00 | XCSE | 34.0 | 1,242.5 | 42,245.0 |
| DSV A/S | 20230405 | 15:02:57 | XCSE | 28.0 | 1,242.5 | 34,790.0 |
| DSV A/S | 20230405 | 15:02:57 | XCSE | 27.0 | 1,242.5 | 33,547.5 |
| DSV A/S | 20230405 | 15:02:57 | XCSE | 155.0 | 1,242.5 | 192,587.5 |
| DSV A/S | 20230405 | 15:03:21 | XCSE | 170.0 | 1,242.0 | 211,140.0 |
| DSV A/S | 20230405 | 15:04:36 | XCSE | 143.0 | 1,241.5 | 177,534.5 |
| DSV A/S | 20230405 | 15:05:12 | XCSE | 141.0 | 1,241.0 | 174,981.0 |
| DSV A/S | 20230405 | 15:05:12 | XCSE | 5.0 | 1,241.0 | 6,205.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|---------|---------|-------------|
| DSV A/S | 20230405 | 15:05:12 | XCSE | 78.0 | 1,241.0 | 96,798.0 |
| DSV A/S | 20230405 | 15:06:33 | XCSE | 96.0 | 1,241.0 | 119,136.0 |
| DSV A/S | 20230405 | 15:06:33 | XCSE | 83.0 | 1,241.0 | 103,003.0 |
| DSV A/S | 20230405 | 15:06:34 | XCSE | 218.0 | 1,241.0 | 270,538.0 |
| DSV A/S | 20230405 | 15:06:34 | XCSE | 57.0 | 1,241.0 | 70,737.0 |
| DSV A/S | 20230405 | 15:06:36 | XCSE | 87.0 | 1,241.0 | 107,967.0 |
| DSV A/S | 20230405 | 15:06:36 | XCSE | 57.0 | 1,241.0 | 70,737.0 |
| DSV A/S | 20230405 | 15:06:41 | XCSE | 21.0 | 1,241.0 | 26,061.0 |
| DSV A/S | 20230405 | 15:06:41 | XCSE | 79.0 | 1,241.0 | 98,039.0 |
| DSV A/S | 20230405 | 15:07:18 | XCSE | 36.0 | 1,241.0 | 44,676.0 |
| DSV A/S | 20230405 | 15:07:18 | XCSE | 180.0 | 1,241.0 | 223,380.0 |
| DSV A/S | 20230405 | 15:07:18 | XCSE | 110.0 | 1,241.0 | 136,510.0 |
| DSV A/S | 20230405 | 15:07:18 | XCSE | 70.0 | 1,241.0 | 86,870.0 |
| DSV A/S | 20230405 | 15:07:25 | XCSE | 11.0 | 1,241.0 | 13,651.0 |
| DSV A/S | 20230405 | 15:08:37 | XCSE | 48.0 | 1,241.5 | 59,592.0 |
| DSV A/S | 20230405 | 15:08:37 | XCSE | 60.0 | 1,241.5 | 74,490.0 |
| DSV A/S | 20230405 | 15:11:06 | XCSE | 5,000.0 | 1,242.0 | 6,210,000.0 |
| DSV A/S | 20230405 | 15:11:11 | XCSE | 135.0 | 1,242.0 | 167,670.0 |
| DSV A/S | 20230405 | 15:12:48 | XCSE | 12.0 | 1,242.0 | 14,904.0 |
| DSV A/S | 20230405 | 15:12:48 | XCSE | 41.0 | 1,242.0 | 50,922.0 |
| DSV A/S | 20230405 | 15:12:48 | XCSE | 48.0 | 1,242.0 | 59,616.0 |
| DSV A/S | 20230405 | 15:12:48 | XCSE | 31.0 | 1,242.0 | 38,502.0 |
| DSV A/S | 20230405 | 15:12:48 | XCSE | 35.0 | 1,242.0 | 43,470.0 |
| DSV A/S | 20230405 | 15:15:27 | XCSE | 10.0 | 1,242.0 | 12,420.0 |
| DSV A/S | 20230405 | 15:15:29 | XCSE | 38.0 | 1,241.5 | 47,177.0 |
| DSV A/S | 20230405 | 15:15:29 | XCSE | 243.0 | 1,241.5 | 301,684.5 |
| DSV A/S | 20230405 | 15:15:29 | XCSE | 9.0 | 1,241.5 | 11,173.5 |
| DSV A/S | 20230405 | 15:15:29 | XCSE | 17.0 | 1,241.5 | 21,105.5 |
| DSV A/S | 20230405 | 15:18:23 | XCSE | 10.0 | 1,240.5 | 12,405.0 |
| DSV A/S | 20230405 | 15:18:23 | XCSE | 232.0 | 1,240.5 | 287,796.0 |
| DSV A/S | 20230405 | 15:18:36 | XCSE | 48.0 | 1,239.5 | 59,496.0 |
| DSV A/S | 20230405 | 15:18:38 | XCSE | 84.0 | 1,239.0 | 104,076.0 |
| DSV A/S | 20230405 | 15:21:21 | XCSE | 1.0 | 1,238.5 | 1,238.5 |
| DSV A/S | 20230405 | 15:21:21 | XCSE | 4.0 | 1,238.5 | 4,954.0 |
| DSV A/S | 20230405 | 15:21:21 | XCSE | 125.0 | 1,238.5 | 154,812.5 |
| DSV A/S | 20230405 | 15:21:21 | XCSE | 51.0 | 1,238.5 | 63,163.5 |
| DSV A/S | 20230405 | 15:21:43 | XCSE | 182.0 | 1,238.0 | 225,316.0 |
| DSV A/S | 20230405 | 15:22:47 | XCSE | 169.0 | 1,237.5 | 209,137.5 |
| DSV A/S | 20230405 | 15:23:13 | XCSE | 98.0 | 1,237.5 | 121,275.0 |
| DSV A/S | 20230405 | 15:23:40 | XCSE | 34.0 | 1,237.0 | 42,058.0 |
| DSV A/S | 20230405 | 15:23:40 | XCSE | 167.0 | 1,237.0 | 206,579.0 |
| DSV A/S | 20230405 | 15:24:34 | XCSE | 77.0 | 1,236.5 | 95,210.5 |
| DSV A/S | 20230405 | 15:24:34 | XCSE | 9.0 | 1,236.5 | 11,128.5 |
| DSV A/S | 20230405 | 15:24:35 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 15:24:35 | XCSE | 17.0 | 1,236.5 | 21,020.5 |
| DSV A/S | 20230405 | 15:24:57 | XCSE | 27.0 | 1,236.5 | 33,385.5 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 113.0 | 1,236.0 | 139,668.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 27.0 | 1,236.0 | 33,372.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 35.0 | 1,236.0 | 43,260.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 15:26:30 | XCSE | 88.0 | 1,236.0 | 108,768.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 12.0 | 1,236.0 | 14,832.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 73.0 | 1,236.0 | 90,228.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 100.0 | 1,236.0 | 123,600.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 279.0 | 1,236.0 | 344,844.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 292.0 | 1,236.0 | 360,912.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 156.0 | 1,236.0 | 192,816.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 72.0 | 1,236.0 | 88,992.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 30.0 | 1,236.0 | 37,080.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 45.0 | 1,236.0 | 55,620.0 |
| DSV A/S | 20230405 | 15:26:30 | XCSE | 17.0 | 1,236.0 | 21,012.0 |
| DSV A/S | 20230405 | 15:26:32 | XCSE | 86.0 | 1,236.5 | 106,339.0 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 47.0 | 1,236.5 | 58,115.5 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 2.0 | 1,236.5 | 2,473.0 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 64.0 | 1,236.5 | 79,136.0 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 50.0 | 1,236.5 | 61,825.0 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 3.0 | 1,236.5 | 3,709.5 |
| DSV A/S | 20230405 | 15:26:34 | XCSE | 66.0 | 1,236.5 | 81,609.0 |
| DSV A/S | 20230405 | 15:27:14 | XCSE | 11.0 | 1,237.0 | 13,607.0 |
| DSV A/S | 20230405 | 15:27:23 | XCSE | 10.0 | 1,237.0 | 12,370.0 |
| DSV A/S | 20230405 | 15:29:00 | XCSE | 125.0 | 1,237.5 | 154,687.5 |
| DSV A/S | 20230405 | 15:29:00 | XCSE | 51.0 | 1,237.5 | 63,112.5 |
| DSV A/S | 20230405 | 15:29:00 | XCSE | 36.0 | 1,237.5 | 44,550.0 |
| DSV A/S | 20230405 | 15:29:59 | XCSE | 95.0 | 1,237.0 | 117,515.0 |
| DSV A/S | 20230405 | 15:29:59 | XCSE | 72.0 | 1,237.0 | 89,064.0 |
| DSV A/S | 20230405 | 15:29:59 | XCSE | 33.0 | 1,237.0 | 40,821.0 |
| DSV A/S | 20230405 | 15:30:24 | XCSE | 167.0 | 1,236.5 | 206,495.5 |
| DSV A/S | 20230405 | 15:31:41 | XCSE | 90.0 | 1,237.0 | 111,330.0 |
| DSV A/S | 20230405 | 15:31:41 | XCSE | 146.0 | 1,237.0 | 180,602.0 |
| DSV A/S | 20230405 | 15:31:43 | XCSE | 119.0 | 1,236.5 | 147,143.5 |
| DSV A/S | 20230405 | 15:32:54 | XCSE | 104.0 | 1,236.5 | 128,596.0 |
| DSV A/S | 20230405 | 15:32:54 | XCSE | 33.0 | 1,236.5 | 40,804.5 |
| DSV A/S | 20230405 | 15:32:54 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 15:32:54 | XCSE | 33.0 | 1,236.5 | 40,804.5 |
| DSV A/S | 20230405 | 15:34:50 | XCSE | 122.0 | 1,237.0 | 150,914.0 |
| DSV A/S | 20230405 | 15:34:50 | XCSE | 94.0 | 1,237.0 | 116,278.0 |
| DSV A/S | 20230405 | 15:34:50 | XCSE | 49.0 | 1,237.0 | 60,613.0 |
| DSV A/S | 20230405 | 15:35:06 | XCSE | 19.0 | 1,238.0 | 23,522.0 |
| DSV A/S | 20230405 | 15:35:06 | XCSE | 165.0 | 1,238.0 | 204,270.0 |
| DSV A/S | 20230405 | 15:35:06 | XCSE | 98.0 | 1,238.0 | 121,324.0 |
| DSV A/S | 20230405 | 15:36:45 | XCSE | 125.0 | 1,238.0 | 154,750.0 |
| DSV A/S | 20230405 | 15:36:45 | XCSE | 84.0 | 1,238.0 | 103,992.0 |
| DSV A/S | 20230405 | 15:36:45 | XCSE | 28.0 | 1,238.0 | 34,664.0 |
| DSV A/S | 20230405 | 15:36:45 | XCSE | 8.0 | 1,238.0 | 9,904.0 |
| DSV A/S | 20230405 | 15:37:11 | XCSE | 125.0 | 1,238.0 | 154,750.0 |
| DSV A/S | 20230405 | 15:37:11 | XCSE | 48.0 | 1,238.0 | 59,424.0 |
| DSV A/S | 20230405 | 15:37:11 | XCSE | 35.0 | 1,238.0 | 43,330.0 |
| DSV A/S | 20230405 | 15:37:41 | XCSE | 34.0 | 1,237.5 | 42,075.0 |
| DSV A/S | 20230405 | 15:37:41 | XCSE | 34.0 | 1,237.5 | 42,075.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 15:38:14 | XCSE | 105.0 | 1,236.5 | 129,832.5 |
| DSV A/S | 20230405 | 15:38:19 | XCSE | 34.0 | 1,236.5 | 42,041.0 |
| DSV A/S | 20230405 | 15:39:30 | XCSE | 44.0 | 1,236.5 | 54,406.0 |
| DSV A/S | 20230405 | 15:39:30 | XCSE | 25.0 | 1,236.5 | 30,912.5 |
| DSV A/S | 20230405 | 15:39:30 | XCSE | 165.0 | 1,236.5 | 204,022.5 |
| DSV A/S | 20230405 | 15:41:57 | XCSE | 54.0 | 1,238.5 | 66,879.0 |
| DSV A/S | 20230405 | 15:41:57 | XCSE | 155.0 | 1,238.5 | 191,967.5 |
| DSV A/S | 20230405 | 15:42:54 | XCSE | 178.0 | 1,239.0 | 220,542.0 |
| DSV A/S | 20230405 | 15:44:20 | XCSE | 140.0 | 1,238.5 | 173,390.0 |
| DSV A/S | 20230405 | 15:44:20 | XCSE | 19.0 | 1,238.5 | 23,531.5 |
| DSV A/S | 20230405 | 15:44:20 | XCSE | 32.0 | 1,238.5 | 39,632.0 |
| DSV A/S | 20230405 | 15:45:11 | XCSE | 168.0 | 1,238.5 | 208,068.0 |
| DSV A/S | 20230405 | 15:45:40 | XCSE | 176.0 | 1,239.0 | 218,064.0 |
| DSV A/S | 20230405 | 15:46:30 | XCSE | 107.0 | 1,239.0 | 132,573.0 |
| DSV A/S | 20230405 | 15:46:30 | XCSE | 36.0 | 1,239.0 | 44,604.0 |
| DSV A/S | 20230405 | 15:46:58 | XCSE | 22.0 | 1,239.0 | 27,258.0 |
| DSV A/S | 20230405 | 15:46:58 | XCSE | 71.0 | 1,239.0 | 87,969.0 |
| DSV A/S | 20230405 | 15:46:58 | XCSE | 14.0 | 1,239.0 | 17,346.0 |
| DSV A/S | 20230405 | 15:46:58 | XCSE | 5.0 | 1,239.0 | 6,195.0 |
| DSV A/S | 20230405 | 15:46:58 | XCSE | 31.0 | 1,239.0 | 38,409.0 |
| DSV A/S | 20230405 | 15:47:17 | XCSE | 11.0 | 1,240.0 | 13,640.0 |
| DSV A/S | 20230405 | 15:47:17 | XCSE | 26.0 | 1,240.0 | 32,240.0 |
| DSV A/S | 20230405 | 15:48:03 | XCSE | 133.0 | 1,241.5 | 165,119.5 |
| DSV A/S | 20230405 | 15:49:10 | XCSE | 37.0 | 1,241.0 | 45,917.0 |
| DSV A/S | 20230405 | 15:49:10 | XCSE | 36.0 | 1,241.0 | 44,676.0 |
| DSV A/S | 20230405 | 15:49:10 | XCSE | 36.0 | 1,241.0 | 44,676.0 |
| DSV A/S | 20230405 | 15:50:21 | XCSE | 65.0 | 1,241.5 | 80,697.5 |
| DSV A/S | 20230405 | 15:50:28 | XCSE | 50.0 | 1,241.5 | 62,075.0 |
| DSV A/S | 20230405 | 15:50:32 | XCSE | 145.0 | 1,242.0 | 180,090.0 |
| DSV A/S | 20230405 | 15:50:45 | XCSE | 25.0 | 1,242.0 | 31,050.0 |
| DSV A/S | 20230405 | 15:50:45 | XCSE | 10.0 | 1,242.0 | 12,420.0 |
| DSV A/S | 20230405 | 15:50:49 | XCSE | 35.0 | 1,242.0 | 43,470.0 |
| DSV A/S | 20230405 | 15:51:05 | XCSE | 34.0 | 1,242.0 | 42,228.0 |
| DSV A/S | 20230405 | 15:52:36 | XCSE | 136.0 | 1,242.5 | 168,980.0 |
| DSV A/S | 20230405 | 15:52:46 | XCSE | 36.0 | 1,243.0 | 44,748.0 |
| DSV A/S | 20230405 | 15:52:57 | XCSE | 34.0 | 1,243.0 | 42,262.0 |
| DSV A/S | 20230405 | 15:54:30 | XCSE | 135.0 | 1,244.0 | 167,940.0 |
| DSV A/S | 20230405 | 15:54:30 | XCSE | 111.0 | 1,244.0 | 138,084.0 |
| DSV A/S | 20230405 | 15:54:30 | XCSE | 56.0 | 1,244.0 | 69,664.0 |
| DSV A/S | 20230405 | 15:55:08 | XCSE | 108.0 | 1,243.5 | 134,298.0 |
| DSV A/S | 20230405 | 15:55:08 | XCSE | 36.0 | 1,243.5 | 44,766.0 |
| DSV A/S | 20230405 | 15:55:08 | XCSE | 35.0 | 1,243.5 | 43,522.5 |
| DSV A/S | 20230405 | 15:56:05 | XCSE | 86.0 | 1,243.5 | 106,941.0 |
| DSV A/S | 20230405 | 15:56:05 | XCSE | 50.0 | 1,243.5 | 62,175.0 |
| DSV A/S | 20230405 | 15:56:05 | XCSE | 91.0 | 1,243.5 | 113,158.5 |
| DSV A/S | 20230405 | 15:57:27 | XCSE | 20.0 | 1,246.0 | 24,920.0 |
| DSV A/S | 20230405 | 15:57:27 | XCSE | 109.0 | 1,246.0 | 135,814.0 |
| DSV A/S | 20230405 | 15:57:27 | XCSE | 51.0 | 1,246.0 | 63,546.0 |
| DSV A/S | 20230405 | 15:59:44 | XCSE | 18.0 | 1,246.5 | 22,437.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 15:59:44 | XCSE | 88.0 | 1,246.5 | 109,692.0 |
| DSV A/S | 20230405 | 16:00:00 | XCSE | 107.0 | 1,247.0 | 133,429.0 |
| DSV A/S | 20230405 | 16:00:06 | XCSE | 104.0 | 1,246.5 | 129,636.0 |
| DSV A/S | 20230405 | 16:00:06 | XCSE | 100.0 | 1,246.0 | 124,600.0 |
| DSV A/S | 20230405 | 16:00:07 | XCSE | 103.0 | 1,245.5 | 128,286.5 |
| DSV A/S | 20230405 | 16:00:56 | XCSE | 31.0 | 1,245.0 | 38,595.0 |
| DSV A/S | 20230405 | 16:00:56 | XCSE | 40.0 | 1,245.0 | 49,800.0 |
| DSV A/S | 20230405 | 16:01:01 | XCSE | 39.0 | 1,245.0 | 48,555.0 |
| DSV A/S | 20230405 | 16:01:01 | XCSE | 12.0 | 1,245.0 | 14,940.0 |
| DSV A/S | 20230405 | 16:01:42 | XCSE | 8.0 | 1,245.0 | 9,960.0 |
| DSV A/S | 20230405 | 16:01:42 | XCSE | 59.0 | 1,245.0 | 73,455.0 |
| DSV A/S | 20230405 | 16:01:59 | XCSE | 67.0 | 1,244.5 | 83,381.5 |
| DSV A/S | 20230405 | 16:02:08 | XCSE | 3.0 | 1,244.0 | 3,732.0 |
| DSV A/S | 20230405 | 16:02:10 | XCSE | 64.0 | 1,244.0 | 79,616.0 |
| DSV A/S | 20230405 | 16:02:43 | XCSE | 34.0 | 1,245.0 | 42,330.0 |
| DSV A/S | 20230405 | 16:02:48 | XCSE | 38.0 | 1,245.0 | 47,310.0 |
| DSV A/S | 20230405 | 16:02:55 | XCSE | 45.0 | 1,245.0 | 56,025.0 |
| DSV A/S | 20230405 | 16:02:55 | XCSE | 4.0 | 1,245.0 | 4,980.0 |
| DSV A/S | 20230405 | 16:03:00 | XCSE | 33.0 | 1,245.0 | 41,085.0 |
| DSV A/S | 20230405 | 16:03:11 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:03:13 | XCSE | 20.0 | 1,245.5 | 24,910.0 |
| DSV A/S | 20230405 | 16:03:13 | XCSE | 47.0 | 1,245.5 | 58,538.5 |
| DSV A/S | 20230405 | 16:03:23 | XCSE | 45.0 | 1,245.5 | 56,047.5 |
| DSV A/S | 20230405 | 16:03:23 | XCSE | 26.0 | 1,245.5 | 32,383.0 |
| DSV A/S | 20230405 | 16:03:28 | XCSE | 13.0 | 1,245.5 | 16,191.5 |
| DSV A/S | 20230405 | 16:03:28 | XCSE | 21.0 | 1,245.5 | 26,155.5 |
| DSV A/S | 20230405 | 16:03:33 | XCSE | 27.0 | 1,245.5 | 33,628.5 |
| DSV A/S | 20230405 | 16:03:49 | XCSE | 14.0 | 1,245.5 | 17,437.0 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 30.0 | 1,245.5 | 37,365.0 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 45.0 | 1,245.5 | 56,047.5 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 41.0 | 1,245.5 | 51,065.5 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 37.0 | 1,245.5 | 46,083.5 |
| DSV A/S | 20230405 | 16:04:02 | XCSE | 26.0 | 1,245.5 | 32,383.0 |
| DSV A/S | 20230405 | 16:04:07 | XCSE | 19.0 | 1,245.5 | 23,664.5 |
| DSV A/S | 20230405 | 16:04:07 | XCSE | 15.0 | 1,245.5 | 18,682.5 |
| DSV A/S | 20230405 | 16:04:10 | XCSE | 71.0 | 1,245.0 | 88,395.0 |
| DSV A/S | 20230405 | 16:04:10 | XCSE | 29.0 | 1,245.0 | 36,105.0 |
| DSV A/S | 20230405 | 16:04:30 | XCSE | 100.0 | 1,245.0 | 124,500.0 |
| DSV A/S | 20230405 | 16:04:40 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:04:43 | XCSE | 30.0 | 1,245.5 | 37,365.0 |
| DSV A/S | 20230405 | 16:04:49 | XCSE | 21.0 | 1,245.5 | 26,155.5 |
| DSV A/S | 20230405 | 16:04:49 | XCSE | 28.0 | 1,245.5 | 34,874.0 |
| DSV A/S | 20230405 | 16:04:49 | XCSE | 30.0 | 1,245.5 | 37,365.0 |
| DSV A/S | 20230405 | 16:04:49 | XCSE | 13.0 | 1,245.5 | 16,191.5 |
| DSV A/S | 20230405 | 16:04:49 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:05:16 | XCSE | 106.0 | 1,246.0 | 132,076.0 |
| DSV A/S | 20230405 | 16:05:16 | XCSE | 62.0 | 1,246.0 | 77,252.0 |
| DSV A/S | 20230405 | 16:05:21 | XCSE | 2.0 | 1,246.0 | 2,492.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:05:21 | XCSE | 36.0 | 1,246.0 | 44,856.0 |
| DSV A/S | 20230405 | 16:05:24 | XCSE | 64.0 | 1,245.5 | 79,712.0 |
| DSV A/S | 20230405 | 16:05:24 | XCSE | 37.0 | 1,245.5 | 46,083.5 |
| DSV A/S | 20230405 | 16:05:24 | XCSE | 7.0 | 1,245.5 | 8,718.5 |
| DSV A/S | 20230405 | 16:05:24 | XCSE | 64.0 | 1,245.5 | 79,712.0 |
| DSV A/S | 20230405 | 16:05:52 | XCSE | 20.0 | 1,246.5 | 24,930.0 |
| DSV A/S | 20230405 | 16:05:52 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:05:52 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:05:55 | XCSE | 37.0 | 1,246.5 | 46,120.5 |
| DSV A/S | 20230405 | 16:05:59 | XCSE | 52.0 | 1,245.5 | 64,766.0 |
| DSV A/S | 20230405 | 16:05:59 | XCSE | 48.0 | 1,245.5 | 59,784.0 |
| DSV A/S | 20230405 | 16:06:13 | XCSE | 37.0 | 1,245.5 | 46,083.5 |
| DSV A/S | 20230405 | 16:06:18 | XCSE | 7.0 | 1,245.5 | 8,718.5 |
| DSV A/S | 20230405 | 16:06:18 | XCSE | 30.0 | 1,245.5 | 37,365.0 |
| DSV A/S | 20230405 | 16:06:23 | XCSE | 35.0 | 1,245.5 | 43,592.5 |
| DSV A/S | 20230405 | 16:06:23 | XCSE | 3.0 | 1,245.5 | 3,736.5 |
| DSV A/S | 20230405 | 16:06:28 | XCSE | 8.0 | 1,245.5 | 9,964.0 |
| DSV A/S | 20230405 | 16:06:28 | XCSE | 29.0 | 1,245.5 | 36,119.5 |
| DSV A/S | 20230405 | 16:06:33 | XCSE | 39.0 | 1,245.5 | 48,574.5 |
| DSV A/S | 20230405 | 16:06:46 | XCSE | 45.0 | 1,245.5 | 56,047.5 |
| DSV A/S | 20230405 | 16:06:46 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:06:46 | XCSE | 18.0 | 1,245.5 | 22,419.0 |
| DSV A/S | 20230405 | 16:06:51 | XCSE | 23.0 | 1,245.5 | 28,646.5 |
| DSV A/S | 20230405 | 16:06:51 | XCSE | 13.0 | 1,245.5 | 16,191.5 |
| DSV A/S | 20230405 | 16:06:56 | XCSE | 34.0 | 1,245.5 | 42,347.0 |
| DSV A/S | 20230405 | 16:06:57 | XCSE | 100.0 | 1,245.0 | 124,500.0 |
| DSV A/S | 20230405 | 16:06:57 | XCSE | 1.0 | 1,245.0 | 1,245.0 |
| DSV A/S | 20230405 | 16:06:57 | XCSE | 1.0 | 1,245.0 | 1,245.0 |
| DSV A/S | 20230405 | 16:07:14 | XCSE | 35.0 | 1,245.0 | 43,575.0 |
| DSV A/S | 20230405 | 16:07:18 | XCSE | 39.0 | 1,245.0 | 48,555.0 |
| DSV A/S | 20230405 | 16:07:24 | XCSE | 39.0 | 1,245.0 | 48,555.0 |
| DSV A/S | 20230405 | 16:07:28 | XCSE | 36.0 | 1,245.0 | 44,820.0 |
| DSV A/S | 20230405 | 16:07:33 | XCSE | 41.0 | 1,245.0 | 51,045.0 |
| DSV A/S | 20230405 | 16:07:39 | XCSE | 30.0 | 1,245.0 | 37,350.0 |
| DSV A/S | 20230405 | 16:07:39 | XCSE | 7.0 | 1,245.0 | 8,715.0 |
| DSV A/S | 20230405 | 16:07:44 | XCSE | 9.0 | 1,245.0 | 11,205.0 |
| DSV A/S | 20230405 | 16:07:44 | XCSE | 26.0 | 1,245.0 | 32,370.0 |
| DSV A/S | 20230405 | 16:07:49 | XCSE | 39.0 | 1,245.0 | 48,555.0 |
| DSV A/S | 20230405 | 16:07:53 | XCSE | 1.0 | 1,245.0 | 1,245.0 |
| DSV A/S | 20230405 | 16:07:53 | XCSE | 36.0 | 1,245.0 | 44,820.0 |
| DSV A/S | 20230405 | 16:08:08 | XCSE | 40.0 | 1,245.0 | 49,800.0 |
| DSV A/S | 20230405 | 16:08:08 | XCSE | 25.0 | 1,245.0 | 31,125.0 |
| DSV A/S | 20230405 | 16:08:08 | XCSE | 41.0 | 1,245.0 | 51,045.0 |
| DSV A/S | 20230405 | 16:08:11 | XCSE | 109.0 | 1,245.0 | 135,705.0 |
| DSV A/S | 20230405 | 16:08:27 | XCSE | 37.0 | 1,245.0 | 46,065.0 |
| DSV A/S | 20230405 | 16:08:49 | XCSE | 103.0 | 1,245.5 | 128,286.5 |
| DSV A/S | 20230405 | 16:08:51 | XCSE | 5.0 | 1,245.5 | 6,227.5 |
| DSV A/S | 20230405 | 16:08:51 | XCSE | 41.0 | 1,245.5 | 51,065.5 |
| DSV A/S | 20230405 | 16:08:51 | XCSE | 38.0 | 1,245.5 | 47,329.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|------|---------|----------|
| DSV A/S | 20230405 | 16:08:57 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:08:57 | XCSE | 25.0 | 1,245.5 | 31,137.5 |
| DSV A/S | 20230405 | 16:09:02 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:09:17 | XCSE | 45.0 | 1,245.5 | 56,047.5 |
| DSV A/S | 20230405 | 16:09:17 | XCSE | 41.0 | 1,245.5 | 51,065.5 |
| DSV A/S | 20230405 | 16:09:17 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:09:28 | XCSE | 61.0 | 1,245.5 | 75,975.5 |
| DSV A/S | 20230405 | 16:09:28 | XCSE | 30.0 | 1,245.5 | 37,365.0 |
| DSV A/S | 20230405 | 16:09:36 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:09:37 | XCSE | 12.0 | 1,245.5 | 14,946.0 |
| DSV A/S | 20230405 | 16:09:37 | XCSE | 25.0 | 1,245.5 | 31,137.5 |
| DSV A/S | 20230405 | 16:09:59 | XCSE | 3.0 | 1,246.0 | 3,738.0 |
| DSV A/S | 20230405 | 16:09:59 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:10:10 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:10:10 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 30.0 | 1,246.0 | 37,380.0 |
| DSV A/S | 20230405 | 16:10:22 | XCSE | 16.0 | 1,246.0 | 19,936.0 |
| DSV A/S | 20230405 | 16:10:27 | XCSE | 38.0 | 1,246.0 | 47,348.0 |
| DSV A/S | 20230405 | 16:10:32 | XCSE | 26.0 | 1,246.0 | 32,396.0 |
| DSV A/S | 20230405 | 16:10:32 | XCSE | 12.0 | 1,246.0 | 14,952.0 |
| DSV A/S | 20230405 | 16:10:37 | XCSE | 24.0 | 1,246.0 | 29,904.0 |
| DSV A/S | 20230405 | 16:10:37 | XCSE | 14.0 | 1,246.0 | 17,444.0 |
| DSV A/S | 20230405 | 16:10:42 | XCSE | 13.0 | 1,246.0 | 16,198.0 |
| DSV A/S | 20230405 | 16:10:42 | XCSE | 25.0 | 1,246.0 | 31,150.0 |
| DSV A/S | 20230405 | 16:10:47 | XCSE | 11.0 | 1,246.0 | 13,706.0 |
| DSV A/S | 20230405 | 16:10:47 | XCSE | 29.0 | 1,246.0 | 36,134.0 |
| DSV A/S | 20230405 | 16:10:52 | XCSE | 11.0 | 1,246.0 | 13,706.0 |
| DSV A/S | 20230405 | 16:10:52 | XCSE | 24.0 | 1,246.0 | 29,904.0 |
| DSV A/S | 20230405 | 16:10:57 | XCSE | 17.0 | 1,246.0 | 21,182.0 |
| DSV A/S | 20230405 | 16:10:57 | XCSE | 24.0 | 1,246.0 | 29,904.0 |
| DSV A/S | 20230405 | 16:11:02 | XCSE | 36.0 | 1,246.0 | 44,856.0 |
| DSV A/S | 20230405 | 16:11:07 | XCSE | 12.0 | 1,246.0 | 14,952.0 |
| DSV A/S | 20230405 | 16:11:07 | XCSE | 13.0 | 1,246.0 | 16,198.0 |
| DSV A/S | 20230405 | 16:11:07 | XCSE | 14.0 | 1,246.0 | 17,444.0 |
| DSV A/S | 20230405 | 16:11:12 | XCSE | 14.0 | 1,246.0 | 17,444.0 |
| DSV A/S | 20230405 | 16:11:15 | XCSE | 2.0 | 1,246.0 | 2,492.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 12.0 | 1,246.0 | 14,952.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 34.0 | 1,246.0 | 42,364.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:11:45 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:11:47 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:11:47 | XCSE | 1.0 | 1,246.0 | 1,246.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:11:52 | XCSE | 36.0 | 1,246.0 | 44,856.0 |
| DSV A/S | 20230405 | 16:11:57 | XCSE | 16.0 | 1,246.0 | 19,936.0 |
| DSV A/S | 20230405 | 16:11:57 | XCSE | 24.0 | 1,246.0 | 29,904.0 |
| DSV A/S | 20230405 | 16:12:17 | XCSE | 3.0 | 1,246.0 | 3,738.0 |
| DSV A/S | 20230405 | 16:12:17 | XCSE | 41.0 | 1,246.0 | 51,086.0 |
| DSV A/S | 20230405 | 16:12:17 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:12:17 | XCSE | 67.0 | 1,246.0 | 83,482.0 |
| DSV A/S | 20230405 | 16:12:19 | XCSE | 3.0 | 1,245.5 | 3,736.5 |
| DSV A/S | 20230405 | 16:12:19 | XCSE | 4.0 | 1,245.5 | 4,982.0 |
| DSV A/S | 20230405 | 16:12:19 | XCSE | 29.0 | 1,245.5 | 36,119.5 |
| DSV A/S | 20230405 | 16:12:19 | XCSE | 100.0 | 1,245.5 | 124,550.0 |
| DSV A/S | 20230405 | 16:12:40 | XCSE | 3.0 | 1,246.0 | 3,738.0 |
| DSV A/S | 20230405 | 16:12:51 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:12:51 | XCSE | 21.0 | 1,246.5 | 26,176.5 |
| DSV A/S | 20230405 | 16:12:51 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:12:51 | XCSE | 26.0 | 1,246.5 | 32,409.0 |
| DSV A/S | 20230405 | 16:13:01 | XCSE | 137.0 | 1,246.0 | 170,702.0 |
| DSV A/S | 20230405 | 16:13:03 | XCSE | 134.0 | 1,245.5 | 166,897.0 |
| DSV A/S | 20230405 | 16:13:04 | XCSE | 143.0 | 1,245.0 | 178,035.0 |
| DSV A/S | 20230405 | 16:13:16 | XCSE | 26.0 | 1,244.5 | 32,357.0 |
| DSV A/S | 20230405 | 16:13:17 | XCSE | 73.0 | 1,244.5 | 90,848.5 |
| DSV A/S | 20230405 | 16:13:17 | XCSE | 39.0 | 1,244.5 | 48,535.5 |
| DSV A/S | 20230405 | 16:13:17 | XCSE | 26.0 | 1,244.5 | 32,357.0 |
| DSV A/S | 20230405 | 16:13:27 | XCSE | 59.0 | 1,244.5 | 73,425.5 |
| DSV A/S | 20230405 | 16:13:55 | XCSE | 42.0 | 1,245.0 | 52,290.0 |
| DSV A/S | 20230405 | 16:13:58 | XCSE | 43.0 | 1,245.5 | 53,556.5 |
| DSV A/S | 20230405 | 16:14:06 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:14:06 | XCSE | 40.0 | 1,245.5 | 49,820.0 |
| DSV A/S | 20230405 | 16:14:10 | XCSE | 60.0 | 1,245.5 | 74,730.0 |
| DSV A/S | 20230405 | 16:20:36 | XCSE | 174.0 | 1,248.0 | 217,152.0 |
| DSV A/S | 20230405 | 16:20:36 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:20:36 | XCSE | 50.0 | 1,248.0 | 62,400.0 |
| DSV A/S | 20230405 | 16:20:36 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 70.0 | 1,248.0 | 87,360.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 13.0 | 1,248.0 | 16,224.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 6.0 | 1,248.0 | 7,488.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 26.0 | 1,248.0 | 32,448.0 |
| DSV A/S | 20230405 | 16:20:37 | XCSE | 26.0 | 1,248.0 | 32,448.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 67.0 | 1,248.0 | 83,616.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 20.0 | 1,248.0 | 24,960.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 30.0 | 1,248.0 | 37,440.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 64.0 | 1,248.0 | 79,872.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 61.0 | 1,248.0 | 76,128.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 53.0 | 1,248.0 | 66,144.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 90.0 | 1,248.0 | 112,320.0 |
| DSV A/S | 20230405 | 16:21:22 | XCSE | 41.0 | 1,248.0 | 51,168.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:21:22 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:23 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 45.0 | 1,248.0 | 56,160.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 13.0 | 1,248.0 | 16,224.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 24.0 | 1,248.0 | 29,952.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 26.0 | 1,248.0 | 32,448.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 8.0 | 1,248.0 | 9,984.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:34 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:36 | XCSE | 5.0 | 1,248.0 | 6,240.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 8.0 | 1,248.0 | 9,984.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 29.0 | 1,248.0 | 36,192.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:38 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:43 | XCSE | 12.0 | 1,248.0 | 14,976.0 |
| DSV A/S | 20230405 | 16:21:43 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:43 | XCSE | 40.0 | 1,248.0 | 49,920.0 |
| DSV A/S | 20230405 | 16:21:46 | XCSE | 41.0 | 1,248.0 | 51,168.0 |
| DSV A/S | 20230405 | 16:21:58 | XCSE | 24.0 | 1,248.0 | 29,952.0 |
| DSV A/S | 20230405 | 16:22:06 | XCSE | 22.0 | 1,248.5 | 27,467.0 |
| DSV A/S | 20230405 | 16:22:06 | XCSE | 93.0 | 1,248.5 | 116,110.5 |
| DSV A/S | 20230405 | 16:22:06 | XCSE | 45.0 | 1,248.5 | 56,182.5 |
| DSV A/S | 20230405 | 16:22:16 | XCSE | 7.0 | 1,248.5 | 8,739.5 |
| DSV A/S | 20230405 | 16:22:16 | XCSE | 13.0 | 1,248.5 | 16,230.5 |
| DSV A/S | 20230405 | 16:22:16 | XCSE | 23.0 | 1,248.5 | 28,715.5 |
| DSV A/S | 20230405 | 16:22:16 | XCSE | 26.0 | 1,248.5 | 32,461.0 |
| DSV A/S | 20230405 | 16:22:29 | XCSE | 110.0 | 1,248.5 | 137,335.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 34.0 | 1,249.0 | 42,466.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 11.0 | 1,249.0 | 13,739.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 167.0 | 1,249.0 | 208,583.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 35.0 | 1,249.0 | 43,715.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 169.0 | 1,249.0 | 211,081.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 90.0 | 1,249.0 | 112,410.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 92.0 | 1,249.0 | 114,908.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 44.0 | 1,249.0 | 54,956.0 |
| DSV A/S | 20230405 | 16:22:49 | XCSE | 12.0 | 1,249.0 | 14,988.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 45.0 | 1,249.0 | 56,205.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 41.0 | 1,249.0 | 51,209.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 40.0 | 1,249.0 | 49,960.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 20.0 | 1,249.0 | 24,980.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 41.0 | 1,249.0 | 51,209.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 40.0 | 1,249.0 | 49,960.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 45.0 | 1,249.0 | 56,205.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 41.0 | 1,249.0 | 51,209.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:22:50 | XCSE | 40.0 | 1,249.0 | 49,960.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 4.0 | 1,249.0 | 4,996.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 41.0 | 1,249.0 | 51,209.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 40.0 | 1,249.0 | 49,960.0 |
| DSV A/S | 20230405 | 16:22:50 | XCSE | 41.0 | 1,249.0 | 51,209.0 |
| DSV A/S | 20230405 | 16:22:51 | XCSE | 169.0 | 1,248.5 | 210,996.5 |
| DSV A/S | 20230405 | 16:22:55 | XCSE | 177.0 | 1,248.0 | 220,896.0 |
| DSV A/S | 20230405 | 16:23:49 | XCSE | 33.0 | 1,248.0 | 41,184.0 |
| DSV A/S | 20230405 | 16:23:53 | XCSE | 104.0 | 1,248.0 | 129,792.0 |
| DSV A/S | 20230405 | 16:24:00 | XCSE | 47.0 | 1,248.0 | 58,656.0 |
| DSV A/S | 20230405 | 16:24:00 | XCSE | 74.0 | 1,248.0 | 92,352.0 |
| DSV A/S | 20230405 | 16:24:31 | XCSE | 125.0 | 1,248.5 | 156,062.5 |
| DSV A/S | 20230405 | 16:24:31 | XCSE | 41.0 | 1,248.5 | 51,188.5 |
| DSV A/S | 20230405 | 16:26:49 | XCSE | 213.0 | 1,248.5 | 265,930.5 |
| DSV A/S | 20230405 | 16:26:49 | XCSE | 60.0 | 1,248.5 | 74,910.0 |
| DSV A/S | 20230405 | 16:26:59 | XCSE | 45.0 | 1,249.5 | 56,227.5 |
| DSV A/S | 20230405 | 16:26:59 | XCSE | 41.0 | 1,249.5 | 51,229.5 |
| DSV A/S | 20230405 | 16:26:59 | XCSE | 50.0 | 1,249.5 | 62,475.0 |
| DSV A/S | 20230405 | 16:27:38 | XCSE | 25.0 | 1,249.5 | 31,237.5 |
| DSV A/S | 20230405 | 16:27:38 | XCSE | 190.0 | 1,249.5 | 237,405.0 |
| DSV A/S | 20230405 | 16:27:38 | XCSE | 51.0 | 1,249.5 | 63,724.5 |
| DSV A/S | 20230405 | 16:28:16 | XCSE | 22.0 | 1,249.5 | 27,489.0 |
| DSV A/S | 20230405 | 16:28:16 | XCSE | 78.0 | 1,249.5 | 97,461.0 |
| DSV A/S | 20230405 | 16:28:16 | XCSE | 113.0 | 1,249.5 | 141,193.5 |
| DSV A/S | 20230405 | 16:28:16 | XCSE | 12.0 | 1,249.5 | 14,994.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 64.0 | 1,249.5 | 79,968.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 51.0 | 1,249.5 | 63,724.5 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 50.0 | 1,249.5 | 62,475.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 12.0 | 1,249.5 | 14,994.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 51.0 | 1,249.5 | 63,724.5 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 50.0 | 1,249.5 | 62,475.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 23.0 | 1,249.5 | 28,738.5 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 51.0 | 1,249.5 | 63,724.5 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 50.0 | 1,249.5 | 62,475.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 32.0 | 1,249.5 | 39,984.0 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 51.0 | 1,249.5 | 63,724.5 |
| DSV A/S | 20230405 | 16:28:30 | XCSE | 24.0 | 1,249.5 | 29,988.0 |
| DSV A/S | 20230405 | 16:28:35 | XCSE | 60.0 | 1,249.0 | 74,940.0 |
| DSV A/S | 20230405 | 16:28:50 | XCSE | 139.0 | 1,248.5 | 173,541.5 |
| DSV A/S | 20230405 | 16:28:50 | XCSE | 37.0 | 1,248.5 | 46,194.5 |
| DSV A/S | 20230405 | 16:29:04 | XCSE | 8.0 | 1,248.5 | 9,988.0 |
| DSV A/S | 20230405 | 16:29:13 | XCSE | 45.0 | 1,248.5 | 56,182.5 |
| DSV A/S | 20230405 | 16:29:16 | XCSE | 1.0 | 1,248.5 | 1,248.5 |
| DSV A/S | 20230405 | 16:29:16 | XCSE | 36.0 | 1,248.5 | 44,946.0 |
| DSV A/S | 20230405 | 16:29:22 | XCSE | 15.0 | 1,248.5 | 18,727.5 |
| DSV A/S | 20230405 | 16:29:22 | XCSE | 25.0 | 1,248.5 | 31,212.5 |
| DSV A/S | 20230405 | 16:29:23 | XCSE | 94.0 | 1,248.0 | 117,312.0 |
| DSV A/S | 20230405 | 16:29:23 | XCSE | 107.0 | 1,248.0 | 133,536.0 |
| DSV A/S | 20230405 | 16:29:48 | XCSE | 65.0 | 1,248.0 | 81,120.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:29:48 | XCSE | 10.0 | 1,248.0 | 12,480.0 |
| DSV A/S | 20230405 | 16:29:48 | XCSE | 115.0 | 1,248.0 | 143,520.0 |
| DSV A/S | 20230405 | 16:29:48 | XCSE | 55.0 | 1,248.0 | 68,640.0 |
| DSV A/S | 20230405 | 16:29:59 | XCSE | 101.0 | 1,247.5 | 125,997.5 |
| DSV A/S | 20230405 | 16:29:59 | XCSE | 67.0 | 1,247.5 | 83,582.5 |
| DSV A/S | 20230405 | 16:30:01 | XCSE | 166.0 | 1,247.0 | 207,002.0 |
| DSV A/S | 20230405 | 16:30:46 | XCSE | 22.0 | 1,247.0 | 27,434.0 |
| DSV A/S | 20230405 | 16:30:46 | XCSE | 97.0 | 1,247.0 | 120,959.0 |
| DSV A/S | 20230405 | 16:30:46 | XCSE | 85.0 | 1,247.0 | 105,995.0 |
| DSV A/S | 20230405 | 16:30:46 | XCSE | 17.0 | 1,247.0 | 21,199.0 |
| DSV A/S | 20230405 | 16:30:46 | XCSE | 34.0 | 1,247.0 | 42,398.0 |
| DSV A/S | 20230405 | 16:30:49 | XCSE | 138.0 | 1,247.0 | 172,086.0 |
| DSV A/S | 20230405 | 16:31:32 | XCSE | 113.0 | 1,247.0 | 140,911.0 |
| DSV A/S | 20230405 | 16:32:16 | XCSE | 20.0 | 1,247.0 | 24,940.0 |
| DSV A/S | 20230405 | 16:32:16 | XCSE | 115.0 | 1,247.0 | 143,405.0 |
| DSV A/S | 20230405 | 16:32:27 | XCSE | 18.0 | 1,247.0 | 22,446.0 |
| DSV A/S | 20230405 | 16:32:27 | XCSE | 23.0 | 1,247.0 | 28,681.0 |
| DSV A/S | 20230405 | 16:32:32 | XCSE | 41.0 | 1,247.0 | 51,127.0 |
| DSV A/S | 20230405 | 16:32:36 | XCSE | 1.0 | 1,247.0 | 1,247.0 |
| DSV A/S | 20230405 | 16:32:56 | XCSE | 43.0 | 1,247.0 | 53,621.0 |
| DSV A/S | 20230405 | 16:32:59 | XCSE | 43.0 | 1,247.0 | 53,621.0 |
| DSV A/S | 20230405 | 16:32:59 | XCSE | 90.0 | 1,247.0 | 112,230.0 |
| DSV A/S | 20230405 | 16:33:00 | XCSE | 28.0 | 1,247.0 | 34,916.0 |
| DSV A/S | 20230405 | 16:33:29 | XCSE | 45.0 | 1,248.0 | 56,160.0 |
| DSV A/S | 20230405 | 16:33:29 | XCSE | 51.0 | 1,248.0 | 63,648.0 |
| DSV A/S | 20230405 | 16:33:29 | XCSE | 50.0 | 1,248.0 | 62,400.0 |
| DSV A/S | 20230405 | 16:33:30 | XCSE | 67.0 | 1,248.0 | 83,616.0 |
| DSV A/S | 20230405 | 16:33:52 | XCSE | 6.0 | 1,248.0 | 7,488.0 |
| DSV A/S | 20230405 | 16:33:52 | XCSE | 50.0 | 1,248.0 | 62,400.0 |
| DSV A/S | 20230405 | 16:33:52 | XCSE | 51.0 | 1,248.0 | 63,648.0 |
| DSV A/S | 20230405 | 16:34:23 | XCSE | 13.0 | 1,248.5 | 16,230.5 |
| DSV A/S | 20230405 | 16:34:23 | XCSE | 110.0 | 1,248.5 | 137,335.0 |
| DSV A/S | 20230405 | 16:34:23 | XCSE | 155.0 | 1,248.5 | 193,517.5 |
| DSV A/S | 20230405 | 16:34:23 | XCSE | 16.0 | 1,248.5 | 19,976.0 |
| DSV A/S | 20230405 | 16:34:23 | XCSE | 9.0 | 1,248.5 | 11,236.5 |
| DSV A/S | 20230405 | 16:35:17 | XCSE | 48.0 | 1,248.5 | 59,928.0 |
| DSV A/S | 20230405 | 16:35:17 | XCSE | 51.0 | 1,248.5 | 63,673.5 |
| DSV A/S | 20230405 | 16:35:17 | XCSE | 50.0 | 1,248.5 | 62,425.0 |
| DSV A/S | 20230405 | 16:35:18 | XCSE | 21.0 | 1,248.5 | 26,218.5 |
| DSV A/S | 20230405 | 16:35:18 | XCSE | 51.0 | 1,248.5 | 63,673.5 |
| DSV A/S | 20230405 | 16:35:18 | XCSE | 50.0 | 1,248.5 | 62,425.0 |
| DSV A/S | 20230405 | 16:35:21 | XCSE | 18.0 | 1,248.5 | 22,473.0 |
| DSV A/S | 20230405 | 16:35:21 | XCSE | 51.0 | 1,248.5 | 63,673.5 |
| DSV A/S | 20230405 | 16:35:21 | XCSE | 50.0 | 1,248.5 | 62,425.0 |
| DSV A/S | 20230405 | 16:35:24 | XCSE | 72.0 | 1,248.5 | 89,892.0 |
| DSV A/S | 20230405 | 16:35:24 | XCSE | 51.0 | 1,248.5 | 63,673.5 |
| DSV A/S | 20230405 | 16:35:24 | XCSE | 50.0 | 1,248.5 | 62,425.0 |
| DSV A/S | 20230405 | 16:35:24 | XCSE | 21.0 | 1,248.5 | 26,218.5 |
| DSV A/S | 20230405 | 16:35:24 | XCSE | 48.0 | 1,248.5 | 59,928.0 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:35:25 | XCSE | 35.0 | 1,248.0 | 43,680.0 |
| DSV A/S | 20230405 | 16:35:25 | XCSE | 140.0 | 1,248.0 | 174,720.0 |
| DSV A/S | 20230405 | 16:35:49 | XCSE | 5.0 | 1,248.0 | 6,240.0 |
| DSV A/S | 20230405 | 16:35:49 | XCSE | 6.0 | 1,248.0 | 7,488.0 |
| DSV A/S | 20230405 | 16:35:49 | XCSE | 19.0 | 1,248.0 | 23,712.0 |
| DSV A/S | 20230405 | 16:35:49 | XCSE | 6.0 | 1,248.0 | 7,488.0 |
| DSV A/S | 20230405 | 16:35:53 | XCSE | 34.0 | 1,248.0 | 42,432.0 |
| DSV A/S | 20230405 | 16:35:53 | XCSE | 173.0 | 1,247.5 | 215,817.5 |
| DSV A/S | 20230405 | 16:35:56 | XCSE | 99.0 | 1,247.0 | 123,453.0 |
| DSV A/S | 20230405 | 16:35:56 | XCSE | 73.0 | 1,247.0 | 91,031.0 |
| DSV A/S | 20230405 | 16:36:30 | XCSE | 42.0 | 1,246.5 | 52,353.0 |
| DSV A/S | 20230405 | 16:36:30 | XCSE | 125.0 | 1,246.5 | 155,812.5 |
| DSV A/S | 20230405 | 16:36:46 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:36:46 | XCSE | 26.0 | 1,246.5 | 32,409.0 |
| DSV A/S | 20230405 | 16:36:50 | XCSE | 24.0 | 1,246.5 | 29,916.0 |
| DSV A/S | 20230405 | 16:36:50 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:36:54 | XCSE | 33.0 | 1,246.5 | 41,134.5 |
| DSV A/S | 20230405 | 16:36:54 | XCSE | 5.0 | 1,246.5 | 6,232.5 |
| DSV A/S | 20230405 | 16:36:59 | XCSE | 41.0 | 1,246.5 | 51,106.5 |
| DSV A/S | 20230405 | 16:37:04 | XCSE | 5.0 | 1,246.5 | 6,232.5 |
| DSV A/S | 20230405 | 16:37:04 | XCSE | 28.0 | 1,246.5 | 34,902.0 |
| DSV A/S | 20230405 | 16:37:04 | XCSE | 10.0 | 1,246.5 | 12,465.0 |
| DSV A/S | 20230405 | 16:37:08 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:37:08 | XCSE | 25.0 | 1,246.5 | 31,162.5 |
| DSV A/S | 20230405 | 16:37:14 | XCSE | 25.0 | 1,246.5 | 31,162.5 |
| DSV A/S | 20230405 | 16:37:14 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:37:19 | XCSE | 38.0 | 1,246.5 | 47,367.0 |
| DSV A/S | 20230405 | 16:37:21 | XCSE | 16.0 | 1,246.0 | 19,936.0 |
| DSV A/S | 20230405 | 16:37:21 | XCSE | 5.0 | 1,246.0 | 6,230.0 |
| DSV A/S | 20230405 | 16:37:21 | XCSE | 150.0 | 1,246.0 | 186,900.0 |
| DSV A/S | 20230405 | 16:37:40 | XCSE | 74.0 | 1,245.5 | 92,167.0 |
| DSV A/S | 20230405 | 16:37:40 | XCSE | 42.0 | 1,245.5 | 52,311.0 |
| DSV A/S | 20230405 | 16:37:40 | XCSE | 101.0 | 1,245.5 | 125,795.5 |
| DSV A/S | 20230405 | 16:37:55 | XCSE | 174.0 | 1,246.0 | 216,804.0 |
| DSV A/S | 20230405 | 16:38:34 | XCSE | 45.0 | 1,246.5 | 56,092.5 |
| DSV A/S | 20230405 | 16:38:34 | XCSE | 27.0 | 1,246.5 | 33,655.5 |
| DSV A/S | 20230405 | 16:38:38 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:38:38 | XCSE | 18.0 | 1,246.5 | 22,437.0 |
| DSV A/S | 20230405 | 16:38:42 | XCSE | 10.0 | 1,246.5 | 12,465.0 |
| DSV A/S | 20230405 | 16:38:44 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:38:46 | XCSE | 40.0 | 1,246.5 | 49,860.0 |
| DSV A/S | 20230405 | 16:38:56 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:39:09 | XCSE | 77.0 | 1,246.5 | 95,980.5 |
| DSV A/S | 20230405 | 16:39:33 | XCSE | 133.0 | 1,246.5 | 165,784.5 |
| DSV A/S | 20230405 | 16:39:33 | XCSE | 40.0 | 1,246.5 | 49,860.0 |
| DSV A/S | 20230405 | 16:39:41 | XCSE | 87.0 | 1,246.5 | 108,445.5 |
| DSV A/S | 20230405 | 16:39:41 | XCSE | 51.0 | 1,246.5 | 63,571.5 |
| DSV A/S | 20230405 | 16:39:41 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:39:41 | XCSE | 21.0 | 1,246.5 | 26,176.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:39:44 | XCSE | 17.0 | 1,246.5 | 21,190.5 |
| DSV A/S | 20230405 | 16:39:44 | XCSE | 2.0 | 1,246.5 | 2,493.0 |
| DSV A/S | 20230405 | 16:39:44 | XCSE | 22.0 | 1,246.5 | 27,423.0 |
| DSV A/S | 20230405 | 16:39:48 | XCSE | 34.0 | 1,246.5 | 42,381.0 |
| DSV A/S | 20230405 | 16:39:53 | XCSE | 13.0 | 1,246.5 | 16,204.5 |
| DSV A/S | 20230405 | 16:40:01 | XCSE | 1.0 | 1,246.5 | 1,246.5 |
| DSV A/S | 20230405 | 16:40:01 | XCSE | 51.0 | 1,246.5 | 63,571.5 |
| DSV A/S | 20230405 | 16:40:01 | XCSE | 47.0 | 1,246.5 | 58,585.5 |
| DSV A/S | 20230405 | 16:40:05 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:40:05 | XCSE | 27.0 | 1,246.5 | 33,655.5 |
| DSV A/S | 20230405 | 16:40:11 | XCSE | 8.0 | 1,246.5 | 9,972.0 |
| DSV A/S | 20230405 | 16:40:11 | XCSE | 33.0 | 1,246.5 | 41,134.5 |
| DSV A/S | 20230405 | 16:40:16 | XCSE | 40.0 | 1,246.5 | 49,860.0 |
| DSV A/S | 20230405 | 16:40:21 | XCSE | 39.0 | 1,246.5 | 48,613.5 |
| DSV A/S | 20230405 | 16:40:25 | XCSE | 5.0 | 1,246.5 | 6,232.5 |
| DSV A/S | 20230405 | 16:40:25 | XCSE | 12.0 | 1,246.5 | 14,958.0 |
| DSV A/S | 20230405 | 16:40:34 | XCSE | 3.0 | 1,246.5 | 3,739.5 |
| DSV A/S | 20230405 | 16:40:34 | XCSE | 50.0 | 1,246.5 | 62,325.0 |
| DSV A/S | 20230405 | 16:40:34 | XCSE | 42.0 | 1,246.5 | 52,353.0 |
| DSV A/S | 20230405 | 16:40:39 | XCSE | 1.0 | 1,246.5 | 1,246.5 |
| DSV A/S | 20230405 | 16:40:39 | XCSE | 38.0 | 1,246.5 | 47,367.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 93.0 | 1,246.0 | 115,878.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 93.0 | 1,246.0 | 115,878.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 40.0 | 1,246.0 | 49,840.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 35.0 | 1,246.0 | 43,610.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 6.0 | 1,246.0 | 7,476.0 |
| DSV A/S | 20230405 | 16:40:40 | XCSE | 1.0 | 1,246.0 | 1,246.0 |
| DSV A/S | 20230405 | 16:40:42 | XCSE | 68.0 | 1,245.5 | 84,694.0 |
| DSV A/S | 20230405 | 16:40:45 | XCSE | 35.0 | 1,245.0 | 43,575.0 |
| DSV A/S | 20230405 | 16:41:17 | XCSE | 4.0 | 1,245.5 | 4,982.0 |
| DSV A/S | 20230405 | 16:41:18 | XCSE | 63.0 | 1,245.5 | 78,466.5 |
| DSV A/S | 20230405 | 16:41:20 | XCSE | 141.0 | 1,245.5 | 175,615.5 |
| DSV A/S | 20230405 | 16:41:24 | XCSE | 133.0 | 1,245.0 | 165,585.0 |
| DSV A/S | 20230405 | 16:41:47 | XCSE | 86.0 | 1,246.0 | 107,156.0 |
| DSV A/S | 20230405 | 16:41:48 | XCSE | 79.0 | 1,246.0 | 98,434.0 |
| DSV A/S | 20230405 | 16:41:48 | XCSE | 66.0 | 1,246.0 | 82,236.0 |
| DSV A/S | 20230405 | 16:42:06 | XCSE | 23.0 | 1,246.0 | 28,658.0 |
| DSV A/S | 20230405 | 16:42:06 | XCSE | 13.0 | 1,246.0 | 16,198.0 |
| DSV A/S | 20230405 | 16:42:10 | XCSE | 36.0 | 1,246.0 | 44,856.0 |
| DSV A/S | 20230405 | 16:42:14 | XCSE | 2.0 | 1,246.0 | 2,492.0 |
| DSV A/S | 20230405 | 16:42:14 | XCSE | 34.0 | 1,246.0 | 42,364.0 |
| DSV A/S | 20230405 | 16:42:14 | XCSE | 2.0 | 1,246.0 | 2,492.0 |
| DSV A/S | 20230405 | 16:42:15 | XCSE | 106.0 | 1,245.5 | 132,023.0 |
| DSV A/S | 20230405 | 16:42:15 | XCSE | 36.0 | 1,245.5 | 44,838.0 |
| DSV A/S | 20230405 | 16:42:15 | XCSE | 24.0 | 1,245.5 | 29,892.0 |
| DSV A/S | 20230405 | 16:42:18 | XCSE | 30.0 | 1,245.0 | 37,350.0 |
| DSV A/S | 20230405 | 16:42:18 | XCSE | 39.0 | 1,245.0 | 48,555.0 |
| DSV A/S | 20230405 | 16:42:18 | XCSE | 13.0 | 1,245.0 | 16,185.0 |
| DSV A/S | 20230405 | 16:42:50 | XCSE | 21.0 | 1,245.5 | 26,155.5 |

From 03.04.2023-05.04.2023

| | | | | | | |
|---------|----------|----------|------|-------|---------|-----------|
| DSV A/S | 20230405 | 16:42:50 | XCSE | 16.0 | 1,245.5 | 19,928.0 |
| DSV A/S | 20230405 | 16:42:56 | XCSE | 37.0 | 1,245.5 | 46,083.5 |
| DSV A/S | 20230405 | 16:43:02 | XCSE | 34.0 | 1,245.5 | 42,347.0 |
| DSV A/S | 20230405 | 16:43:02 | XCSE | 5.0 | 1,245.5 | 6,227.5 |
| DSV A/S | 20230405 | 16:43:08 | XCSE | 11.0 | 1,245.5 | 13,700.5 |
| DSV A/S | 20230405 | 16:43:08 | XCSE | 26.0 | 1,245.5 | 32,383.0 |
| DSV A/S | 20230405 | 16:43:21 | XCSE | 83.0 | 1,245.5 | 103,376.5 |
| DSV A/S | 20230405 | 16:43:27 | XCSE | 17.0 | 1,245.5 | 21,173.5 |
| DSV A/S | 20230405 | 16:43:27 | XCSE | 19.0 | 1,245.5 | 23,664.5 |
| DSV A/S | 20230405 | 16:43:33 | XCSE | 14.0 | 1,245.5 | 17,437.0 |
| DSV A/S | 20230405 | 16:43:50 | XCSE | 65.0 | 1,245.5 | 80,957.5 |
| DSV A/S | 20230405 | 16:43:50 | XCSE | 51.0 | 1,245.5 | 63,520.5 |
| DSV A/S | 20230405 | 16:43:50 | XCSE | 24.0 | 1,245.5 | 29,892.0 |
| DSV A/S | 20230405 | 16:43:57 | XCSE | 36.0 | 1,245.5 | 44,838.0 |
| DSV A/S | 20230405 | 16:44:03 | XCSE | 2.0 | 1,245.5 | 2,491.0 |
| DSV A/S | 20230405 | 16:44:03 | XCSE | 35.0 | 1,245.5 | 43,592.5 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 51.0 | 1,245.0 | 63,495.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 50.0 | 1,245.0 | 62,250.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 50.0 | 1,245.0 | 62,250.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 20.0 | 1,245.0 | 24,900.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 45.0 | 1,245.0 | 56,025.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 28.0 | 1,245.0 | 34,860.0 |
| DSV A/S | 20230405 | 16:44:12 | XCSE | 166.0 | 1,245.0 | 206,670.0 |